

Grafoplast™

do it better

MARKING SYSTEM



Italian Press welcomes back
Grafoplast™ as an Italian Company.

LA STAMPA

30 | **Società** | LA STAMPA
GIOVEDÌ 7 DICEMBRE 2017

Inipoti che fanno rivivere la fabbrica del nonno



La famiglia Piana della Grafoplast di Predosa (Alessandria): papà Silvano con Valentina e Giovanni

DANIELE PRATO
PREDOSA (ALESSANDRIA)

Sono giornate piene, alla Grafoplast di Predosa, nell'Ovadese. C'è una rete di vendita da ricostruire, una struttura da riorganizzare. «Vorrei dire che ce la faremo per fine dicembre ma, in un'ottica più realistica, dico che il lavoro sarà completato per inizio febbraio» spiega Giovanni Piana, 30 anni, neo amministratore delegato dell'azienda. Quella che suo nonno, stesso nome, aveva fondato nel

1963 e che oggi il nipote, tornato apposta dall'Inghilterra, si è ri-comprato con la sorella Valentina, 32 anni, dalla multinazionale americana 3M, che il 29 giugno, con un fax di poche righe, aveva annunciato di voler chiudere lo stabilimento alessandrino di identificativi per impianti elettrici civili e industriali.

Non un sito in crisi, sia chiaro, ma «non più strategico» nel vasto universo targato 3M. A vendere l'azienda alla multinazionale, nel 2008, era stato il

papà di Giovanni e Valentina, Silvano Piana, ricevuta un'offerta che, in quel frangente, non sarebbe stato saggio rifiutare. Ma nove anni dopo, certi che restando alla finestra l'azienda avrebbe chiuso, con pesanti contraccolpi per i suoi 42 lavoratori, la famiglia ha deciso di rifarsi avanti. Anche in risposta all'appello lanciato, con una voce unica, dal territorio, che non ha accettato di perdere un'altra delle sue attività. In salute, ol-tretutto.



EVO MAX

TWIST SYS
AUTOMATIC

TRASP SYS
MANUAL

TARGA SYS
MANUAL

PLOTTER SYS
AUTOMATIC

EGO PRO

EGO YOU

EGO SMART

ALTER EGO

GRAFO SIGN

LABELUX

UV TECHNOLOGY

LABELPHOS

SIMPLEX

SUPPORTI

In 1963 Grafoplast was founded by Giovanni Piana, a brilliant Italian entrepreneur who developed a revolutionary wire marking system, patented under the name "Trasp". It immediately stood out from competitive ones thanks to the exceptional clarity of the marking, the long-lasting resistance over time and the easy use.

From then on, it has been a continuous and never ending growth so that in 2008 Grafoplast became one of the most prestigious companies in the sector, attracting on itself the attention of some multinational corporations, one of which acquired it towards the end of the same year. After almost 10 years, in November 2017, the Piana family, who had founded Grafoplast in 1963, decided to reacquire the company with the strong will to relaunch it worldwide, promoting the Made in Italy and the fundamental historical values of the company as quality, innovation and customer satisfaction.

Nowadays Grafoplast is recognized as a specialist in the identification systems for electrical engineering and industrial automated market but also in sectors such as: installations and equipments, energy plants, power distribution and transformation. Grafoplast grants maximum efficiency and reliability of its products, in compliance with the international work-wide quality standards, thanks to its experience of more than 50 years in the design of new products made with highly selected materials.

The HQ covers 8000 sq. mt and it is located in a strategic area that spreads over 20.000 sq. mt in the middle of the famous Industrial triangle made by the cities of Genoa, Milan and Turin. Internally, great attention is paid to technological progress and work efficiency, that's why Grafoplast has equipped itself with an automated warehouse that allows orders to be shipped within 48 hours from their receipt and to have an always updated inventory.



1963

TRASP™



1989

PLOTTER



2003

SI2KPRINTUNO



In Italy the Sales Network is made up of over 60 specialized professionals working in the field, while the presence on foreign markets is constantly expanding with over 80 authorized distributors in Europe and outside Europe. Aiming at an excellent customer service, technical assistance is guaranteed through a dedicated telephone line and, to solve problems even faster, the remote connection of the specialized Grafoplast technician allows immediate solutions.

From **TRASP manual system**, Grafoplast has increased its product range with **EVOMAX²**, the thermal transfer system able to boost up the marking from cables, wires, T-blocks and equipments up to push buttons, name plates and customized plates with logos, barcodes and graphical icons.

The consumables have been enriched by the **UV Technology Series**, the result of the latest Grafoplast patent, made of photoluminescent and phosphorescent materials to give maximum visibility in the dark. Thanks to this new products line, the maintenance work on the plants has become even easier and safer.

The **TWIST system** includes roll printers with a compact design, ideal to mark on site flat tags, heat shrinkable materials and adhesive labels in the industrial field. In 2019 Grafoplast has started selling the **hand-held printers EGO** again; these smart portable printers allow to mark anywhere and on various supports and materials. The wide range of consumables, the flexibility of the holders and sleeves and the Tools are able to give a solution to all types of applications.

Customer satisfaction

Prompt deliveries, price competitiveness, continuous innovation and investments in Research and Development are the "engine" of Grafoplast that has been always ready to guarantee high level of performance and quality of its products to meet the needs of its justly demanding customers.



2005

EGO Hand-Held
labels printers
EGO 1 PRO



2017

The company
returns italian
Grafoplast



2019

EVOMAX² & EGO
EVO MAX
EGO SMART
EGO 1 PRO
EGO 4 YOU
ALTEREGO

INDEX

I EVOMAX2 Thermal Transfer Printer

- 8** Overview
- 16** T-blocks identification
- 26** Modular strips
- 28** Ribbons & Accessories
- 10** Cables identification
- 18** Components identification
- 27** Tags for external panel
- 30** UV Technology

II TWIST - Thermal Transfer Roll Printer

- 38** Overview
- 42** Adhesive labels
- 40** Heat shrinkable
- 44** Cables identification

III TRASP™ - TARGA™ - Graforing - Manual Identification System

- 46** Overview
- 50** Portable Kits
- 49** Cables identification
- 57** Metal identification

IV Sleeves & Tools

- 60** Sleeves for cable tags (standard)
- 64** Snap-On sleeves & Spark pin terminals
- 69** Tags holders & protective slides
- 71** Plant identifier labels & Spiral bands
- 74** Adhesive labels & pens
- 63** Sleeves for cable tags (flat)
- 65** Special sleeves
- 70** Channels
- 72** Polyester sheaths & Heat shrinkable
- 75** Joints and insulated sleeves

V EGO - Hand Held printers

- 76** EGO4YOU
- 80** EGOSMART
- 84** Tapes range
- 78** EGO1PRO
- 82** ALTEREGO

VI GRAFOSIGN

- 88** Vinyl & polycarbonate signs
- 105** PVC & Aluminium signs

VII PLOTTER - Plotter System

- 120** Range of products

VIII COMPATIBILITY

- 130** T-blocks compatibility table

EVO MAX²



PB-CM-01/P1

PB-CM-01/P1

PB-CM-01/P1





OVERVIEW

The evolution of SI2K thermal transfer system is called EVOMAX². This Grafoplast™ unique system is recognized for the high levels of quality, reliability and performance, able to enhance the marking of the electrical components at a reasonable cost. You can also print high-resolution logos, barcodes and graphic symbols by creating customized plates lasting over time. Compact size printer, equipped with the new high precision **QC Loading** to optimize operating time and with parametric sensors that allow the consumption optimization and the maximum execution accuracy. The complete range of consumables satisfies all industrial identification needs, from cables, T-blocks and equipment up to the marking of push buttons, name plates, modular strips and customized plates.

STRENGTHS



Free to choose automatic or manual mode.

The printer is equipped with automatic feeder that can print independently more than 1000 tags for cables or T-blocks with a considerable saving of the operator time. Alternatively it can also work in manual mode to guarantee high flexibility.



Up to 8500 cable tags/h to satisfy even the most demanding requests;
High resolution print (300 dpi) in black or colors with special resin base ribbons to ensure precise and long lasting marking.



Immediately ready for use even after a long period of inactivity.

It requires minimal maintenance thanks to the integrated cleaning set and the quick change of the ribbon makes the use very simple. The tags to be printed are assembled in modules to be easily and quickly inserted in the printer.

TECHNICAL SPECIFICATIONS

Type	Desktop Industrial printer
Technology	Thermal Transfer
Loading	Automatic and manual
Resolution	300 dpi
Printable area	54x496 mm (h x l)
Max printing area	80 x 500 mm (h x l)
Dimensions	423 x 240 x 208 mm
Weight	9,5 Kg
Compatible with operating systems	Windows XP (64bit), Vista, 7, Win 8 e 10
Compatible with graphics format	.gif, .jpg, .jpeg, .bmp, .wmf.
Print Speed	Up to 60 mm/s
Ribbons	black, red, silver, gold, white, blue, green
Cleaning Set	Cleaning roller and cleaning cassette
Interface	USB
Operating Conditions	from +15°C to +32,5°C; from 10% to 85% Rh
Supply	from 100V to 240V AC, 50/60Hz
Display	backlight LCD


HOW IT IS EQUIPPED EVOMAX²



HOW IT IS EQUIPPED EVOMAX² BASIC



TAGS FOR CABLES



These tags in polycarbonate are used to identify cables, compatible with sleeves and holders for cable tags.
Available in grey, orange, blue and green. Please go to Sleeves & Tools chapter.


DIMENSIONS	PACKAGE	WHITE		YELLOW		RED
		STANDARD	HALOGEN FREE	STANDARD	HALOGEN FREE	STANDARD
10 x 4 mm	1152 pcs	SI2K02W/10N	SI2K02W/10NHF	SI2K02Y/10N	SI2K02Y/10NHF	SI2K02R/10N
12 x 4 mm	960 pcs	SI2K02W/12N	SI2K02W/12NHF	SI2K02Y/12N	SI2K02Y/12NHF	SI2K02R/12N
15 x 4 mm	768 pcs	SI2K02W/15N	SI2K02W/15NHF	SI2K02Y/15N	SI2K02Y/15NHF	SI2K02R/15N
18 x 4 mm	576 pcs	SI2K02W/18N	SI2K02W/18NHF	SI2K02Y/18N	SI2K02Y/18NHF	SI2K02R/18N
30 x 4 mm	600 pcs	SI2K02W/30*	SI2K02W/30HF*	SI2K02Y/30*	SI2K02Y/30HF*	SI2K02R/30*

Industrial Automation

Industrial Plant

Industrial Wiring


Civil System





-30°C +120°C



UV TECHNOLOGY



**FLAT TAGS
FOR CABLES**


These flat cable tags are used for identification of cables and conductors. They can be inserted into the SLIM sleeves of the 500 Series. **Available in grey, orange, blue and green.**

Please go to page 63 to see 500 Series Sleeves.

For further information:
 sales@graoplast.it
 +39 0131 718477

DIMENSIONS	PACKAGE	WHITE	YELLOW	RED
10 x 4 mm	2464 pcs	EVOCT10W	EVOCT10Y	EVOCT10R
12 x 4 mm	2156 pcs	EVOCT12W	EVOCT12Y	EVOCT12R
15 x 4 mm	1848 pcs	EVOCT15W	EVOCT15Y	EVOCT15R
18 x 4 mm	1540 pcs	EVOCT18W	EVOCT18Y	EVOCT18R
23 x 4 mm	1540 pcs	EVOCT23W	EVOCT23Y	EVOCT23R
30 x 4 mm	1232 pcs	EVOCT30W	EVOCT30Y	EVOCT30R

Industrial Automation Industrial Plant Industrial Wiring Civil System



WIRE MARKING TAGS

These tags are designed to be fitted directly on the wire; the circular portion of the tag anchors the marker.

Available in grey, orange, blue and green.

DIMENSIONS	PACKAGE	Ø EXTERNAL	WHITE		YELLOW		RED			
			STANDARD	HALOGEN FREE	STANDARD	HALOGEN FREE	STANDARD	STANDARD		
4 x 10 mm	990 pcs	0.6 ÷ 3.2 mm	SI2KTM01W/10	SI2KTM01W/10HF	SI2KTM01Y/10	SI2KTM01Y/10HF	SI2KTM01R/10			
4 x 10 mm	726 pcs	1.0 ÷ 3.8 mm	SI2KTM02W/10	SI2KTM02W/10HF	SI2KTM02Y/10	SI2KTM02Y/10HF	SI2KTM02R/10			
Industrial Automation		Industrial Plant		Industrial Wiring		Civil System				
Plate NP3										

TAGS FOR CONTACTORS

These tags are applied thanks to the quick joint on the component.

Available in grey, orange, blue and green.

DIMENSIONS	PACKAGE	COMPATIBILITY	WHITE		YELLOW		RED			
			STANDARD	HALOGEN FREE	STANDARD	HALOGEN FREE	STANDARD	STANDARD		
20 x 7 mm	256 pcs	ABB, SIEMENS	SI2KAF35GW	SI2KAF35GWHF	SI2KAF35GY	SI2KAF35GYHF	SI2KAF35GR			
Industrial Automation		Industrial Plant		Industrial Wiring		Civil System				
Plate NP7										



WRAP AROUND LABELS FOR CABLES



For further information:
 sales@grafoplast.it
 +39 0131 718477

The labels are composed of two parts: one writable to be fixed on the cable and one transparent to be wrapped on and to protect the writing. They allow the identification of cables and sheaths, also of large diameters.


DIMENSIONS (AxB)	PACKAGE	Ø WIRE	PRINTING AREA (BxC)	WHITE	YELLOW
22 x 13 mm	1000 pcs	1,60 ÷ 3,00	13 x 9,5	EVOSL022013W	EVOSL022013Y
27 x 13 mm	800 pcs	2,40 ÷ 4,60	13 x 9,5	EVOSL027013W	EVOSL027013Y
34 x 13 mm	600 pcs	2,90 ÷ 5,70	13 x 13	EVOSL034013W	EVOSL034013Y
42 x 13 mm	500 pcs	4,20 ÷ 8,20	13 x 13	EVOSL042013W	EVOSL042013Y
52 x 20 mm	300 pcs	5,90 ÷ 11,70	20 x 12	EVOSL052020W	EVOSL052020Y
72 x 25,5 mm	150 pcs	6,90 ÷ 13,80	25,5 x 25,5	EVOSL072025W	EVOSL072025Y
107 x 25,5 mm	100 pcs	12,50 ÷ 25,00	25,5 x 25,5	EVOSL107025W	EVOSL107025Y
192 x 25,5 mm	50 pcs	22,10 ÷ 44,20	25,5 x 50	EVOSL192025W	EVOSL192025Y
192 x 50 mm	25 pcs	22,10 ÷ 44,20	50 x 50	EVOSL192050W	EVOSL192050Y

Industrial Automation Industrial Plant Industrial Wiring Civil System



+70°C
-20°C

THICKNESS
0.1 mm



TAGS FOR CABLE TIES

They are used to identify cables bundles or sheaths; the different colors allow to distinguish the type according to the needs.

Please go to page 68 to see the ties

DIMENSIONS	PACKAGE	WHITE	GREY	YELLOW	ORANGE	RED	BLUE	GREEN
54 x 11 mm	200 pcs	SI2K030W	SI2K030E	SI2K030Y	SI2K030O	SI2K030R	SI2K030U	SI2K030G



DIMENSIONS	PACKAGE	WHITE	GREY	YELLOW	ORANGE	RED	BLUE	GREEN
25 x 10 mm	720 pcs	EVOCT1025W	EVOCT1025M	EVOCT1025Y	EVOCT1025O	EVOCT1025R	EVOCT1025U	EVOCT1025G
60 x 10 mm	270 pcs	EVOCT1060W	EVOCT1060M	EVOCT1060Y	EVOCT1060O	EVOCT1060R	EVOCT1060U	EVOCT1060G
70 x 10 mm	270 pcs	EVOCT1070W	EVOCT1070M	EVOCT1070Y	EVOCT1070O	EVOCT1070R	EVOCT1070U	EVOCT1070G
80 x 10 mm	180 pcs	EVOCT1080W	EVOCT1080M	EVOCT1080Y	EVOCT1080O	EVOCT1080R	EVOCT1080U	EVOCT1080G
25 x 15 mm	432 pcs	EVOCT1525W	EVOCT1525M	EVOCT1525Y	EVOCT1525O	EVOCT1525R	EVOCT1525U	EVOCT1525G
60 x 15 mm	162 pcs	EVOCT1560W	EVOCT1560M	EVOCT1560Y	EVOCT1560O	EVOCT1560R	EVOCT1560U	EVOCT1560G
70 x 15 mm	162 pcs	EVOCT1570W	EVOCT1570M	EVOCT1570Y	EVOCT1570O	EVOCT1570R	EVOCT1570U	EVOCT1570G
80 x 15 mm	108 pcs	EVOCT1580W	EVOCT1580M	EVOCT1580Y	EVOCT1580O	EVOCT1580R	EVOCT1580U	EVOCT1580G
25 x 25 mm	576 pcs	EVOCT2525W	EVOCT2525M	EVOCT2525Y	EVOCT2525O	EVOCT2525R	EVOCT2525U	EVOCT2525G
60 x 25 mm	216 pcs	EVOCT2560W	EVOCT2560M	EVOCT2560Y	EVOCT2560O	EVOCT2560R	EVOCT2560U	EVOCT2560G
70 x 25 mm	216 pcs	EVOCT2570W	EVOCT2570M	EVOCT2570Y	EVOCT2570O	EVOCT2570R	EVOCT2570U	EVOCT2570G
80 x 25 mm	144 pcs	EVOCT2580W	EVOCT2580M	EVOCT2580Y	EVOCT2580O	EVOCT2580R	EVOCT2580U	EVOCT2580G


Industrial Automation

Industrial Plant

Industrial Wiring

Civil System

--	--	--	--	--	--



STRIPS FOR T-BLOCKS



A fast and cheap solution to mark T-Blocks.



For further information:
sales@grafoplast.it
+39 0131 718477


DIMENSIONS	PACKAGE	COMPATIBILITY	WHITE	YELLOW	#
105 x 4 mm	176 pcs	Printed circuit and other components	EVOS04105W	EVOS04105Y	
105 x 5.2 mm	220 pcs	Entrelec series D e ADO	EVOS05105W	EVOS05105Y	
105 x 6.3 mm	220 pcs	Phoenix Series ST	EVOS06105W	EVOS06105Y	
105 x 7 mm	132 pcs	Wago 260, 261, 262	EVOS07105W	EVOS07105Y	
105 x 7.6 mm	132 pcs	Entrelec M6/9EE (front marking)	EVOS08105W	EVOS08105Y	
105 x 8.8 mm	132 pcs	Wieland WTP	EVOS09105W	EVOS09105Y	
105 x 10 mm	132 pcs	Entrelec M6/9EE (side marking)	EVOS10105W	EVOS10105Y	
105 x 11 mm	132 pcs	ILME multipolar connectors; Wago T-Blocks 280, Entrelec series D e ADO	EVOS11105W	EVOS11105Y	
130 x 6.3 mm	60 pcs	Phoenix Serie ST	SI2K06130W	-	
130 x 11 mm	60 pcs	ILME multipolar connectors; Wago T-Blocks 280, Entrelec series D e ADO	SI2K11130W	-	
155 x 11 mm	60 pcs	ILME multipolar connectors; Wago T-Blocks 280, Entrelec series D e ADO	SI2K11155W	-	
205 x 11 mm	60 pcs	ILME multipolar connectors; Wago T-Blocks 280, Entrelec series D e ADO	SI2K11205W	-	
105 x 4 mm	176 pcs	Printed circuit and other components	EVOS404105W	EVOS404105Y	
105 x 10 mm	132 pcs	Entrelec M6/9EE (side marking)	EVOS410105W	EVOS410105Y	
105 x 12 mm	132 pcs	Entrelec SNK	EVOS412105W	EVOS412105Y	
105 x 4 mm	200 pcs	Printed circuit and other components	EVOSFX04105W	EVOSFX04105Y	
105 x 5.2 mm	200 pcs	Weidmuller SAK	EVOSFX05105W	EVOSFX05105Y	
105 x 7 mm	200 pcs	Wago 260, 261, 262	EVOSFX07105W	EVOSFX07105Y	
105 x 7.6 mm	200 pcs	Entrelec M6/9EE (front marking)	EVOSFX08105W	EVOSFX08105Y	
105 x 10 mm	120 pcs	Printed circuit and other components	EVOSFX10105W	EVOSFX10105Y	
Industrial Automation		Industrial Plant	Industrial Wiring	Civil System	




TAGS FOR T-BLOCKS

SINGLE FEEDER

The TB tags in polycarbonate can be easily and quickly applied.
Available in halogen free, white and yellow, grey,
orange, blue and green.



DIMENSIONS	PACKAGE	SECTION mm ²	PITCH mm	COMPATIBILITY*	WHITE		YELLOW	RED
					STANDARD	HALOGEN FREE		
9 x 3 mm	900 pcs	1.5	3.5	Phoenix, Siemens	SI2KTB3509EW	SI2KTB3509EWHF	SI2KTB3509EY	SI2KTB3509ER
9 x 3 mm	900 pcs	1.5	3.5	Weidmüller, Wago	SI2KTB3509LW	SI2KTB3509LWHF	SI2KTB3509LY	SI2KTB3509LR
10 x 3 mm	900 pcs	1.5	3.5	Phoenix, Wago, Siemens	SI2KTB3510CW	SI2KTB3510CWHF	SI2KTB3510CY	SI2KTB3510CR
10 x 3 mm	900 pcs	1.5	3.5	Weidmüller, Wago	SI2KTB3510LW	SI2KTB3510LWHF	SI2KTB3510LY	SI2KTB3510LR
10 x 3 mm	900 pcs	1.5	3.5	Weidmüller, Wago	SI2KTB3510LWK	SI2KTB3510LWKHF	SI2KTB3510LYK	SI2KTB3510LRK
9.1 x 3 mm	900 pcs	1.5	3.5	Wieland	SI2KTB3590DW	SI2KTB3590DWHF	SI2KTB3590DY	SI2KTB3590DR
10 x 5 mm	540 pcs	2.5	5.1	Weidmüller, Morsettitalia, Contaclip Klemsan, Wago	SI2KTB5010LWK	SI2KTB5010LWKHF	SI2KTB5010LYK	SI2KTB5010LRK
10 x 5 mm	540 pcs	2.5	5.1	Weidmüller	SI2KTB5010LW	SI2KTB5010LWHF	SI2KTB5010LY	SI2KTB5010LR
8.5 x 4.65 mm	540 pcs	2.5	5	Wieland	SI2KTB5085DW	SI2KTB5085DWHF	SI2KTB5085DY	SI2KTB5085DR
9 x 10 mm	540 pcs	2.5	5.2	Phoenix	SI2KTB5209EW	SI2KTB5209EWHF	SI2KTB5209EY	SI2KTB5209ER
10 x 5 mm	540 pcs	2.5	5.2	Phoenix, Wago, ABB Entrellec	SI2KTB5210CW	SI2KTB5210CWHF	SI2KTB5210CY	SI2KTB5210CR
10 x 5 mm	540 pcs	4	6	Legrand, Wieland, Telemecanique	SI2KTB6010DW	SI2KTB6010DWHF	SI2KTB6010DY	SI2KTB6010DR
9 x 5 mm	540 pcs	4	6	Rockwell Automation Woertz	SI2KTB6010HW	SI2KTB6010HW	SI2KTB6010HY	SI2KTB6010HR
8.5 x 5.5 mm	540 pcs	4	6	Wieland	SI2KTB6085DW	SI2KTB6085DWHF	SI2KTB6085DY	SI2KTB6085DR
10 x 5 mm	420 pcs	4	6.5	Siemens	SI2KTB6510GW	SI2KTB6510GWHF	SI2KTB6510GY	SI2KTB6510GR
12 x 5 mm	420 pcs	4	6.5	Cabur	SI2KTB6512BW	SI2KTB6512BWHF	SI2KTB6512BY	SI2KTB6512BR
8.5 x 7.5 mm	300 pcs	6	8	Wieland	SI2KTB8085DW	SI2KTB8085DWHF	SI2KTB8085DY	SI2KTB8085DR



Industrial Automation

Industrial Plant

Industrial Wiring

Civil System

*For deepest information please check the T-Block compatibility table at the end of catalogue.




+120°C
-30°C



UV TECHNOLOGY





TAGS FOR T-BLOCKS AUTOMATIC FEEDER

The AF tags in polycarbonate can be printed with automatic feeder ideal for big quantity.

Available in halogen free, white and yellow, grey, orange, blue and green.



DIMENSIONS	PACKAGE	SECTION mm ²	PITCH mm	COMPATIBILITY*	WHITE	YELLOW	RED	PLATE
10 x 5 mm	1056 pcs	2.5	5.2	Wago 280 Phoenix Contact Entrellec, Arnocanali	SI2KAF5010CW	SI2KAF5010CY	SI2KAF5010CR	NP2
10 x 5 mm	1056 pcs	2.5	5.2	Weidmüller, Contaclip Morsettitalia, Klemson Wago 870	SI2KAF5010LWK	SI2KAF5010LYK	SI2KAF5010LRK	NP4
10 x 5 mm	1056 pcs	2.5	5	ABB Entrellec Series M, D, ADO	SI2KAF5010RW	SI2KAF5010RY	SI2KAF5010RR	NP5
10 x 5 mm	990 pcs	2.5	5.2	Wago Top Job	SI2KAF5210NW	SI2KAF5210NY	SI2KAF5210NR	NP4
12 x 5 mm	990 pcs	4	5.2	ABB Entrellec Series ZS	SI2KAF5212SW	SI2KAF5212SY	SI2KAF5212SR	NP6
10 x 6 mm	858 pcs	2.5	5.5	Cabur	SI2KAF6010BW	SI2KAF6010BY	SI2KAF6010BR	NP5
10 x 6 mm	858 pcs	4	6	ABB Entrellec Series M, D, ADO	SI2KAF6010RW	SI2KAF6010RY	SI2KAF6010RR	NP6
12 x 6 mm	858 pcs	6	6	ABB Entrellec Series ZS	SI2KAF6012SW	SI2KAF6012SY	SI2KAF6012SR	NP6
10 x 8 mm	660 pcs	6	8	ABB Entrellec Series M, D, ADO	SI2KAF8010RW	SI2KAF8010RY	SI2KAF8010RR	NP6
12 x 8 mm	660 pcs	10	8	ABB Entrellec Series ZS	SI2KAF8012SW	SI2KAF8012SY	SI2KAF8012SR	NP6

Industrial Automation

Industrial Plant

Industrial Wiring

Civil System

*For deepest information please check the T-Block compatibility table at the end of catalogue.



-30°C +120°C



UV TECHNOLOGY



PLC SIEMENS TAGS

These tags allow the identification of all PLC Siemens.

They can easily replace the existing ones.

Available colors: Siemens - White - Yellow

DIMENSIONS	PACKAGE	WHITE	YELLOW	SIEMENS
12.7 x 109 mm	88 pcs	EVOPS13109W	EVOPS13109Y	EVOPS13109S
12.7 x 31 mm	264 pcs	EVOPS1331W	EVOPS1331Y	EVOPS1331S
12.75 x 50 mm	176 pcs	EVOPS1350W	EVOPS1350Y	EVOPS1350S
17.3 x 103.5 mm	66 pcs	EVOPS17103W	EVOPS17103Y	EVOPS17103S
17.5 x 52 mm	132 pcs	EVOPS1752W	EVOPS1752Y	EVOPS1752S
22.5 x 103.5 mm	44 pcs	EVOPS22103W	EVOPS22103Y	EVOPS22103S
22 x 38 mm	110 pcs	EVOPS2238W	EVOPS2238Y	EVOPS2238S
22.75 x 109 mm	44 pcs	EVOPS23109W	EVOPS23109Y	EVOPS23109S
25.5 x 50 mm	88 pcs	EVOPS2550W	EVOPS2550Y	EVOPS2550S
52 x 80 mm	33 pcs	EVOPS5280W	EVOPS5280Y	EVOPS5280S

Industrial Automation


Industrial Plant

Industrial Wiring

Civil System





+50°C
-10°C



TAGS FOR ENTRY-PHONE

They can easily replace the existing ones.
They guarantee a more long lasting time and UV resistance

DIMENSIONS	PACKAGE	OPAL WHITE
 64 x 12 mm	 198 pcs	EVO1264A
 64 x 14 mm	 162 pcs	EVO1664A
 71 x 22 mm	 108 pcs	EVO2271A
 62 x 23 mm	 108 pcs	EVO2362A
 79 x 81 mm	 48 pcs	EVO7981A
Industrial Automation	Industrial Plant	Industrial Wiring
		
		
CEI 16-7		





TAGS FOR PUSH BUTTONS/CHANNELS

ADHESIVE


They can be applied with tags holder or directly with the adhesive placed on the back. Please go to page 69 to see Tag Holders.

DIMENSIONS	PACKAGE	Ø HOLE	WHITE	GREY	YELLOW	ORANGE	RED	BLUE	GREEN
27 x 8 mm	440 pcs	-	EVO40827W	EVO40827M	EVO40827Y	EVO40827O	EVO40827R	EVO40827U	EVO40827G
17 x 10 mm	1080 pcs	-	EVO41017W	EVO41017M	EVO41017Y	EVO41017O	EVO41017R	EVO41017U	EVO41017G
27 x 10 mm	630 pcs	-	EVO41027W	EVO41027M	EVO41027Y	EVO41027O	EVO41027R	EVO41027U	EVO41027G
50 x 10 mm	360 pcs	-	EVO41050W	EVO41050M	EVO41050Y	EVO41050O	EVO41050R	EVO41050U	EVO41050G
67 x 10 mm	270 pcs	-	EVO41067W	EVO41067M	EVO41067Y	EVO41067O	EVO41067R	EVO41067U	EVO41067G
17 x 15 mm	396 pcs	-	EVO41517W	EVO41517M	EVO41517Y	EVO41517O	EVO41517R	EVO41517U	EVO41517G
27 x 15 mm	264 pcs	-	EVO41527W	EVO41527M	EVO41527Y	EVO41527O	EVO41527R	EVO41527U	EVO41527G
50 x 15 mm	132 pcs	-	EVO41550W	EVO41550M	EVO41550Y	EVO41550O	EVO41550R	EVO41550U	EVO41550G
67 x 15 mm	99 pcs	-	EVO41567W	EVO41567M	EVO41567Y	EVO41567O	EVO41567R	EVO41567U	EVO41567G
27 x 18 mm	288 pcs	-	EVO41827W	EVO41827M	EVO41827Y	EVO41827O	EVO41827R	EVO41827U	EVO41827G
17 x 20 mm	528 pcs	-	EVO42017W	EVO42017M	EVO42017Y	EVO42017O	EVO42017R	EVO42017U	EVO42017G
27 x 20 mm	352 pcs	-	EVO42027W	EVO42027M	EVO42027Y	EVO42027O	EVO42027R	EVO42027U	EVO42027G
50 x 20 mm	176 pcs	-	EVO42050W	EVO42050M	EVO42050Y	EVO42050O	EVO42050R	EVO42050U	EVO42050G
67 x 20 mm	132 pcs	-	EVO42067W	EVO42067M	EVO42067Y	EVO42067O	EVO42067R	EVO42067U	EVO42067G
80 x 25 mm	108 pcs	-	EVO42580W	EVO42580M	EVO42580Y	EVO42580O	EVO42580R	EVO42580U	EVO42580G
27 x 27 mm	288 pcs	-	EVO42727W	EVO42727M	EVO42727Y	EVO42727O	EVO42727R	EVO42727U	EVO42727G
40 x 30 mm	440 pcs	22.5 mm	EVO4404W	EVO4404M	EVO4404Y	EVO4404O	EVO4404R	EVO4404U	EVO4404G
50 x 50 mm	176 pcs	24.5 mm	EVO4408W	EVO4412M	EVO4408Y	EVO4408O	EVO4408R	EVO4408U	EVO4408G
50 x 50 mm	176 pcs	30.5 mm	EVO4412W	EVO41527M	EVO4412Y	EVO4412O	EVO4412R	EVO4412U	EVO4412G

Industrial Automation Industrial Plant Industrial Wiring Civil System

TAGS FOR PUSH BUTTONS/CHANNELS NON ADHESIVE



For further information:
 ☎ sales@grafoplast.it
 +39 0131 718477

DIMENSIONS	PACKAGE	Ø HOLE	WHITE	GREY	YELLOW	ORANGE	RED	BLUE	GREEN	SUGGESTED HOLDER
27 x 8 mm	440 pcs	-	EVO0827W	EVO0827M	EVO0827Y	EVO0827O	EVO0827R	EVO0827U	EVO0827G	Channel SITOB10/ Page 70
15 x 10 mm	1080 pcs	-	EVO1015W	EVO1015M	EVO1015Y	EVO1015O	EVO1015R	EVO1015U	EVO1015G	Channel SITOB10/ Page 70
17 x 10 mm	1080 pcs	-	EVO1017W	EVO1017M	EVO1017Y	EVO1017O	EVO1017R	EVO1017U	EVO1017G	Channel SITOB10/ Page 70
20 x 10 mm	900 pcs	-	EVO1020W	EVO1020M	EVO1020Y	EVO1020O	EVO1020R	EVO1020U	EVO1020G	Channel SITOB10/ Page 70
27 x 10 mm	630 pcs	-	EVO1027W	EVO1027M	EVO1027Y	EVO1027O	EVO1027R	EVO1027U	EVO1027G	Channel SITOB10/ Page 70
50 x 10 mm	360 pcs	-	EVO1050W	EVO1050M	EVO1050Y	EVO1050O	EVO1050R	EVO1050U	EVO1050G	Channel SITOB10/ Page 70
67 x 10 mm	270 pcs	-	EVO1067W	EVO1067M	EVO1067Y	EVO1067O	EVO1067R	EVO1067U	EVO1067G	Channel SITOB10/ Page 70
17 x 15 mm	396 pcs	-	EVO1517W	EVO1517M	EVO1517Y	EVO1517O	EVO1517R	EVO1517U	EVO1517G	Channel SITOB15/ Page 70
27 x 15 mm	264 pcs	-	EVO1527W	EVO1527M	EVO1527Y	EVO1527O	EVO1527R	EVO1527U	EVO1527G	SITOA06 - SITOB05 Page 69
50 x 15 mm	132 pcs	-	EVO1550W	EVO1550M	EVO1550Y	EVO1550O	EVO1550R	EVO1550U	EVO1550G	SITOA07 Page 69
67 x 15 mm	99 pcs	-	EVO1567W	EVO1567M	EVO1567Y	EVO1567O	EVO1567R	EVO1567U	EVO1567G	SITOA08 Page 69
27 x 16 mm	252 pcs	-	EVO1627W	EVO1627M	EVO1627Y	EVO1627O	EVO1627R	EVO1627U	EVO1627G	Allen Bradley Serie 800F-200
27 x 18 mm	288 pcs	-	EVO1827W	EVO1827M	EVO1827Y	EVO1827O	EVO1827R	EVO1827U	EVO1827G	Telemecanique
17 x 20 mm	528 pcs	-	EVO2017W	EVO2017M	EVO2017Y	EVO2017O	EVO2017R	EVO2017U	EVO2017G	Channel SITOB20/ Page 70
27 x 20 mm	352 pcs	-	EVO2027W	EVO2027M	EVO2027Y	EVO2027O	EVO2027R	EVO2027U	EVO2027G	Channel SITOB20/ Page 70
50 x 20 mm	176 pcs	-	EVO2050W	EVO2050M	EVO2050Y	EVO2050O	EVO2050R	EVO2050U	EVO2050G	Channel SITOB20/ Page 70
67 X 20 mm	132 pcs	-	EVO2067W	EVO2067M	EVO2067Y	EVO2067O	EVO2067R	EVO2067U	EVO2067G	Channel SITOB20/ Page 70
27 x 27 mm	288 pcs	-	EVO2727W	EVO2727M	EVO2727Y	EVO2727O	EVO2727R	EVO2727U	EVO2727G	SITOB08 Page 69
40 x 30 mm	440 pcs	22.5 mm	EVO404W	EVO404M	EVO404Y	EVO404O	EVO404R	EVO404U	EVO404G	-
50 x 50 mm	176 pcs	24.5 mm	EVO408W	EVO408M	EVO408Y	EVO408O	EVO408R	EVO408U	EVO408G	-
50 x 50 mm	176 pcs	30.5 mm	EVO412W	EVO412M	EVO412Y	EVO412O	EVO412R	EVO412U	EVO412G	-

Industrial Automation

Industrial Plant

Industrial Wiring

Civil System



THICKNESS
0.5 mm



+50°C
-10°C



ADHESIVE PVC TAGS

These tags are suitable for equipment identification inside the panel.

DIMENSIONS	PACKAGE	WHITE	YELLOW	ORANGE	RED	BLUE	GREEN
20 x 7 mm	1260 pcs	EVO40720W	EVO40720Y	EVO40720O	EVO40720R	EVO40720U	EVO40720G
25 x 7 mm	880 pcs	EVO40725W	EVO40725Y	EVO40725O	EVO40725R	EVO40725U	EVO40725G
17 x 8 mm	1320 pcs	EVO40817W	EVO40817Y	EVO40817O	EVO40817R	EVO40817U	EVO40817G
17 x 9 mm	1080 pcs	EVO40917W	EVO40917Y	EVO40917O	EVO40917R	EVO40917U	EVO40917G
20 x 9 mm	900 pcs	EVO40920W	EVO40920Y	EVO40920O	EVO40920R	EVO40920U	EVO40920G
35 x 9 mm	540 pcs	EVO40935W	EVO40935Y	EVO40935O	EVO40935R	EVO40935U	EVO40935G
25 x 10 mm	720 pcs	EVO41025W	EVO41025Y	EVO41025O	EVO41025R	EVO41025U	EVO41025G

Industrial Automation
Industrial Plant
Industrial Wiring
Civil System


THICKNESS
0.5 mm

-10°C → +50°C



NON ADHESIVE PVC TAGS

DIMENSIONS	PACKAGE	WHITE	YELLOW	ORANGE	RED	BLUE	GREEN	SUGGESTED HOLDER
20 x 7 mm	1260 pcs	EVO0720W	EVO0720Y	EVO0720O	EVO0720R	EVO0720U	EVO0720G	-
30 x 7 mm	770 pcs	EVO0730W	EVO0730Y	EVO0730O	EVO0730R	EVO0730U	EVO0730G	Weidmuller serie WKM
46 x 7 mm	550 pcs	EVO0746W	EVO0746Y	EVO0746O	EVO0746R	EVO0746U	EVO0746G	Wago I/O 750
27 x 8 mm	420 pcs	EVO0827W	EVO0827Y	EVO0827O	EVO0827R	EVO0827U	EVO0827G	SITOB09 - pag. nd.
20 x 9 mm	900 pcs	EVO0920W	EVO0920Y	EVO0920O	EVO0920R	EVO0920U	EVO0920G	Channel 160 - pag. nd.
35 x 9 mm	540 pcs	EVO0935W	EVO0935Y	EVO0935O	EVO0935R	EVO0935U	EVO0935G	Channel 160 - pag. nd.
20 x 9.3 mm	900 pcs	EVO1001W	EVO1001Y	EVO1001O	EVO1001R	EVO1001U	EVO1001G	Sleeve SI1001
6 x 10 mm	2200 pcs	EVO0610W	EVO0610Y	EVO0610O	EVO0610R	EVO0610U	EVO0610G	TGNBA - pag. nd.

Industrial Automation
Industrial Plant
Industrial Wiring
Civil System


THICKNESS
0.5 mm

-10°C → +50°C





ELECTRICAL COMPONENT TAGS



For further information:
 sales@grafoplast.it
 +39 0131718477

Available also metal color.

DIMENSIONS	PACKAGE	Ø HOLE	WHITE	YELLOW	ORANGE	RED	BLUE	GREEN
38 x 19 mm	440 pcs	Ø hole 8 mm	EVOCTR1938W	EVOCTR1938Y	EVOCTR1938O	EVOCTR1938R	EVOCTR1938U	EVOCTR1938G
20 x 20 mm	880 pcs	Ø hole 5 mm	EVOCTR2020W	EVOCTR2020Y	EVOCTR2020O	EVOCTR2020R	EVOCTR2020U	EVOCTR2020G
39 x 21 mm	440 pcs	Ø hole 12.7 mm	EVOCTR2139W	EVOCTR2139Y	EVOCTR2139O	EVOCTR2139R	EVOCTR2139U	EVOCTR2139G
50 x 25 mm	288 pcs	Ø hole 5 mm	EVOCTR2550W	EVOCTR2550Y	EVOCTR2550O	EVOCTR2550R	EVOCTR2550U	EVOCTR2550G
100 x 40 mm	88 pcs	Ø hole 5 mm	EVOCTR40100W	EVOCTR40100Y	EVOCTR40100O	EVOCTR40100R	EVOCTR40100U	EVOCTR40100G
107 x 52 mm	88 pcs	Ø hole 6.5 mm	EVOCTR52107W	EVOCTR52107Y	EVOCTR52107O	EVOCTR52107R	EVOCTR52107U	EVOCTR52107G
100 x 60 mm	22 pcs	Ø hole 5 mm	EVOCTR60100W	EVOCTR60100Y	EVOCTR60100O	EVOCTR60100R	EVOCTR60100U	EVOCTR60100G
Ø 20 mm	308 pcs	Ø hole 5 mm	EVOCTR20W	EVOCTR20Y	EVOCTR20O	EVOCTR20R	EVOCTR20U	EVOCTR20G
Ø 25 mm	180 pcs	Ø hole 5 mm	EVOCTR25W	EVOCTR25Y	EVOCTR25O	EVOCTR25R	EVOCTR25U	EVOCTR25G
Ø 35 mm	220 pcs	Ø hole 4 mm	EVOCTR35W	EVOCTR35Y	EVOCTR35O	EVOCTR35R	EVOCTR35U	EVOCTR35G
Ø 10 mm	600 pcs	-	EVOCTRFX10W	EVOCTRFX10Y	-	-	-	-
Ø 15 mm	600 pcs	-	EVOCTRFX15W	EVOCTRFX15Y	-	-	-	-
Ø 20 mm	400 pcs	-	EVOCTRFX20W	EVOCTRFX20Y	-	-	-	-
Ø 25 mm	400 pcs	-	EVOCTRFX25W	EVOCTRFX25Y	-	-	-	-
Industrial Automation		Industrial Plant		Industrial Wiring		Civil System		
			-10°C	+50°C			-40°C	+80°C

METALCRYLATE TAGS

Ideal to identify external panel , adhesive and non adhesive.
 High quality and long lasting resistance.

DIMENSIONS	PACKAGE	TYPE	WHITE	YELLOW	GREY	#
27 x 15 mm	192 pcs	non adhesive	SI2K201W	SI2K201Y	SI2K201M	
50 x 15 mm	96 pcs	non adhesive	SI2K202W	SI2K202Y	SI2K202M	
67 x 15 mm	96 pcs	non adhesive	SI2K203W	SI2K203Y	SI2K203M	
70 x 30 mm	20 pcs	adhesive	SI2K301W	SI2K301Y	SI2K301M	
90 x 40 mm	15 pcs	adhesive	SI2K401W	SI2K401Y	SI2K401M	
100 x 60 mm	15 pcs	adhesive	SI2K601W	SI2K601Y	SI2K601M	
50 x 15 mm	96 pcs	Ø hole 3.2 mm	SI2KT1550B/W	-	-	
80 x 25 mm	48 pcs	Ø hole 3.2 mm	SI2KT2580B/W	-	-	
190 x 29 mm	12 pcs	Ø hole 3.2 mm	SI2KT29190B/W	-	-	
120 x 30 mm	50 pcs	Ø hole 3.5 mm	SI2KT30120B/W	-	-	
50 x 35 mm	72 pcs	Ø hole 3.2 mm	SI2KT3550B/W	-	-	
180 x 50 mm	30 pcs	Ø hole 3.5 mm	SI2KT50180B/W	-	-	
Industrial Automation		Industrial Plant		Industrial Wiring		Civil System
			-40°C	+80°C		

Note:
 can be printed on
 both sides.

B = BLACK
 W = WHITE

VINYL LABELS

Suitable for the equipment identification inside the panel,
they ensure a good adherence to curved surfaces.




DIMENSIONS	PACKAGE	WHITE	YELLOW	GREY
12 x 5 mm	2400 pcs	EVOFX0512W	EVOFX0512Y	EVOFX0512M
25 x 5 mm	1400 pcs	EVOFX0525W	EVOFX0525Y	EVOFX0525M
15 x 6 mm	2240 pcs	EVOFX0615W	EVOFX0615Y	EVOFX0615M
10 x 7 mm	2800 pcs	EVOFX0710W	EVOFX0710Y	EVOFX0710M
15 x 7 mm	1820 pcs	EVOFX0715W	EVOFX0715Y	EVOFX0715M
20 x 7 mm	1400 pcs	EVOFX0720W	EVOFX0720Y	EVOFX0720M
12 x 8 mm	1600 pcs	EVOFX0812W	EVOFX0812Y	EVOFX0812M
17 x 8 mm	1200 pcs	EVOFX0817W	EVOFX0817Y	EVOFX0817M
21 x 8 mm	1000 pcs	EVOFX0821W	EVOFX0821Y	EVOFX0821M
12 x 9 mm	1600 pcs	EVOFX0912W	EVOFX0912Y	EVOFX0912M
15 x 9 mm	1400 pcs	EVOFX0915W	EVOFX0915Y	EVOFX0915M
20 x 9 mm	1000 pcs	EVOFX0920W	EVOFX0920Y	EVOFX0920M
35 x 9 mm	600 pcs	EVOFX0935W	EVOFX0935Y	EVOFX0935M
15 x 15 mm	840 pcs	EVOFX1515W	EVOFX1515Y	EVOFX1515M
17 x 15 mm	720 pcs	EVOFX1517W	EVOFX1517Y	EVOFX1517M
27 x 15 mm	480 pcs	EVOFX1527W	EVOFX1527Y	EVOFX1527M
50 x 15 mm	240 pcs	EVOFX1550W	EVOFX1550Y	EVOFX1550M
35 x 20 mm	480 pcs	EVOFX2035W	EVOFX2035Y	EVOFX2035M
60 x 20 mm	200 pcs	EVOFX2060W	EVOFX2060Y	EVOFX2060M
22 x 22 mm	400 pcs	EVOFX2222W	EVOFX2222Y	EVOFX2222M
100 x 25 mm	120 pcs	EVOFX25100W	EVOFX25100Y	EVOFX25100M
50 x 25 mm	240 pcs	EVOFX2550W	EVOFX2550Y	EVOFX2550M
80 x 25 mm	120 pcs	EVOFX2580W	EVOFX2580Y	EVOFX2580M
60 x 30 mm	200 pcs	EVOFX3060W	EVOFX3060Y	EVOFX3060M
70 x 30 mm	160 pcs	EVOFX3070W	EVOFX3070Y	EVOFX3070M
80 x 40 mm	60 pcs	EVOFX4080W	EVOFX4080Y	EVOFX4080M
90 x 40 mm	60 pcs	EVOFX4090W	EVOFX4090Y	EVOFX4090M
105 x 50 mm	40 pcs	EVOFX50105W	EVOFX50105Y	EVOFX50105M
50 x 50 mm	120 pcs	EVOFX5050W	EVOFX5050Y	EVOFX5050M
100 x 60 mm	60 pcs	EVOFX60100W	EVOFX60100Y	EVOFX60100M
130 x 60 mm	40 pcs	EVOFX60130W	EVOFX60130Y	EVOFX60130M
240 x 60 mm	20 pcs	EVOFX60240W	EVOFX60240Y	EVOFX60240M
80 x 80 mm	60 pcs	EVOFX8080W	EVOFX8080Y	EVOFX8080M

Industrial Automation


Industrial Plant

Industrial Wiring

Civil System



POLYESTER LABELS




DIMENSIONS	PACKAGE	WHITE	YELLOW	GREY
12 x 5 mm	2400 pcs	EVOPET0512W	EVOPET0512Y	EVOPET0512M
25 x 5 mm	1400 pcs	EVOPET0525W	EVOPET0525Y	EVOPET0525M
15 x 6 mm	2240 pcs	EVOPET0615W	EVOPET0615Y	EVOPET0615M
10 x 7 mm	2800 pcs	EVOPET0710W	EVOPET0710Y	EVOPET0710M
15 x 7 mm	1820 pcs	EVOPET0715W	EVOPET0715Y	EVOPET0715M
20 x 7 mm	1400 pcs	EVOPET0720W	EVOPET0720Y	EVOPET0720M
12 x 8 mm	1600 pcs	EVOPET0812W	EVOPET0812Y	EVOPET0812M
17 x 8 mm	1200 pcs	EVOPET0817W	EVOPET0817Y	EVOPET0817M
21 x 8 mm	1000 pcs	EVOPET0821W	EVOPET0821Y	EVOPET0821M
12 x 9 mm	1600 pcs	EVOPET0912W	EVOPET0912Y	EVOPET0912M
15 x 9 mm	1400 pcs	EVOPET0915W	EVOPET0915Y	EVOPET0915M
20 x 9 mm	1000 pcs	EVOPET0920W	EVOPET0920Y	EVOPET0920M
35 x 9 mm	600 pcs	EVOPET0935W	EVOPET0935Y	EVOPET0935M
15 x 15 mm	840 pcs	EVOPET1515W	EVOPET1515Y	EVOPET1515M
17 x 15 mm	720 pcs	EVOPET1517W	EVOPET1517Y	EVOPET1517M
27 x 15 mm	480 pcs	EVOPET1527W	EVOPET1527Y	EVOPET1527M
50 x 15 mm	240 pcs	EVOPET1550W	EVOPET1550Y	EVOPET1550M
35 x 20 mm	480 pcs	EVOPET2035W	EVOPET2035Y	EVOPET2035M
60 x 20 mm	200 pcs	EVOPET2060W	EVOPET2060Y	EVOPET2060M
22 x 22 mm	400 pcs	EVOPET2222W	EVOPET2222Y	EVOPET2222M
100 x 25 mm	120 pcs	EVOPET25100W	EVOPET25100Y	EVOPET25100M
50 x 25 mm	240 pcs	EVOPET2550W	EVOPET2550Y	EVOPET2550M
80 x 25 mm	120 pcs	EVOPET2580W	EVOPET2580Y	EVOPET2580M
60 x 30 mm	200 pcs	EVOPET3060W	EVOPET3060Y	EVOPET3060M
70 x 30 mm	160 pcs	EVOPET3070W	EVOPET3070Y	EVOPET3070M
80 x 40 mm	60 pcs	EVOPET4080W	EVOPET4080Y	EVOPET4080M
90 x 40 mm	60 pcs	EVOPET4090W	EVOPET4090Y	EVOPET4090M
105 x 50 mm	40 pcs	EVOPET50105W	EVOPET50105Y	EVOPET50105M
50 x 50 mm	120 pcs	EVOPET5050W	EVOPET5050Y	EVOPET5050M
100 x 60 mm	60 pcs	EVOPET60100W	EVOPET60100Y	EVOPET60100M
130 x 60 mm	40 pcs	EVOPET60130W	EVOPET60130Y	EVOPET60130M
240 x 60 mm	20 pcs	EVOPET60240W	EVOPET60240Y	EVOPET60240M
80 x 80 mm	60 pcs	EVOPET8080W	EVOPET8080Y	EVOPET8080M

Industrial Automation

Industrial Plant

Industrial Wiring

Civil System





PVC MODULAR STRIPS

Adhesive and non adhesive strips suitable for distribution panel identification.
You can manage the module lengths thanks to Simplox.

ADHESIVE

DIMENSIONS	PACKAGE	WHITE	YELLOW	ORANGE	RED	BLUE	GREEN
445 x 9 mm	60 pcs	SI2K409445W	SI2K409445Y	SI2K409445O	SI2K409445R	SI2K409445U	SI2K409445G
215 x 15 mm	40 pcs	SI2K415215W	SI2K415215Y	SI2K415215O	SI2K415215R	SI2K415215U	SI2K415215G
430 x 15 mm	40 pcs	SI2K415430W	SI2K415430Y	SI2K415430O	SI2K415430R	SI2K415430U	SI2K415430G
215 x 20 mm	40 pcs	SI2K420215W	SI2K420215Y	SI2K420215O	SI2K420215R	SI2K420215U	SI2K420215G
430 x 20 mm	40 pcs	SI2K420430W	SI2K420430Y	SI2K420430O	SI2K420430R	SI2K420430U	SI2K420430G

Industrial Automation Industrial Plant Industrial Wiring Civil System

NON ADHESIVE

DIMENSIONS	PACKAGE	WHITE	YELLOW	ORANGE	RED	BLUE	GREEN	SUGGESTED HOLDER
215x15 mm	40 pcs	SI2K15215W	SI2K15215Y	SI2K15215O	SI2K15215R	SI2K15215U	SI2K15215G	SITOB15/ - page 70
430x15 mm	40 pcs	SI2K15430W	SI2K15430Y	SI2K15430O	SI2K15430R	SI2K15430U	SI2K15430G	SITOB15/430 - page 70
215x20 mm	40 pcs	SI2K20215W	SI2K20215Y	SI2K20215O	SI2K20215R	SI2K20215U	SI2K20215G	SITOB20/ - page 70
430x20 mm	40 pcs	SI2K20430W	SI2K20430Y	SI2K20430O	SI2K20430R	SI2K20430U	SI2K20430G	SITOB20/430- page 70
430x24 mm	40 pcs	SI2K24430W	SI2K24430Y	SI2K24430O	SI2K24430R	SI2K24430U	SI2K24430G	Merlin Gerin

Industrial Automation Industrial Plant Industrial Wiring Civil System

PVC STRIPS

Suitable for BTicino switches.

DIMENSIONS	PACKAGE	WHITE
430 x 12 mm	60 pcs	SI2K855W/430
Industrial Automation	Industrial Plant	Industrial Wiring

PVC PLATES

Suitable for external panel, adhesive and non adhesive.
High quality and long lasting resistance.



ADHESIVE

DIMENSIONS	PACKAGE	WHITE	GREY	YELLOW	ORANGE	RED	BLUE	GREEN
70 x 30 mm	33 pcs	EVO43070W	EVO43070M	EVO43070Y	EVO43070O	EVO43070R	EVO43070U	EVO43070G
40 x 40 mm	132 pcs	EVO44040W	EVO44040M	EVO44040Y	EVO44040O	EVO44040R	EVO44040U	EVO44040G
90 x 40 mm	22 pcs	EVO44090W	EVO44090M	EVO44090Y	EVO44090O	EVO44090R	EVO44090U	EVO44090G
100 x 60 mm	22 pcs	EVO460100W	EVO460100M	EVO460100Y	EVO460100O	EVO460100R	EVO460100U	EVO460100G
145 x 60 mm	15 untià	EVO460145W	EVO460145M	EVO460145Y	EVO460145O	EVO460145R	EVO460145U	EVO460145G
150 x 60 mm	15 pcs	EVO460150W	EVO460150M	EVO460150Y	EVO460150O	EVO460150R	EVO460150U	EVO460150G
500 x 80 mm	14 pcs	EVO480500W	EVO480500M	EVO480500Y	EVO480500O	EVO480500R	EVO480500U	EVO480500G

Industrial Automation Industrial Plant Industrial Wiring Civil System

NON ADHESIVE

DIMENSIONS	PACKAGE	WHITE	GREY	YELLOW	ORANGE	RED	BLUE	GREEN	SUGGESTED HOLDER
70 x 30 mm	33 pcs	SI2K3070W	SI2K3070M	SI2K3070Y	SI2K3070O	SI2K3070R	SI2K3070U	SI2K3070G	SIT0V301 - slide
90 x 40 mm	22 pcs	SI2K4090W	SI2K4090M	SI2K4090Y	SI2K4090O	SI2K4090R	SI2K4090U	SI2K4090G	SIT0V401 - slide
100 X 60 mm	22 pcs	SI2K60100W	SI2K60100M	SI2K60100Y	SI2K60100O	SI2K60100R	SI2K60100U	SI2K60100G	SIT0V601 - slide
150 X 60 mm	15 pcs	SI2K60150W	SI2K60150M	SI2K60150Y	SI2K60150O	SI2K60150R	SI2K60150U	SI2K60150G	-

Industrial Automation Industrial Plant Industrial Wiring Civil System



RIBBONS

For further information:
 ☎ sales@graoplast.it
 ☎ +39 0131718477



PACKAGE	BLACK	RED	GREEN	GOLD	SILVER	BLUE	WHITE
1 pc	SI2KSBN/B-S	SI2KRBN/R-S	SI2KRBN/G-S	SI2KRBN/L-S	SI2KRBN/S-S	SI2KRBN/U-S	SI2KRBN/W-S
Length	130 meters	110 meters					



ACCESSORIES AND SPARE PARTS

ITEM CODE	DESCRIPTION	DRAWING
SI2K0003	Cleaning roller standard Ø 18	
SI2K0006	Print head	
SI2K0013N	Fastener Automatic Feeder (high precision)	
SI2K0013NAD	Plate adapter for tags 30mm	
SI2K0017	Plate for TB tags	
SI2K0021	Plate for cable tags	
SI2K0023	Plate for cable tags 30 mm	
SI2KCLEAN	Cleaning cassette (Length: 8 meter)	

EVO MAX



UV TECHNOLOGY

Beyond

GENERAL INTERRUPTOR

THERMAL BREAK

THERMAL SHUTDOWN



OSTRUTTRICE:
plast
redosa (AL) ITALY
010.718477-Fax0131.718585
rafoplast.it
E NOMINALE
OM ISOLAMENTO
ENTE NOMINALE
IP
C
IMMESA
NICA
COSTRUZIONE

the dark.

UV TECHNOLOGY

UV TECHNOLOGY - UV TECHNOLOGY - UV TECHNOLOGY

GEAR | RELEASE | SHUTDOWN | FORWARD | BACKWARD | RESET



UV TECHNOLOGY

The new solution designed and patented by Grafoplast™ to optimize the efficiency of the marking in the absence of light or blackout, making the operations of installation and maintenance even easier and in extreme safety. These are high performance products made of photoluminescent and phosphorescent materials to give maximum visibility in the dark and printable with EVOMAX² system.

LABELUX

The new series of consumables for the inside panel: tags for cables and T-blocks in polycarbonate mixed with fluorescent pigments, which are invisible in daylight conditions, but absorb energy from UV light and give off the energy absorbed as intense light becoming retro-enlightened.



LABELPHOS

The new series designed specifically for the external panel: strips and plates containing high-intensity 410 µm phosphorescent pigments which, absorb energy by exposure to a natural or artificial light source and then slowly release it at a low intensity by lighting in the dark. The pigments shine remaining visible up to 12 hours from exposure.

High quality in compliance with the strictest regulations and exceptional advantages enrich the marking helping to stand it out!

TAGS FOR CABLES

CODE	DIMENSIONS	PACKAGE
SI2K02W/10N	10 x 4 mm	1152 pcs
SI2K02W/12N	12 x 4 mm	960 pcs
SI2K02W/15N	15 x 4 mm	768 pcs
SI2K02W/18N	18 x 4 mm	576 pcs
SI2K02W/30*	30 x 4 mm	600 pcs

TAGS FOR ELECTRICAL COMPONENTS

CODE	Ø HOLE	DIMENSIONS	PACKAGE
EVOCTR20PH	5 mm	Ø 20 mm	308 pcs
EVOCTR25PH	5 mm	Ø 25 mm	180 pcs
EVOCTR35PH	4 mm	Ø 35 mm	220 pcs
EVOCTR1938PH	4 mm	38 x 19 mm	440 pcs
EVOCTR2020PH	5 mm	20 x 20 mm	880 pcs
EVOCTR2550PH	5 mm	50 x 25 mm	288 pcs
EVOCTR60100PH	5 mm	100 x 60 mm	22 pcs

TAGS FOR T-BLOCKS

SINGLE FEEDER

CODE	DIMENSIONS	COMPATIBILITY*	PACKAGE
SI2KTB3509EW	9 x 3 mm	Phoenix, Siemens	900 pcs
SI2KTB3509LW	9 x 3 mm	Weidmüller, Wago	900 pcs
SI2KTB3510CW	10 x 3 mm	Phoenix, Wago, Siemens	900 pcs
SI2KTB3510LW	10 x 3 mm	Weidmüller, Wago	900 pcs
SI2KTB3510LWK	10 x 3 mm	Weidmüller, Wago	900 pcs
SI2KTB5010LWK	10 x 5 mm	Weidmüller, Morsettitalia, Contaclip, Klemsan, Wago	540 pcs
SI2KTB5085DW	8.5 x 4.65 mm	Wieland	540 pcs
SI2KTB5209EW	9 x 10 mm	Phoenix	540 pcs
SI2KTB5210CW	10 x 5 mm	Phoenix, ABB Entrelec, Wago	540 pcs
SI2KTB6010DW	10 x 5 mm	Legrand, Wieland, Telemecanique	540 pcs
SI2KTB6010HW	9 x 5 mm	Rockwell Automation, Woertz	540 pcs
SI2KTB6085DW	8.5 x 5.5 mm	Wieland	540 pcs
SI2KTB6510GW	10 x 5 mm	Siemens	420 pcs
SI2KTB6512BW	12 x 5 mm	Cabur	420 pcs
SI2KTB8085DW	8.5 x 7.5 mm	Wieland	300 pcs



ADHESIVE TAGS

CODE	DIMENSIONS	PACKAGE
EVO40720PH	20 x 7 mm	1260 pcs
EVO40817PH	17 x 8 mm	1320 pcs
EVO40917PH	17 x 9 mm	1080 pcs
EVO40920PH	20 x 9 mm	900 pcs
EVO40935PH	35 x 9 mm	540 pcs
EVO41025PH	25 x 10 mm	720 pcs

TAGS FOR CABLE TIES

CODE	DIMENSIONS	PACKAGE
EVOCT1060PH	60 x 10 mm	270 pcs
EVOCT1080PH	80 x 10 mm	180 pcs
EVOCT1560PH	60 x 15 mm	162 pcs
EVOCT1580PH	80 x 15 mm	108 pcs
EVOCT2560PH	60 x 25 mm	216 pcs
EVOCT2580PH	80 x 25 mm	144 pcs

ADHESIVE PVC MODULAR STRIPS


CODE	DIMENSIONS	PACKAGE
EVO415215PH	215 x 15 mm	40 pcs
EVO415430PH	430 x 15 mm	40 pcs
EVO420215PH	215 x 20 mm	40 pcs
EVO420430PH	430 x 20 mm	40 pcs

ADHESIVE PVC TAGS

CODE	DIMENSIONS	PACKAGE
EVO43070PH	70 x 30 mm	33 pcs
EVO44040PH	40 x 40 mm	132 pcs
EVO44090PH	90 x 40 mm	22 pcs
EVO460100PH	100 x 60 mm	22 pcs
EVO460145PH	145 x 60 mm	15 pcs
EVO460150PH	150 x 60 mm	15 pcs
EVO480500PH	80 X 500 mm	14 pcs

ADHESIVE TAGS FOR PUSH BUTTONS


CODE	Ø HOLE	DIMENSIONS	PACKAGE
EVO41017PH	-	17 x 10 mm	1080 pcs
EVO41027PH	-	27 x 10 mm	630 pcs
EVO41050PH	-	50 x 10 mm	360 pcs
EVO41067PH	-	67 x 10 mm	270 pcs
EVO41517PH	-	17 x 15 mm	396 pcs
EVO41527PH	-	27 x 15 mm	264 pcs
EVO41550PH	-	50 x 15 mm	132 pcs
EVO41567PH	-	67 x 15 mm	99 pcs
EVO4404PH	22.5 mm	40 x 30 mm	440 pcs
EVO4408PH	24.5 mm	50 x 50 mm	176 pcs
EVO4412PH	30.5 mm	50 x 50 mm	176 pcs




PLATES

For further information:
✉ sales@grafoplast.it
+39 0131718477


SI2K0014NP1
Plate for wire tags




SI2K0014NP2
Plate for T-block tags




SI2K0014NP3
Plate for wiremarkers tag




SI2K0014NP4
Plate for Wago Top Job S tags




SI2K0014NP5
Plate for Cabur CBC 4 tags



SI2K0014NP6
Plate for ABB Entrelec tags



SI2K0014NP7
Plate for Siemens and ABB contactors tags



HOW TO CHOOSE THE PLATES

ITEM CODE	SI2K0014NP1	SI2K0014NP2	SI2K0014NP3	SI2K0014NP4	SI2K0014NP5	SI2K0014NP6	SI2K0014NP7	SI2K0017
SI2K02W/10N	✓							
SI2K02W/12N	✓							
SI2K02W/15N	✓							
SI2K02W/18N	✓							
SI2K02W/30*	✓							
SI2KTM01W/10			✓					
SI2KTM02W/10			✓					
SI2KAF35GW							✓	
SI2KAF5010CW		✓						
SI2KAF5010LWK				✓				
SI2KAF5010RW						✓		
SI2KAF5210NW				✓				
SI2KAF5212SW						✓		
SI2KAF6010BW					✓			
SI2KAF6010RW						✓		
SI2KAF6012SW						✓		
SI2KAF8010RW						✓		
SI2KAF8012SW						✓		
SI2KTB3509EW								✓
SI2KTB3509LW								✓
SI2KTB3510CW								✓
SI2KTB3510LW								✓
SI2KTB3510LWK								✓
SI2KTB5010LWK								✓
SI2KTB5010LW								✓
SI2KTB5085DW								✓
SI2KTB5209EW								✓
SI2KTB5210CW								✓
SI2KTB6010DW								✓
SI2KTB6010HW								✓
SI2KTB6085DW								✓
SI2KTB6510GW								✓
SI2KTB6512BW								✓
SI2KTB8085DW								✓

*The adapter SI2K0013NAD is required to print the tags

TWIST **SYS**
AUTOMATIC


High Performance Roll Printers.

TWIST **YOU**



TWIST **PRO**





Twist - Thermal transfer system roll printer

TWIST[®] PRO

Thermal Transfer Roll Printer is the solution guaranteed by Grafoplast™ to ensure maximum performance in the marking of flat tags and adhesive labels in the industrial market.

Small in size for easy integration into the workplace, it is suitable for intensive use ensuring unrivaled productivity and print quality complying with the strictest standards in force.

Innovative features guarantee to print also on heat shrinkable material in continuous or pre-cut roll. The automatic centering, the easy change of ribbon, the LCD touch screen, make the use even easier and more intuitive.

It works with the SimploX software and it is equipped with a perforator that allows the pre-cut of the labels at predefined lengths to make the application on the cables even easier and faster.

ITEM CODE	DESCRIPTION	Technology	Thermal transfer
TWISTPRO	Printer	Resolution	300 dpi
TWISTPROX	Printer with perforator	Print area	105 mm
TCUTPROX	Perforator	Size	252mm x 288mm x 460mm
		Weight	10 Kg
Compatible with operating systems		Windows, XP, Vista, 7, Win 8 e 8.1	
		Print Speed	from 30mm/sec up to 150 mm/sec
		Ribbon color	Resin Black Color
		Supply with	100-240 V, 50/60 Hz, PFC



TWIST YOU

Thermal Transfer Roll Printer, is the economical but highly performing proposal of Grafoplast™ for the marking of flat tags and adhesive labels in the industrial market.

Smaller in size than TwistPro, saves space without losing functionality; ideal for those who need an entry level printer, but with unbeatable reliability.

Fast, quiet, suitable for intensive use, it ensures unrivaled productivity and print quality complying with the strictest regulations in force.

The automatic centering, the easy change of ribbon, the LCD touch screen, make the use even easier and more intuitive.

It works with the SimploX software developed by Grafoplast™

ITEM CODE	DESCRIPTION	Technology	Thermal transfer
TWISTYOU		Resolution	300 dpi
		Print area	105 mm
		Size	264mm x 245mm x 412mm
		Weight	5 Kg
Compatible with operating systems		Windows, XP, Vista, 7, Win 8 e 8.1	
		Print Speed	from 30 mm/sec up to 125 mm/sec
		Ribbon color	Resin Black Color
		Supply with	100-240 V, 50/60 Hz



PRE CUT HEAT SHRINKABLE ROLL

High quality material for a quick application directly on the cable.
It heats up and shrinks.



Ø PRE-SHRINK.	Ø EXT. CABLE	: SHRINK.	LENGTH ↔	WHITE		YELLOW		PACKAGE
				STANDARD	HALOGEN FREE	STANDARD	HALOGEN FREE	
2,4	1.6 ÷ 2	2 : 1	12.5 mm	THS024P212W	THF024P212W	THS024P212Y	THF024P212Y	10000 pcs
2,4	1.6 ÷ 2	2 : 1	25 mm	THS024P225W	THF024P225W	THS024P225Y	THF024P225Y	5000 pcs
2,4	1.6 ÷ 2	2 : 1	50 mm	THS024P250W	THF024P250W	THS024P250Y	THF024P250Y	2500 pcs
3,2	1.8 ÷ 2,8	2 : 1	12.5 mm	THS032P212W	THF032P212W	THS032P212Y	THF032P212Y	8000 pcs
3,2	1.8 ÷ 2,8	2 : 1	25 mm	THS032P225W	THF032P225W	THS032P225Y	THF032P225Y	4000 pcs
3,2	1.8 ÷ 2,8	2 : 1	50 mm	THS032P250W	THF032P250W	THS032P250Y	THF032P250Y	2000 pcs
4,8	2,8 ÷ 4,2	2 : 1	12.5 mm	THS048P212W	THF048P212W	THS048P212Y	THF048P212Y	8000 pcs
4,8	2,8 ÷ 4,2	2 : 1	25 mm	THS048P225W	THF048P225W	THS048P225Y	THF048P225Y	4000 pcs
4,8	2,8 ÷ 4,2	2 : 1	50 mm	THS048P250W	THF048P250W	THS048P250Y	THF048P250Y	2000 pcs
6,4	4,2 ÷ 5,8	2 : 1	25 mm	THS064P225W	THF064P225W	THS064P225Y	THF064P225Y	3000 pcs
6,4	4,2 ÷ 5,8	2 : 1	50 mm	THS064P250W	THF064P250W	THS064P250Y	THF064P250Y	1500 pcs
9,5	5,8 ÷ 8,0	2 : 1	25 mm	THS095P225W	THF095P225W	THS095P225Y	THF095P225Y	2000 pcs
9,5	5,8 ÷ 8,0	2 : 1	50 mm	THS095P250W	THF095P250W	THS095P250Y	THF095P250Y	1000 pcs
12,7	8 ÷ 11	2 : 1	50 mm	THS127P250W	THF127P250W	THS127P250Y	THF127P250Y	500 pcs
19,1	11 ÷ 17	2 : 1	50 mm	THS191P250W	THF191P250W	THS191P250Y	THF191P250Y	500 pcs
25,4	17 ÷ 23	2 : 1	50 mm	THS254P250W	THF254P250W	THS254P250Y	THF254P250Y	500 pcs
38,1	23 ÷ 36	2 : 1	50 mm	THS381P250W	THF381P250W	THS381P250Y	THF381P250Y	250 pcs
50,8	23 ÷ 48	2 : 1	50 mm	THS508P250W	THF508P250W	THS508P250Y	THF508P250Y	250 pcs
2,4	1.0 ÷ 2,2	3 : 1	12.5 mm	THS024P312W	THF024P312W	THS024P312Y	THF024P312Y	10000 pcs
2,4	1.0 ÷ 2,2	3 : 1	25 mm	THS024P325W	THF024P325W	THS024P325Y	THF024P325Y	5000 pcs
2,4	1.0 ÷ 2,2	3 : 1	50 mm	THS024P350W	THF024P350W	THS024P350Y	THF024P350Y	2500 pcs
3,2	1,2 ÷ 2,8	3 : 1	12.5 mm	THS032P312W	THF032P312W	THS032P312Y	THF032P312Y	8000 pcs
3,2	1,2 ÷ 2,8	3 : 1	25 mm	THS032P225W	THF032P225W	THS032P225Y	THF032P225Y	4000 pcs
3,2	1,2 ÷ 2,8	3 : 1	50 mm	THS032P350W	THF032P350W	THS032P350Y	THF032P350Y	2000 pcs
4,8	1,8 ÷ 4,2	3 : 1	12.5 mm	THS048P312W	THF048P312W	THS048P312Y	THF048P312Y	8000 pcs
4,8	1,8 ÷ 4,2	3 : 1	25 mm	THS048P325W	THF048P325W	THS048P325Y	THF048P325Y	4000 pcs
4,8	1,8 ÷ 4,2	3 : 1	50 mm	THS048P350W	THF048P350W	THS048P350Y	THF048P350Y	2000 pcs
6,4	2,5 ÷ 5,8	3 : 1	25 mm	THS064P325W	THF064P325W	THS064P325Y	THF064P325Y	3000 pcs
6,4	2,5 ÷ 5,8	3 : 1	50 mm	THS064P350W	THF064P350W	THS064P350Y	THF064P350Y	1500 pcs
9,5	3,8 ÷ 8,0	3 : 1	25 mm	THS095P325W	THF095P325W	THS095P325Y	THF095P325Y	2000 pcs
9,5	3,8 ÷ 8,0	3 : 1	50 mm	THS095P350W	THF095P350W	THS095P350Y	THF095P350Y	1000 pcs
12,7	4,85 ÷ 11	3 : 1	50 mm	THS127P350W	THF127P350W	THS127P350Y	THF127P350Y	500 pcs
19,1	7 ÷ 17	3 : 1	50 mm	THS191P350W	THF191P350W	THS191P350Y	THF191P350Y	500 pcs
25,4	9 ÷ 23	3 : 1	50 mm	THS254P350W	THF254P350W	THS254P350Y	THF254P350Y	500 pcs
38,1	14,5 ÷ 36	3 : 1	50 mm	THS381P350W	THF381P350W	THS381P350Y	THF381P350Y	250 pcs
50,8	17 ÷ 48	3 : 1	50 mm	THS508P350W	THF508P350W	THS508P350Y	THF508P350Y	250 pcs



>85°C
-55°C
+125°C



SAE-AS 81531

NF F16-101

MIL-STD-202F/METHOD 215 J

HEAT SHRINKABLE IN CONTINUOUS ROLL

Extremely versatile, it is possible to set the required length of printing and pre-cut it. It guarantees a high quality application directly on the cable. It heats up and shrinks.

Ø PRE-SHRINK.	Ø EST. CABLE	: SHRINK.	WHITE		YELLOW		PACKAGE	LENGTH ↔
			STANDARD	HALOGEN FREE	STANDARD	HALOGEN FREE		
3,2	1,8 ÷ 2,8	2:1	THS032R225W	THF032R225W	THS032R225Y	THF032R225Y		25 mt.
4,8	2,8 ÷ 4,2	2:1	THS048R225W	THF048R225W	THS048R225Y	THF048R225Y		25 mt.
6,4	4,2 ÷ 5,8	2:1	THS064R225W	THF064R225W	THS064R225Y	THF064R225Y		25 mt.
9,5	5,8 ÷ 8,0	2:1	THS095R225W	THF095R225W	THS095R225Y	THF095R225Y		25 mt.
12,7	8 ÷ 11	2:1	THS127R225W	THF127R225W	THS127R225Y	THF127R225Y		25 mt.
19,1	11 ÷ 17	2:1	THS191R220W	THF191R220W	THS191R220Y	THF191R220Y		20 mt.
25,4	17 ÷ 23	2:1	THS254R220W	THF254R220W	THS254R220Y	THF254R220Y		20 mt.
38,1	23 ÷ 36	2:1	THS381R220W	THF381R220W	THS381R220Y	THF381R220Y		20 mt.
3,2	1,2 ÷ 2,8	3:1	THS032R325W	THF032R325W	THS032R325Y	THF032R325Y		25 mt.
4,8	1,8 ÷ 4,2	3:1	THS048R325W	THF048R325W	THS048R325Y	THF048R325Y		25 mt.
6,4	2,5 ÷ 5,8	3:1	THS064R325W	THF064R325W	THS064R325Y	THF064R325Y		25 mt.
9,5	3,8 ÷ 8,0	3:1	THS095R325W	THF095R325W	THS095R325Y	THF095R325Y		25 mt.
12,7	4,85 ÷ 11	3:1	THS127R325W	THF127R325W	THS127R325Y	THF127R325Y		25 mt.
19,1	7 ÷ 17	3:1	THS191R320W	THF191R320W	THS191R320Y	THF191R320Y		20 mt.
25,4	9 ÷ 23	3:1	THS254R320W	THF254R320W	THS254R320Y	THF254R320Y		20 mt.
38,1	14,5 ÷ 36	3:1	THS381R320W	THF381R320W	THS381R320Y	THF381R320Y		20 mt.

Black ribbon recommended for printing on heat shrinkable material



Item code	Description
TRIBBON1	Standard Ribbon 74 mt.
TRIBBON1X	Standard Ribbon 300 mt.
TRIBBON2	Reduced width ribbon 74 mt.
TRIBBON2X	Reduced width ribbon 300 mt.



ADHESIVE LABELS IN ROLL

To identify components inside and outside the panel.


SIZE AxB mm	PACKAGE	WHITE		YELLOW	GREY
		PVC	POLYESTER	PVC	POLYESTER
5 x 12.7 mm		10000 pcs	TP013P005W	TE013P005W	TP013P005Y
6 x 15 mm		10000 pcs	TP015P006W	TE015P006W	TP015P006Y
6 x 20 mm		10000 pcs	TP020P006W	TE020P006W	TP020P006Y
7 x 10 mm		10000 pcs	TP010P007W	TE010P007W	TP010P007Y
7 x 15 mm		10000 pcs	TP015P007W	TE015P007W	TP015P007Y
7 x 20 mm		10000 pcs	TP020P007W	TE020P007W	TP020P007Y
7 x 30 mm		10000 pcs	TP030P007W	TE030P007W	TP030P007Y
8 x 12 mm		10000 pcs	TP012P008W	TE012P008W	TP012P008Y
8 x 17 mm		10000 pcs	TP017P008W	TE017P008W	TP017P008Y
9 x 15 mm		10000 pcs	TP015P009W	TE015P009W	TP015P009Y
9 x 17 mm		10000 pcs	TP017P009W	TE017P009W	TP017P009Y
9 x 20 mm		10000 pcs	TP020P009W	TE020P009W	TP020P009Y
10 x 25 mm		10000 pcs	TP025P010W	TE025P010W	TP025P010Y
10 x 32 mm		10000 pcs	TP032P010W	TE032P010W	TP032P010Y
13 x 25 mm		10000 pcs	TP025P013W	TE025P013W	TP025P013Y
15 x 20 mm		10000 pcs	TP020P015W	TE020P015W	TP020P015Y
18 x 30 mm		10000 pcs	TP030P018W	TE030P018W	TP030P018Y
22 x 22 mm		10000 pcs	TP022P022W	TE022P022W	TP022P022Y
22 x 40 mm		10000 pcs	TP040P022W	TE040P022W	TP040P022Y
30 x 90 mm		2500 pcs	TP090P030W	TE090P030W	TP090P030Y
37 x 74 mm		2000 pcs	TP074P037W	TE074P037W	TP074P037Y
40 x 70 mm		2000 pcs	TP070P040W	TE070P040W	TP070P040Y
40 x 90 mm		2000 pcs	TP090P040W	TE090P040W	TP090P040Y
60 x 90 mm		1000 pcs	TP090P060W	TE090P060W	TP090P060Y
73 x 103 mm		1000 pcs	TP103P073W	TE103P073W	TP103P073Y
105 x 90 mm		1000 pcs	TP090P105W	TE090P105W	TP090P105Y
120 x 60 mm		1000 pcs	TP060P120W	TE060P120W	TP060P120Y
180 x 103 mm		500 pcs	-	-	TP103P180Y
180 x 105 mm		500 pcs	TP105P180W	TE105P180W	-



ADHESIVE FILM IN CONTINUOUS ROLL

Extremely versatile it is possible to set the desired length of printing and pre-cut it. It guarantees a high quality application for external panel. It is adaptable to all types of surfaces.

WIDTH	LENCHT	WHITE		YELLOW	GREY
		PVC	POLYESTER	PVC	POLYESTER
25.4 mm	125 mt.	TP025R125W	TE025R125W	TP025R125Y	TE025R125M
35 mm	125 mt.	TP035R125W	TE035R125W	TP035R125Y	TE035R125M
40 mm	125 mt.	TP040R125W	TE040R125W	TP040R125Y	TE040R125M
50 mm	125 mt.	TP050R125W	TE050R125W	TP050R125Y	TE050R125M
58 mm	125 mt.	TP058R125W	TE058R125W	TP058R125Y	TE058R125M
80 mm	125 mt.	TP080R125W	TE080R125W	TP080R125Y	TE080R125M
105 mm	125 mt.	TP105R125W	TE105R125W	TP105R125Y	TE105R125M



Black ribbon recommended for printing on heat shrinkable material


ITEM CODE | DESCRIPTION

TRIBBON3X | Standard ribbon 300 mt.



FLAT TAGS FOR CABLES

These flat tags are ideal to mark the single cable. Combined with the 500 Series sleeves for a long lasting marking. Go to page 63 to see 500 Series sleeves.

SIZE	WHITE
 10 x 4 mm	TCT10W
 12 x 4 mm	TCT12W
 15 x 4 mm	TCT15W
 30 x 4 mm	TCT30W
	    



SELF-LAMINATING LABELS

The written surface is fixed to the cable and wrapped with the transparent part that guarantees protection.

SIZE (AxB)	PRINTING AREA (CxB)	WHITE	YELLOW
25 x 15 mm	9x15	TSL025015W	TSL025015Y
25 x 23 mm	9x23	TSL025023W	TSL025023Y
38 x 15 mm	10x15	TSL038015W	TSL038015Y
38 x 23 mm	10x23	TSL038023W	TSL038023Y
50 x 15 mm	15x15	TSL050015W	TSL050015Y
50 x 23 mm	15x23	TSL050023W	TSL050023Y
75 x 15 mm	25x15	TSL075015W	TSL075015Y
75 x 23 mm	25x23	TSL075023W	TSL075023Y
80 x 47 mm	25x47	TSL080047W	TSL080047Y
92 x 80 mm	20x80	TSL092080W	TSL092080Y
100 x 15 mm	25x15	TSL100015W	TSL100015Y
100 x 23 mm	25x23	TSL100023W	TSL100023Y
135 x 15 mm	25x15	TSL135015W	TSL135015Y
135 x 23 mm	25x23	TSL135023W	TSL135023Y



PET

THICKNESS
143 µm

>10°C -40°C +130°C

CEI 16-7

International Organization for Standardization
ISO
4892-2:2006




TRASP SYS

MANUAL

Trasp is the only manual system that allows to identify with the same process and marking elements all types of cables, wires, terminal blocks and electrical components and in general all the surfaces that offer no hook.

It is combined with a wide range of application supports in order to offer a solution for all types of needs by changing only the final plastic support to put on the cable and on the electrical equipment. Ideal for those who need a very flexible manual system or work directly on site, maintaining maximum performance.







Targa is the ideal marking system even for harsh environments.
Available in stainless steel and pvc.



CREATE YOUR GRAFOPLAST™ CODE



N.B. Please check with Sales dept
the availability of colors



ALPHANUMERICAL STRIP

	STANDARD	BLISTER	COLOR CODE
(A) 2.3 mm	117M 1200 pcs	BL117M 240 pcs	117MCCOD
(A) 3.0 mm	117G 1200 pcs	BL117G 240 pcs	117GCCOD
			1200 pcs (each package contains 10 strips with different colors from 0 to 9)



ACCESSORIES FOR STRIPS

SIZE	PACKAGE	ITEM CODE	COLOR
147 x 190 x 18 mm	1 pc	118	black
15 mm	5 pcs	119/15U	metal
30 mm	5 pcs	119/30U	metal
15 mm	1 pc	119M/15	metal / orange
30 mm	1 pc	119M/30	metal / orange
15 mm	6 pcs	BL119M/15U	metal / orange
-	5 pcs	120	metal



RINGS GRAFTING

SIZE	PACKAGE	ITEM CODE	YELLOW	WHITE
1.3 ÷ 3.0 mm	1000 pcs	AZ02[...]		
2.5 ÷ 5.0 mm	1000 pcs	AZ03[...]		
4.0 ÷ 10.0 mm	500 pcs	AZS4[...]		



STARTER KIT

Available in three different assortments, these introductory kits for Trasp System offer a selection of products.

The kit has the following dimensions : 234 x 180 x 90 mm



KIT 001SK/01			KIT 001SK/02			KIT 001SK/03		
012A	1		012A	1		013A	1	
202/15	1000		202/15	1000		102/15	1000	
117G00BW	10		BL117M00BW	10		117M00BW	10	
117G01BW	10		BL117M01BW	10		117M01BW	10	
117G02BW	10		BL117M02BW	10		117M02BW	10	
117G03BW	10		BL117M03BW	10		117M03BW	10	
117G04BW	10		BL117M04BW	10		117M04BW	10	
117G05BW	10		BL117M05BW	10		117M05BW	10	
117G06BW	10		BL117M06BW	10		117M06BW	10	
117G07BW	10		BL117M07BW	10		117M07BW	10	
117G08BW	10		BL117M08BW	10		117M08BW	10	
117G09BW	10		BL117M09BW	10		117M09BW	10	
117G10BW	10		BL117M10BW	10		117M10BW	10	
117G11BW	10		BL117M11BW	10		117M11BW	10	
117G12BW	10		BL117M12BW	10		117M12BW	10	
117G13BW	10		BL117M13BW	10		117M13BW	10	
117G999B	10		BL117M999B	10		117M999B	10	
117G999G	10		BL117M999G	10		117M999G	10	
117G999R	10		BL117M999R	10		117M999R	10	
117G999U	10		BL117M999U	10		117M999U	10	
117G999Y	10		BL117M999Y	10		117M999Y	10	
117GAABW	10		117MAABW	10		117MAABW	10	
117GBBBW	10		117MBBBW	10		117MBBBW	10	
117GCCBW	10		117MCCBW	10		117MCCBW	10	
117GDBBW	10		117MDDBW	10		117MDDBW	10	
117GEEBW	10		117MEEBW	10		117MEEBW	10	
117GFFBW	10		117MFFBW	10		117MFFBW	10	
117GGGBW	10		117MGGBW	10		117MGGBW	10	
117GHHBW	10		117MHHBW	10		117MHHBW	10	
117GIIBW	10		117MIIBW	10		117MIIBW	10	
117GJJBW	10		117MJJBW	10		117MJJBW	10	
117GKKBW	10		117MKKBW	10		117MKKBW	10	
117GLLBW	10		117MLLBW	10		117MLLBW	10	
117GMMBW	10		117MMMBW	10		117MMMBW	10	
117GNNBW	10		117MNNBW	10		117MNNBW	10	
117GOOBW	10		117MOOBW	10		117MOOBW	10	
117GPPBW	10		117MPPBW	10		117MPPBW	10	
117GQQBW	10		117MQQBW	10		117MQQBW	10	
117GRRBW	10		117MRRBW	10		117MRRBW	10	
117GSSBW	10		117MSSBW	10		117MSSBW	10	
117GTTBW	10		117MTTBW	10		117MTTBW	10	
117GUUBW	10		117MUUBW	10		117MUUBW	10	
117GVVBW	10		117MVVBW	10		117MVVBW	10	
117GWWBW	10		117MWWBW	10		117MWWBW	10	
117GXXBW	10		117MXXBW	10		117MXXBW	10	
117GYYBW	10		117MYYBW	10		117MYYBW	10	
117GZZBW	10		117MZZBW	10		117MZZBW	10	

MICRO KIT

Available in two assortments, this is the smallest portable kit. It includes the tools needed for identification using the TRASP system and a selection of marking elements. The kit has the following dimensions: 170 x 210 x 75 mm



KIT 003C/01	
117M00BW	1
117M01BW	1
117M02BW	1
117M03BW	1
117M04BW	1
117M05BW	1
117M06BW	1
117M07BW	1
117M08BW	1
117M09BW	1
117M10BW	1
117M11BW	1
117M13BW	1
117M999R	1
117M999W	1
117MAABW	1
117MBBBW	1
117MCCBW	1
117MEEBW	1
117MLLBW	1
117MNNBW	1
117MRRBW	1
117MSSBW	1
117MTTBW	1
117MVVBW	1
117M10BW	1
117M11BW	1
117M13BW	1
117M999W	1
117M999R	1
103/15	50
108/15	20
130/23	50
301/15	50
302/15	50
140/15	50
710/15	50
710/25	20
710/40	20
119M/15	1
118	1

KIT 003C/02	
118	1
119M/15	1
117M00BW	1
117M01BW	1
117M02BW	1
117M03BW	1
117M04BW	1
117M05BW	1
117M06BW	1
117M07BW	1
117M08BW	1
117M09BW	1
117MAABW	1
117MBBBW	1
117MCCBW	1
117MEEBW	1
117MLLBW	1
117MNNBW	1
117MRRBW	1
117MSSBW	1
117MTTBW	1
117MVVBW	1
117M10BW	1
117M11BW	1
117M13BW	1
117M999W	1
117M999R	1
103/15	50
108/15	20
130/23	50
140/15	50
301/15	50
302/15	50
710/15	50
710/25	20
710/40	20
119M/15	1
118	1

KIT 003A	
003A	1
118	1
119M/15	1

KIT 003C/PR	
003C/PR	1
118	1
119M/15	1
117M00BW	1
117M01BW	1
117M02BW	1
117M03BW	1
117M04BW	1
117M05BW	1
117M06BW	1
117M07BW	1
117M08BW	1
117M09BW	1
117MAABW	1
117MBBBW	1
117MCCBW	1
117MEEBW	1
117MLLBW	1
117MNNBW	1
117MRRBW	1
117MSSBW	1
117MTTBW	1
117MVVBW	1
117M10BW	1
117M11BW	1
117M13BW	1
117M999W	1
117M999R	1
103/15	50
108/15	20
130/23	50
140/15	50
301/15	50
302/15	50
710/15	50
710/25	20
710/40	20
119L/15	10
190/15	50

TRASP™ CASE

Available in three assortments it is designed to hold tools and marking elements of Trasp system.

Ideal to use in the plants maintenance.

The kit has the following dimensions: 350 x 80 x 250 mm.



KIT 050A		
050A	118	2
	119M/15	1
	119M/30	1
	120	1

KIT 050C/01		
KIT 050C/01	118	2
	119M/15	1
	119M/30	1
	120	1
	117G00BW	2
	117G01BW	2
	117G02BW	2
	117G03BO	2
	117G11BW	2
	117G999O	2
	117G999R	2
	117GAARW	2
	117GEERW	2
	117GSSRW	2
	117M01WN	2
	117M02WR	2
	117M03BW	2
	117M04BW	2
	117M05BW	2
	117M10BW	2
	117M999G	2
	117M999W	2
	117MCCBY	2
	117MTTBY	2
	117MVVBY	2
	117M06BW	2
	117M07BW	2
	117M08BW	2
	117M13BW	2
	103/15	60
	130/23	20
	130/30	20
	140/15	20
KIT 050C/01		
	140/30	20
	160/25	1
	161/25	1
	175D/15	3
	175E/15	3
	175L/15	3
	185G/20	3
	185M/20	3
	190/10	50
	190/15	50
	202/15	100
	301/15	10
	302/15	10
	303/30	10
	304/30	10
	710/07	40
	710/10	40
	710/15	40
	710/40	40
	710/60	20
	710/100	20
	808/15	40
	830/30	20
	840/15	20

KIT 050C/03		
050C/03	118	2
	119M/15	1
	119M/30	1
	120	1
	117M00BW	2
	117M01BW	2
	117M02BW	2
	117M03BW	2
	117M04BW	2
	117M05BW	2
	117M06BW	2
	117M07BW	2
	117M08BW	2
	117M09BW	2
	117MAABW	2
	117MBBBW	2
	117MCCBW	2
	117MDDBW	2
	117MEEBW	2
	117MFFBW	2
	117MGGBW	2
	117MHHBW	2
	117MIIBW	2
	117MJJBW	2
	117MKKBW	2
	117MLLBW	2
	117MMMBW	2
	117MNNBW	2
	117MOOBW	2
	117MPPBW	2
	117MQQBW	2
	117MRRBW	2
	117MSSBW	2
	117MTTBW	2
	117MUUBW	2
	117MVVBW	2
	117WWBWB	2
	117MXXBW	2
	117YYBW	2



KIT 050C/03	
117MZZBW	2
117M10BW	2
117M11BW	2
117M12BW	2
117M13BW	2
117M14BW	1
117M29BW	2
117M33BW	1
117M999B	2
117M999G	2
117M999O	2
117M999R	2
117M999U	2
117M999W	2
117M999Y	2
101/15	160
102/15	80
103/15	90
108/15	40
140/15	20
140/30	20
160/25	1
161/25	1
190/05	50
190/10	30
190/15	30
301/15	30
302/15	30
303/30	15
304/30	15
710/07	50
710/15	50
710/25	50

KIT 050C/04			KIT 050C/04	
118	2		117MVVBW	2
119M/15	1		117MWWBW	2
119M/30	1		117MXXBW	2
120	1		117YYYW	2
117M00BW	2		117MZZBW	2
117M01BW	2		117M10BW	2
117M02BW	2		117M11BW	2
117M03BW	2		117M12BW	2
117M04BW	2		117M13BW	2
117M05BW	2		117M14BW	1
117M06BW	2		117M29BW	2
117M07BW	2		117M999B	2
117M08BW	2		117M999G	2
117M09BW	2		117M999O	2
117MAABW	2		117M999R	2
117MBBBW	2		117M999U	2
117MCCBW	2		117M999W	2
117MDDBW	2		117M999Y	2
117MEEBW	2		103/15	200
117MFFBW	2		105/15	150
117MGGBW	2		106/15	50
117MHHBW	2		108/15	40
117MIIIBW	2		130/30	30
117MJJBW	2		140/15	60
117MKKBW	2		140/30	30
117MLLBW	2		302/15	80
117MMMBW	2		303/30	15
117MNNBW	2		304/30	15
117MOOBW	2		710/15	60
117MPPBW	2		710/25	60
117MQQBW	2		161/25	5
117MRRBW	2			
117MSSBW	2			
117MTTBW	2			
117MUUBW	2			

TRASP™ BOX

Available in two assortments, it includes a selection of marking elements and holders.

It is provided with an accessory for wall mounting.

The kit has the following dimensions: 234 x 180 x 90 mm.






KIT 012C/1	
118	1
120	1
119/15U	1
119/30U	1
117G00BW	1
117G01BW	1
117G02BW	1
117G03BO	1
117G11BW	1
117G999O	1
117G999R	1
117GAARW	1
117GEERW	1
117GSSRW	1
117M01WN	1
117M02WR	1
117M03BW	1
117M04BW	1
117M05BW	1
117M10BW	1
117M999G	1
117M999W	1
117MCCBY	1
117MTTBY	1
117MVVBY	1
117M06BW	1
117M07BW	1
117M08BW	1
117M13BW	1
130/23	5
130/30	5
140/15	10
175D/15	3
175E/15	3
175L/15	3
185G/20	3
185M/20	3
190/10	30
190/15	30
202/15	100
301/15	5
302/15	5
303/30	5
304/30	5
710/15	40
710/60	20
808/15	30
830/30	5
840/23	10

KIT 012C/03	
118	1
120	1
119/15U	1
119/30U	1
117M00BW	3
117M01BW	3
117M02BW	3
117M03BW	2
117M04BW	2
117M05BW	1
117M06BW	1
117M07BW	1
117M08BW	1
117M09BW	1
117M10BW	1
117M11BW	1
117M13BW	1
117MAABW	1
117MBBBW	1
117MCCBW	1
117MDDBW	1
101/15	70
101/30	25
102/15	70
102/30	30
103/15	60
103/30	30
104/15	60
104/30	30
140/15	1
140/30	1
142/15	1
142/30	1
175L/15	3
301/15	10
302/15	10
303/30	5
304/30	5
840/15	1
840/30	1

KIT 012A	
012A	118
	120
	119/15U
	119/30U


KIT 013A	
013A	118
	120
	119/15U
	119/30U

CREATE YOUR GRAFOPLAST™ CODE



Cut the transparent holder or the channel at the required length with the appropriate pliers. Insert the characters into the transparent holder or into the channel, remembering to insert blank elements at each end of the text to underline the marking.

Fasten the holder or the channel with straps or, on flat surfaces, use either self-adhesive tape or screws.





TARGA™ STAINLESS STEEL

ITEM CODE	DESCRIPTION	PACKAGE	SIZE	SPECS
TGT/[...]	Stainless steel alphanumerical strip	200 pcs	6 x 9.8 x 0.3 mm	
TGTF286	Stainless steel strap	100 pcs	Length 286 mm	
TGBT04	Stainless steel channel 46 mm (max 5 characters)	50 pcs	Length 46 mm	
TGBT05	Stainless steel channel 58 mm (max 7 characters)		Length 58 mm	
TGBT07	Stainless steel channel 82 mm (max 11 characters)		Length 82 mm	
TGBT09	Stainless steel channel 106 mm (max 15 characters)		Length 106 mm	
TGBT24	Stainless steel channel 286 mm (max 45 characters)		Length 286 mm	

TARGA™ PVC MINI

ITEM CODE	DESCRIPTION	PACKAGE	SIZE (LxHxS)	SPECS
TGN/[...]	Mini PVC alphanumerical strip	200 characters	6 x 10 x 0.75 mm	
TGNL	Mini PVC alphanumerical strip (per Pen)	10 strips	120 x 10 x 0.75 mm	
TGNS	Mini PVC blank strip	10 pcs	285 x 12 x 2.5 mm	
TGNS/MT	Mini PVC transparent holder	1 pc	25000 x 12 x 2.5 mm	
TGNBA	Mini PVC adhesive channel	10 pcs	285 x 10 x 2.5 mm	

TARGA™ PVC MAXI

ITEM CODE	DESCRIPTION	PACKAGE	SIZE (LxHxS)	SPECS
TGX/[...]	Stainless steel alphanumerical strip	100 characters	12 x 19 x 0.75 mm	
TGXL	Maxi PVC blank strip	10 strips	120 x 19 x 0.75 mm	
TGXS	Maxi PVC transparent holder	10 pcs	285 x 21 x 3 mm	
TGXSA/MT	Maxi PVC transparent adhesive holder	1 pc	25000 x 21 x 3 mm	
TGXBA	Maxi PVC adhesive channel	10 pcs	285 x 20 x 2.5 mm	

SLEEVES & TOOLS





Include sleeves, channels, straps, tags holders to house all the marked tags by simply inserting, sliding or applying pressure. The use of these holders allows a quick replacement of the marked tags.


TRANSPARENT SLEEVE 100 SERIES

The shape and the material make it particularly appreciated for its rigidity and precision.



SPECIFICATIONS

Ø EXT.	#	10 mm		12 mm		15 mm		18 mm		23 mm		30 mm		Roll	
		STANDARD	HALOGEN FREE	STANDARD	HALOGEN FREE										
Ø 0.6÷1.2	100	190/10	190/10HF	190/12	190/12HF	190/15	190/15HF	190/18	190/18HF	190/23	190/23HF	190/30	190/30HF	190/MT	190/MTHF
	Box	1000 pcs		1000 pcs		1000 pcs		500 pcs		500 pcs		200 pcs		-	
Ø 1÷2	101	101/10	101/10HF	101/12	101/12HF	101/15	101/15HF	101/18	101/18HF	101/23	101/23HF	101/30	101/30HF	101/MT	101/MTHF
	Box	1000 pcs		500 pcs		25000 mm									
Ø 2÷4	102	102/10	102/10HF	102/12	102/12HF	102/15	102/15HF	102/18	102/18HF	102/23	102/23HF	102/30	102/30HF	102/MT	102/MTHF
	Box	1000 pcs		500 pcs		25000 mm									
Ø 3÷4	103	103/10	103/10HF	103/12	103/12HF	103/15	103/15HF	103/18	103/18HF	103/23	103/23HF	103/30	103/30HF	103/MT	103/MTHF
	Box	1000 pcs		1000 pcs		1000 pcs		1000 pcs		500 pcs		500 pcs		25000 mm	
Ø 4÷5	104	104/10	104/10HF	104/12	104/12HF	104/15	104/15HF	104/18	104/18HF	104/23	104/23HF	104/30	104/30HF	104/MT	104/MTHF
	Box	1000 pcs		1000 pcs		1000 pcs		1000 pcs		500 pcs		500 pcs		25000 mm	
Ø 5÷6	105	105/10	105/10HF	105/12	105/12HF	105/15	105/15HF	105/18	105/18HF	105/23	105/23HF	105/30	105/30HF	105/MT	105/MTHF
	Box	1000 pcs		1000 pcs		1000 pcs		1000 pcs		500 pcs		500 pcs		25000 mm	
Ø 6÷7	106	106/10	106/10HF	106/12	106/12HF	106/15	106/15HF	106/18	106/18HF	106/23	106/23HF	106/30	106/30HF	106/MT	106/MTHF
	Box	500 pcs		500 pcs		500 pcs		500 pcs		200 pcs		200 pcs		25000 mm	
Ø 7÷8	107	107/10	107/10HF	107/12	107/12HF	107/15	107/15HF	107/18	107/18HF	107/23	107/23HF	107/30	107/30HF	107/MT	107/MTHF
	Box	500 pcs		500 pcs		500 pcs		500 pcs		200 pcs		200 pcs		25000 mm	
Ø 8÷10	108	108/10	108/10HF	108/12	108/12HF	108/15	108/15HF	108/18	108/18HF	108/23	108/23HF	108/30	108/30HF	108/MT	108/MTHF
	Box	500 pcs		500 pcs		500 pcs		500 pcs		200 pcs		200 pcs		25000 mm	
Ø 10÷12	109	109/10	109/10HF	109/12	109/12HF	109/15	109/15HF	109/18	109/18HF	109/23	109/23HF	109/30	109/30HF	109/MT	109/MTHF
	Box	500 pcs		500 pcs		500 pcs		500 pcs		200 pcs		200 pcs		40 x 500 mm	
Ø 12÷14	110	110/10	110/10HF	110/12	110/12HF	110/15	110/15HF	110/18	110/18HF	110/23	110/23HF	110/30	110/30HF	110/MT	110/MTHF
	Box	500 pcs		500 pcs		500 pcs		500 pcs		200 pcs		200 pcs		40 x 500 mm	
Ø 14÷16	111	111/10	111/10HF	111/12	111/12HF	111/15	111/15HF	111/18	111/18HF	111/23	111/23HF	111/30	111/30HF	111/MT	111/MTHF
	Box	200 pcs		100 pcs		40 x 500 mm									
Ø 16÷18	112	112/10	112/10HF	112/12	112/12HF	112/15	112/15HF	112/18	112/18HF	112/23	112/23HF	112/30	112/30HF	112/MT	112/MTHF
	Box	200 pcs		200 pcs		200 pcs		200 pcs		100 pcs		200 pcs		40 x 500 mm	
Ø 18÷20	113	113/10	113/10HF	113/12	113/12HF	113/15	113/15HF	113/18	113/18HF	113/23	113/23HF	113/30	113/30HF	113/MT	113/MTHF
	Box	200 pcs		200 pcs		200 pcs		200 pcs		100 pcs		200 pcs		40 x 500 mm	
Ø 20÷22	114	114/10	114/10HF	114/12	114/12HF	114/15	114/15HF	114/18	114/18HF	114/23	114/23HF	114/30	114/30HF	114/MT	114/MTHF
	Box	100 pcs		50 pcs		20 x 500 mm									
Ø 22÷25	115	115/10	115/10HF	115/12	115/12HF	115/15	115/15HF	115/18	115/18HF	115/23	115/23HF	115/30	115/30HF	115/MT	115/MTHF
	Box	100 pcs		100 pcs		100 pcs		100 pcs		50 pcs		50 pcs		20 x 500 mm	
Ø 25÷30	116	116/10	116/10HF	116/12	116/12HF	116/15	116/15HF	116/18	116/18HF	116/23	116/23HF	116/30	116/30HF	116/MT	116/MTHF
	Box	50 pcs		20 x 500 mm											



TRANSPARENT SLEEVE (SOFT) 200 SERIES

These sleeves are more pliable than 100 series ones. They cover with fewer codes a wide range of cables.

SPECIFICATIONS

Ø EXT	#	10 mm		12 mm		15 mm		18 mm		23 mm		30 mm		Roll	
		STANDARD	HALOGEN FREE	STANDARD	HALOGEN FREE										
Ø 1,5÷2,5		201/10	201/10HF	201/12	201/12HF	201/15	201/15HF	201/18	201/18HF	201/23	201/23HF	201/30	201/30HF	201/MT	201/MTHF
		1000 pcs		1000 pcs		1000 pcs		1000 pcs		1000 pcs		500 pcs		25000 mm	
Ø 2÷4		202/10	202/10HF	202/12	202/12HF	202/15	202/15HF	202/18	202/18HF	202/23	202/23HF	202/30	202/30HF	202/MT	202/MTHF
		1000 pcs		1000 pcs		1000 pcs		1000 pcs		500 pcs		500 pcs		25000 mm	
Ø 4÷7		203/10	203/10HF	203/12	203/12HF	203/15	203/15HF	203/18	203/18HF	203/23	203/23HF	203/30	203/30HF	203/MT	203/MTHF
		500 pcs		500 pcs		500 pcs		500 pcs		500 pcs		200 pcs		25000 mm	
Ø 6÷10		204/10	204/10HF	204/12	204/12HF	204/15	204/15HF	204/18	204/18HF	204/23	204/23HF	204/30	204/30HF	204/MT	204/MTHF
		500 pcs		500 pcs		500 pcs		500 pcs		200 pcs		200 pcs		25000 mm	
Ø 10÷14		205/10	205/10HF	205/12	205/12HF	205/15	205/15HF	205/18	205/18HF	205/23	205/23HF	205/30	205/30HF	205/MT	205/MTHF
		200 pcs		200 pcs		200 pcs		200 pcs		200 pcs		200 pcs		40 x 500 mm	
Ø 14÷22		206/10	206/10HF	206/12	206/12HF	206/15	206/15HF	206/18	206/18HF	206/23	206/23HF	206/30	206/30HF	206/MT	206/MTHF
		200 pcs		200 pcs		200 pcs		200 pcs		100 pcs		100 pcs		40 x 500 mm	
Ø 22÷30		207/10	207/10HF	207/12	207/12HF	207/15	207/15HF	207/18	207/18HF	207/23	207/23HF	207/30	207/30HF	207/MT	207/MTHF
		50 pcs		50 pcs		50 pcs		50 pcs		50 pcs		50 pcs		20 x 500 mm	
Ø 30÷35		208/10	208/10HF	208/12	208/12HF	208/15	208/15HF	208/18	208/18HF	208/23	208/23HF	208/30	208/30HF	208/MT	208/MTHF
		50 pcs		50 pcs		50 pcs		50 pcs		50 pcs		50 pcs		20 x 500 mm	
Ø 35÷40		209/10	209/10HF	209/12	209/12HF	209/15	209/15HF	209/18	209/18HF	209/23	209/23HF	209/30	209/30HF	209/MT	209/MTHF
		50 pcs		50 pcs		50 pcs		50 pcs		50 pcs		50 pcs		20 x 500 mm	



+70°C
-15°C



Organization for Standardization
of ISO 4892-2:2006

TRANSPARENT




HALOGEN FREE



If you add MC at the end of the item code, you will receive the Maxi PACKAGE + convenient




TRANSPARENT SLEEVE (RIGID) 400 SERIES



This sleeve is more rigid than 200 Series even if it maintains the same shape.
It can improve the obstruction space.

SPECIFICATIONS

Ø EXT	#	10 mm		12 mm		15 mm		18 mm		23 mm		30 mm	
		STANDARD	HALOGEN FREE										
$\varnothing 1,5 \div 2,5$		401/10	401/10HF	401/12	401/12HF	401/15	401/15HF	401/18	401/18HF	401/23	401/23HF	401/30	401/30HF
		1000 pcs		1000 pcs		1000 pcs		1000 pcs		1000 pcs		500 pcs	
$\varnothing 2 \div 4$		402/10	402/10HF	402/12	402/12HF	402/15	402/15HF	402/18	402/18HF	402/23	402/23HF	402/30	402/30HF
		1000 pcs		1000 pcs		1000 pcs		1000 pcs		500 pcs		500 pcs	
$\varnothing 4 \div 7$		403/10	403/10HF	403/12	403/12HF	403/15	403/15HF	403/18	403/18HF	403/23	403/23HF	403/30	403/30HF
		500 pcs		500 pcs		500 pcs		500 pcs		500 pcs		200 pcs	
$\varnothing 6 \div 10$		404/10	404/10HF	404/12	404/12HF	404/15	404/15HF	404/18	404/18HF	404/23	404/23HF	404/30	404/30HF
		500 pcs		500 pcs		500 pcs		500 pcs		200 pcs		200 pcs	
$\varnothing 10 \div 14$		405/10	405/10HF	405/12	405/12HF	405/15	405/15HF	405/18	405/18HF	405/23	405/23HF	405/30	405/30HF
		200 pcs		200 pcs		200 pcs		200 pcs		200 pcs		200 pcs	
$\varnothing 14 \div 22$		406/10	406/10HF	406/12	406/12HF	406/15	406/15HF	406/18	406/18HF	406/23	406/23HF	406/30	406/30HF
		200 pcs		200 pcs		200 pcs		200 pcs		100 pcs		100 pcs	




TRANSPARENT



HALOGEN FREE



If you add MC at the end of the item code, you will receive the Maxi PACKAGE + convenient




TRANSPARENT SLEEVE (FLAT) 500 SERIES

Specifically designed for the PVC FLAT cable tags;
Its elastic material helps to insert the tags more easily

SPECIFICATIONS

\varnothing EXT	#	10 mm	12 mm	15 mm	18 mm	23 mm	30 mm
$\varnothing 1,5\div 2,5$		501/10	501/12	501/15	501/18	501/23	501/30
		1000 pcs	1000 pcs	1000 pcs	1000 pcs	500 pcs	500 pcs
$\varnothing 2\div 4$		502/10	502/12	502/15	502/18	502/23	502/30
		1000 pcs	1000 pcs	1000 pcs	1000 pcs	500 pcs	500 pcs
$\varnothing 4\div 7$		503/10	503/12	503/15	503/18	503/23	503/30
		500 pcs	500 pcs	500 pcs	500 pcs	200 pcs	200 pcs
$\varnothing 6\div 10$		504/10	504/12	504/15	504/18	504/23	504/30
		500 pcs	500 pcs	500 pcs	500 pcs	200 pcs	200 pcs
$\varnothing 10\div 14$		505/10	505/12	505/15	505/18	505/23	505/30
		200 pcs	200 pcs	200 pcs	200 pcs	200 pcs	200 pcs




If you add MC at the end of the item code, you will receive the Maxi PACKAGE + convenient



SNAP-ON SLEEVE

Particularly suitable for marking after the electrical connection has been made. It saves a considerable amount of time and it reduces installation costs.


Ø EXT.	#	10 mm	15 mm	23 mm	30 mm
Ø 2÷3.5		301/10	301/15	301/23	301/30
		1000 pcs	1000 pcs	500 pcs	500 pcs
Ø 2.8÷5		302/10	302/15	302/23	302/30
		1000 pcs	1000 pcs	500 pcs	500 pcs
Ø 5÷8		303/10	303/15	303/23	303/30
		500 pcs	500 pcs	200 pcs	200 pcs
Ø 8÷10		304/10	304/15	304/23	304/30
		500 pcs	500 pcs	200 pcs	200 pcs



SPARK™ PIN TERMINAL


Spark offers the advantage of a combined cable-end connector and marker sleeve to guarantee a fast and innovative marking.

ITEM CODE	CABLE SECTION	PIN LENGTH	COLOR	PACKAGE	
710/05	0.50 mm ²	9 mm		Orange 200 pcs	
711/05		14 mm			
710/07	0.75 mm ²	9 mm		White 200 pcs	
711/07		14 mm			
710/10	1 mm ²	9 mm		Yellow 200 pcs	
711/10		14 mm			
710/15	1.5 mm ²	9 mm		Red 200 pcs	
711/15		14 mm			
710/25	2.50 mm ²	12 mm		Blue 200 pcs	
711/25		17 mm			
710/40	4 mm ²	12 mm		Grey 100 pcs	
711/40		17 mm			
710/60	6 mm ²	12 mm		Green 100 pcs	
711/60		17 mm			
710/100	10 mm ²	12 mm		Brown 100 pcs	
711/100		17 mm			




DUAL RECESSED SLEEVE

Suitable to meet very detailed marking needs. The marking is set out in two rows.




Ø EXT	#	15 mm	23 mm	30 mm	Roll
		STANDARD	STANDARD	STANDARD	STANDARD
Ø 2÷4		802/15	802/23	802/30	802/MT
		500 pcs	200 pcs	200 pcs	25000 mm
Ø 8÷10		808/15	808/23	808/30	808/MT
		100 pcs	50 pcs	50 pcs	40 x 500 mm
Ø 10÷12		809/15	809/23	809/30	809/MT
		100 pcs	50 pcs	50 pcs	40 x 500 mm
Ø 12÷14		810/15	810/23	810/30	810/MT
		100 pcs	50 pcs	50 pcs	40 x 500 mm
Ø 14÷16		811/15	811/23	811/30	811/MT
		50 pcs	20 pcs	20 pcs	40 x 500 mm



ADHESIVE HOLDER FOR COMPONENTS

It solves the problems of marking onto surfaces that offer no other fixing possibilities.


#	H	#	10 mm	12 mm	15 mm	18 mm	23 mm	30 mm
	4 mm		140/10	140/12	140/15	140/18	140/23	140/30
			500 pcs	500 pcs	500 pcs	200 pcs	200 pcs	200 pcs
	4 mm		142/10	142/12	142/15	142/18	142/23	142/30
			500 pcs	500 pcs	500 pcs	200 pcs	200 pcs	200 pcs
	4 mm		840/10	840/12	840/15	840/18	840/23	840/30
			200 pcs	200 pcs	200 pcs	100 pcs	100 pcs	100 pcs



TAG HOLDER FOR CHANNEL





It is inserted into the channel by simple pressure. The channel can be adhesive and NON adhesive.

H	#	10 mm	12 mm	15 mm	18 mm	23 mm	30 mm
4 mm		150/10	150/12	150/15	150/18	150/23	150/30
		500 pcs	500 pcs	500 pcs	200 pcs	200 pcs	200 pcs
Channel							
H	#	500 mm		1000 mm		2000 mm	
		ADHESIVE	NON ADHESIVE	ADHESIVE	NON ADHESIVE	ADHESIVE	NON ADHESIVE
8.65 mm		161/MT	160/MT	161/MT1	160/MT1	161/MT2	160/MT2
		20 pcs	20 pcs	10 pcs	10 pcs	10 pcs	10 pcs



CLIP-ON HOLDER FOR T-BLOCKS, CONTACTORS AND CIRCUIT BREAKERS.

Suitable to identify electrical equipments in a clear and long lasting way.

SIZE	PACKAGE	ITEM CODE	COMPATIBILITY	#	SPECS
 15 x 4 mm	 200 pcs	152I/150	Finder modular relays		    
 25 x 4 mm	 200 pcs	152I/250	Lumberg multiple socket		
 17 x 4 mm	 200 pcs	152N/170	ABB		
 15 x 4 mm	 200 pcs	175A/15	Cabur		    
		175C/15	Entrellec		
		175D/15	Legrand (Viking 1 series)		
		175E/15	Phoenix		
		175G/15	Siemens		
		175H/15	Woertz, Allen Bradley		
		175L/15	Weidmüller: SAK, WDU		
		175M/15	Wieland, Télémecanique, Sprecher + Schuh		
 20 x 4 mm	 200 pcs	185G/20	Siemens, Klöckner-Möller		    
		185M/20	Télémecanique		

SLEEVE FOR CABLE TIES



For further information:
 sales@graoplast.it
 +39 0131718477

It allows the marking of cables bundles and sheaths by using a cable tie.

SIZE	PACKAGE	ITEM CODE		CAVITY	#	SPECS
		STANDARD	HALOGEN FREE			
12 x 4 mm	2000 pcs	SI0412	-	single		
18 x 4 mm	2000 pcs	SI0418	-	single		
23 x 4 mm	200 pcs	130/23	130/23HF	single		
30 x 4 mm	200 pcs	130/30	130/30HF	single		
30 x 4 mm	200 pcs	132/30	132/30HF	single		 -15°C → +70°C
30 x 4 mm	200 pcs	830/30	830/30HF	double		
20 x 9 mm	240 pcs	SI1001	SIHFC1	transparent		 TRANSPARENT
35 x 9 mm	500 pcs	SI0935	SI0935HF	transparent		
70 x 9 mm	250 pcs	SI0970	SI0970HF	transparent		
20 x 9 mm	240 pcs	SI1002*	-	white Transparent + ADHESIVE		


* Item NON in compliance with UL 94 V0




TAG HOLDER FOR CABLE TIES

SIT0004X090

This holder has bigger dimensions;
the pre-cut strips are inserted in the holder and blocked by two cable ties in the sideways holes.

SIZE	PACKAGE	ITEM CODE		#	SPECS
		STANDARD	HALOGEN FREE		
50 x 10 mm	224 pcs	SIT0003X050	SIT0003X050HF		
50 x 15 mm	192 pcs	SIT0004X050	SIT0004X050HF		 94-V0
70 x 15 mm	96 pcs	SIT0004X070	SIT0004X070HF		 -25°C +100°C
88 x 15 mm	96 pcs	SIT0004X090	SIT0004X090HF		 4892-2:2006
100 x 20 mm	180 pcs	SIT0005X100	SIT0005X100HF		 TRANSPARENT
					 HALOGEN FREE

TIES



SIZE	Ø MAX	PACKAGE	BLACK	NEUTRAL	PHOSPHORESCENT
2.5 x 100 mm	22 mm	100 pcs	TGF10025B	TGF10025N	TGF10025PH
3.6 x 140 mm	33 mm	100 pcs	TGF14036B	TGF14036N	TGF14036PH
2.5 x 160 mm	40 mm	100 pcs	TGF16025B	TGF16025N	TGF16025PH
4.8 x 160 mm	40 mm	100 pcs	TGF16048B	TGF16048N	TGF16048PH
2.5 x 200 mm	53 mm	100 pcs	TGF20025B	TGF20025N	TGF20025PH
3.6 x 200 mm	53 mm	100 pcs	TGF20036B	TGF20036N	TGF20036PH
4.8 x 200 mm	53 mm	100 pcs	TGF20048B	TGF20048N	TGF20048PH
3.6 x 300 mm	80 mm	100 pcs	TGF30036B	TGF30036N	TGF30036PH



TAG HOLDER FOR PUSH-BUTTONS

The marked tag is inserted by simple pressure.
This tag holder can be mounted with screws or it can be self-adhesive.

Ø HOLE	PACKAGE	ITEM CODE		COMPATIBILITY	#	SPECs
		ADHESIVE	NON ADHESIVE			
22,5 mm	192 pcs	SIT0B05	SIT0B05X	Télémechanique (old type)		
-	192 pcs	SIT0B07	SIT0B07X	Télémechanique Harmony ZB4 (new type)		
22,5 mm	96 pcs	SIT0B08	SIT0B08X	Télémechanique		
-	192 pcs	SIT0B09	SIT0B09X	Télémechanique Harmony ZB4 (new type)		
22,5 mm	192 pcs	-	SIT0B05CX	Télémechanique (old type)		

TAG HOLDER

Adhesive or fixed with screws.
The marked tag is inserted by simple pressure.

Ø HOLE	PACKAGE	ITEM CODE		#	SPECs
		ADHESIVE	NON ADHESIVE		
30 x 17 mm	192 pcs	SIT0A06	SIT0A06X		
52 x 17 mm	96 pcs	SIT0A07	SIT0A07X		
70 x 17 mm	96 pcs	SIT0A08	SIT0A08X		

PROTECTIVE SLIDE

This slide is used wherever special protection is needed for the marked tag inserted in the holders.

SIZE	PACKAGE	ITEM CODE	#	SPECs
27 x 15 mm	192 pcs	SIT0V01		
50 x 15 mm	96 pcs	SIT0V02		
67 x 15 mm	96 pcs	SIT0V03		
27 x 27 mm	96 pcs	SIT0V04		
27 x 8 mm	192 pcs	SIT0V05		
74 x 34 mm	10 pcs	SIT0V301		 International Organization for Standardization
94 x 44 mm	10 pcs	SIT0V401		
104 x 64 mm	10 pcs	SIT0V601		
154 x 104 mm	10 pcs	SIT0V991		

MC If you add MC at the end of the item code, you will receive the Maxi PACKAGE + convenient

CHANNELS



They can be mounted using their high performance adhesive; strips or modular tags printed with thermal transfer system can be easily inserted by simple pressure and easily replaced.

LENGTH	PACKAGE	#	10 mm	15 mm	20 mm	#	SPECS
430 mm	36 pcs	CHANNEL	SIT0B10/430	SIT0B15/430	SIT0B20/430		
		COVER	SIT0C10/430	SIT0C15/430	SIT0C20/430		
450 mm	35 pcs	CHANNEL	SIT0B10/450	SIT0B15/450	SIT0B20/450		
		COVER	SIT0C10/450	SIT0C15/450	SIT0C20/450		
650 mm	35 pcs	CHANNEL	SIT0B10/650	SIT0B15/650	SIT0B20/650		
		COVER	SIT0C10/650	SIT0C15/650	SIT0C20/650		
1000 mm	-	CHANNEL	SIT0B10/MT	SIT0B15/MT	SIT0B20/MT		
			30 pcs	35 pcs	32 pcs		
		COVER	SIT0C10/MT	SIT0C15/MT	SIT0C20/MT		
			30 pcs	35 pcs	32 pcs		

TRANSPARENT ADHESIVE HOLDER

This holder allows to contain and protect the marking made with SIT 804-806-808 and SI2K804-806-808 strips. Its length is equal to 24 DIN. Thanks to the high performance adhesive, it can be easily and quickly applied to the items to be identified.

LENGTH	#	12 x 2.5 mm	17 x 3 mm	21.5 x 3 mm	#
430 mm		SIT0003/430	SIT0004/430	SIT0005/430	
		36 pcs	48 pcs	36 pcs	

UN1U

PLANT UNIT

CABLE N°

SECT mm²

NOISE LEVEL

FROM

TO

LENGTH
Grafoplast® Label System

PLANT IDENTIFIER LABEL



SIZE	PACKAGE	FEATURES	WHITE (BLACK WRITINGS)
50 x 100 mm	10 pcs	Pre printed on both sides in Italian	UN1I
		Pre printed on both sides in English	UN1U
40 x 100 mm	100 pcs	Pre printed on both sides in Italian-soft PVC Un2I	UN2I
40 x 50 mm	100 pcs	Pre printed on both sides in Italian-soft PVC small SIZE UN2IMINI	UN2IMINI



SPIRAL BAND

SIZE	PACKAGE	Ø CABLE	BLACK	WHITE	TRANSPARENT
50 mt.	1 pc	2 ÷ 12 mm	USO03	USA03	USI03
		5 ÷ 50 mm	USO06	USA06	USI06
		12 ÷ 100 mm	USO10	USA10	USI10
		14 ÷ 120 mm	USO12	USA12	USI12



POLYESTER SHEATH

COLOR	LENGTH	DIAMETRE			ITEM CODE
		NOMINAL	MINIMAL	MAX	
BLACK	100 mt.	3	2	6	URB03
	100 mt.	4	3	8	URB04
	100 mt.	5	4	10	URB05
	100 mt.	6	5	12	URB06
	100 mt.	6	5	12	URB08
	100 mt.	8	6	14	URB10
	50 mt.	10	8	18	URB12
	50 mt.	10	8	18	URB15
	25 mt.	12	10	21	URB20
	25 mt.	15	13	25	URB25
	25 mt.	15	13	25	URB30
	25 mt.	15	13	25	URB40
	25 mt.	20	18	29	URB50
GREY	100 mt.	3	2	6	URE03
	100 mt.	4	3	8	URE04
	100 mt.	5	4	10	URE05
	100 mt.	6	5	12	URE06
	300 mt.	6	5	12	URE06/300
	100 mt.	8	6	14	URE08
	100 mt.	10	8	18	URE10
	300 mt.	10	8	18	URE10/300
	50 mt.	12	10	21	URE12
	50 mt.	15	13	25	URE15
	200 mt.	15	13	25	URE15/200
	300 mt.	15	13	25	URE15/300
	25 mt.	20	18	29	URE20
	300 mt.	20	18	29	URE20/300
	25 mt.	25	22	36	URE25
	25 mt.	30	27	45	URE30
	200 mt.	30	27	45	URE30/200
	25 mt.	40	35	55	URE40
	200 mt.	40	35	55	URE40/200
	25 mt.	50	45	65	URE50
	150 mt.	50	45	65	URE50/150
	150 mt.	62	57	80	URE60/150



-50°C +80°C



HEAT SHRINKING SHEATH



For further information:
sales@grafoplast.it
+39 0131 718477



LENGTH	SHRINKAGE RATIO	SHRINKAGE TEMPERATURE	DIAMETER	THICKNESS	ITEM BLACK	ITEM BLUE	ITEM YELLOW/GREEN
10 mt.	2:1	+90 °C	1.6	0.43	UKLCD5B0160	UKLCD5U0160	-
10 mt.			2.4	0.51	UKLCD5B0240	UKLCD5U0240	-
10 mt.			3.2		UKLCD5B0320	UKLCD5U0320	-
9 mt.			4.8		UKLCD5B0480	UKLCD5U0480	-
8 mt.			6.4	0.64	UKLCD5B0640	UKLCD5U0640	-
6 mt.			9.5		UKLCD5B0950	UKLCD5U0950	-
6 mt.			12.7		UKLCD5B1270	UKLCD5U1270	-
5 mt.			19.0	0.76	UKLCD5B1900	UKLCD5U1900	-
3 mt.			25.4	0.89	UKLCD5B2540	UKLCD5U2540	-
10 mt.	3:1	+100 °C	2.4	0.45	-	-	UKLCD5T0240
9 mt.			4.8	0.50	-	-	UKLCD5T0480
6 mt.			9.5	0.65	-	-	UKLCD5T0950
4 mt.			19.0	0.65	-	-	UKLCD5T1900



+125°C

-55°C



LASER WIREMARKER



SIZE	PACKAGE	WHITE	YELLOW
12 x 23 mm	1300 pcs	SITFL02312W	SITFL02312Y
12 x 38 mm	910 pcs	SITFL03812W	SITFL03812Y
20 x 44 mm	480 pcs	SITFL04420W	SITFL04420Y
25 x 62 mm	280 pcs	SITFL06225W	SITFL06225Y
25 x 104 mm	140 pcs	SITFL10425W	SITFL10425Y
25 x 150 mm	70 pcs	SITFL15025W	SITFL15025Y




+150°C
-40°C



ADHESIVE LABELS (MANUAL)



SIZE	PACKAGE	WRITABLE AREA	YELLOW / TRANSPARENT
10.16 x 25.4 mm	1100	10.16 x 6.35 mm	LB10054
12.7 x 25.4 mm	880 pcs	12.7 x 6.35 mm	LB10064
10.16 x 38.1 mm	700 pcs	10.16 x 10.58 mm	LB10254
12.7 x 38.1 mm	560 pcs	12.7 x 10.58 mm	LB10264
12.7 x 63.5 mm	320 pcs	12.7 x 19.05 mm	LB10462
25.4 x 38.1 mm	240 pcs	25.4 x 12.70 mm	LB20264
25.4 x 63.5 mm	160 pcs	25.4 x 19.05 mm	LB20462
38.1 x 38.1 mm	150 pcs	38.1 x 12.7 mm	LB20463
38.1 x 63.5 mm	100 pcs	38.1 x 19.05 mm	LB20464
25.4 x 88.9 mm	120 pcs	25.4 x 25.40 mm	LB20662
38.1 x 88.9 mm	75 pcs	38.1 x 25.40 mm	LB20664



Benzina
Eptano
Kerosene
JP4



PEN FOR MARKING

PACKAGE	BLACK (THIN TIP)	BLACK (MEDIUM TIP)	#
4 pcs	UP1F	UP1M	

ADHESIVE POLYESTER LABELS (LASER PRINTER)

SIZE	PACKAGE	WHITE	YELLOW	METAL
15 x 6 mm	3300 pcs	SITFP0615W	SITFP0615Y	SITFP0615M
15 x 9 mm	2420 pcs	SITFP0915W	SITFP0915Y	SITFP0915M
60 x 9 mm	660 pcs	SITFP0960W	SITFP0960Y	SITFP0960M
20 x 10 mm	1680 pcs	SITFP1020W	SITFP1020Y	SITFP1020M
27 x 15 mm	990 pcs	SITFP2715W	SITFP2715Y	SITFP2715M
27 x 27 mm	540 pcs	SITFP2727W	SITFP2727Y	SITFP2727M
210 x 278 mm	10 pcs	SITFP278210W	SITFP278210Y	SITFP278210M



THICKNESS
50 μ $\pm 5\%$



ACID RESISTANCE



WATERPROOF



OILRESISTANT



GRAFIT™ JOINT



For further information:
sales@grafoplast.it
+39 0131 718477

CABLE SECTION		PACKAGE		ITEM	
0.5 ÷ 1.5 mm ²		100 pcs		UKS01	
1.5 ÷ 2.5 mm ²		100 pcs		UKS02	
3 ÷ 6 mm ²		100 pcs		UKS03	
	THICKNESS (mm) 6 0.5			-55°C	+105°C

- Crimping Force: 22.5 MPa;
- Stretching and breaking: 553%;
- Max temperature: 225°C x 4 Hour no brake;
- Frequency: 175°C x 168 Hour no brake;
- Dielectric force: 12KV/mm;
- Resistance to liquids: 23°C x 24 Hour (good);
- Assembly instructions:

- 1 Choose the crimpable joints depending on the section of the cables to be crimped.
- 2 Insert the ends of the cables to be joined in the junction as per the drawing.
- 3 Make the crimping with the dedicated tool.
- 4 Heat until the plastic part is fixed to the cable.



INSULATING SLEEVE

UEB 0100	UEB 0200	UEB 0300	UEB 0400	UEB 0500	UEB 0600	UEB 0700	UEB 0800	UEB 0900	UEB 1000	UEB 1100	UEB 1200	UEB 1300	UEB 1400	UEB 1600	UEB 1800	UEB 2000	UEB 2200	UEB 2400	UEB 2500
Ø 1mm	Ø 2 mm	Ø 3 mm	Ø 4 mm	Ø 5 mm	Ø 6 mm	Ø 7 mm	Ø 8 mm	Ø 9 mm	Ø 10 mm	Ø 11 mm	Ø 12 mm	Ø 13 mm	Ø 14 mm	Ø 16 mm	Ø 18 mm	Ø 20 mm	Ø 22 mm	Ø 24 mm	Ø 25 mm
200 m	100 m	50 m	50 m	50 m	50 m														



INSULATED END SLEEVE

UX 00206	UX 00306	UX 00508	UX 00708	UX 01008	UX 01508	UX 02508	UX 04009	UX 06012	UX 10012	UX 16012	UX 25016	UX 35016	UX 50020	UY D 00708	UY D 01008	UY D 01508	UY D 02509	UY D 04012	UY D 06014	UY D 10014
mm ² 0.25	mm ² 0.34	mm ² 0.5	mm ² 0.75	mm ² 1.00	mm ² 1.50	mm ² 2.50	mm ² 4	mm ² 6	mm ² 10	mm ² 16	mm ² 25	mm ² 35	mm ² 50	mm ² 2x 0.75	mm ² 2x 1	mm ² 2x 1.5	mm ² 2x 2.5	mm ² 2x 4	mm ² 2x 6	mm ² 2x 10
6	6	8	8	8	8	8	10	12	12	12	16	16	20	8	8	8	10	12	12	L (MM)
-	-	(white)													-	-	-	-	-	
		(white)																		
		(white)																		
500	500	500	500	500	500	500	500	100	100	100	50	50	500	500	500	200	100	100	100	

W = Colors in compliance to Weidmuller standards | DIN = Colors in compliance to German norm DIN 46228-4 | T = Colors in compliance to French norm NF C 63-023



COMPACT HAND HELD LABEL PRINTER

It allows to create long lasting, durable labels. The labels ensure quick and easy identification of cables, faceplates, sockets, switches, consumer units and other components.

- Create durable labels up to 12 mm in width;
- Dedicated functions for common labelling tasks;
- 200 symbols including electrician, audio visual and Network Infrastructure;
- Built-in cutter for accurate labelling.
- Includes AC adapter, 1 flexible tape 9 mm and handy carry case



With dedicated functions and smart keys to make common labelling tasks quick and easy, and everything supplied in a hard carry case, **EGO4YOU** is an invaluable tool for electricians and other professional installers.




GRAPHIC DISPLAY

It allows to view the symbols such as Electrical, Audio/Video, Security and Network Infrastructure, and the label print preview




PRINT SPEED

Up to 20mm per second



LABELS FOR MASKS

Quick identification of faceplates, sockets, switches, consumer units and other components.




WRAP AROUND LABELS

For cables, it allows to quickly mark cables with labels easy to read.




SEQUENTIAL NUMBERING

Printing multiple labels with sequentially incremented numbers. This makes label creation fast and efficient.




FLAG TYPE LABELS FOR CABLES

Just select the cable diameter to print a perfect label.



DEDICATED NUMBER KEYPAD

It allows quick entry of numbers with one finger.



200 SYMBOLS

Including icons/symbols on your labels, from categories such as Electrical, Audio/Video, Security and Network Infrastructure.



Laminated tapes, incredibly durable in extremes temperatures, water, sunlight, abrasion, chemicals, easy peel system, strong adhesive.



MULTIFUNCTIONAL HAND HELD LABEL PRINTER

Thanks to its simple functionality assures a professional long lasting labelling. The labels ensure quick and easy identification of cables, faceplates, sockets, switches, consumer units and other components.

- Large backlit LCD screen;
- QWERTY keyboard + dedicated functions for an easy use;
- Create labels up to 18 mm wide.
- Includes AC adapter, 1 strong laminated tape 18 mm and handy carry case.

In electrical and datacom installations, clear, robust labelling is crucial and the EGO1PRO with carry case has been designed to make the process easier than ever before. The label material is laminated and rigorously tested against all crucial degrading effects for clear and professional-looking for years to come.



LARGE BACKLIT LCD SCREEN

It allows to view the symbols and the label print preview




LABELS UP TO 18 MM

To make printing labels up to 18mm wide




9 BARCODE PROTOCOLS

Barcodes to guarantee a major safety.




MASKS

Quick identification of faceplates, sockets, switches, consumer units and other components.



SEQUENTIAL NUMBERING

Printing multiple labels with sequentially incremented numbers. This makes label creation fast and efficient.



WRAP AROUND AND FLAG TYPE LABELS

It allows to quickly mark cables with labels easy to read.



PATCH PANEL

To create labels in perfect dimensions



384 SYMBOLS

Including icons/symbols electrics, datacom, AV and safety.

Laminated tapes, incredibly durable in extremes temperatures, water, sunlight, abrasion, chemicals, easy peel system, strong adhesive.



Smart hand held label printer PC connection

Smart and efficient label printer to create durable labels for electrical or datacom installations through built-in labelling functions, PC software, or from smartphone or tablet with the cable labelling app.

- Large backlit LCD screen;
- Automatic (full and half) cutter;
- Print labels up to 24 mm.
- Comes with carry case, wrist strap, USB, CD Software, 2 tapes (1 strong tape 24 mm wide and 1 flexible tape 12 mm wide), rechargeable lithium-ion battery, AC adapter;

Ensuring that cables, conduits, switches and sockets are clearly identified with long-lasting, durable labels is essential for electricians, datacom, telecom and security equipment installers. EGOSMART creates labels that help address ANSI/EIA/TIA-606A/B and that meet the UL-969 standards.



Laminated tapes, incredibly durable in extremes temperatures, water, sunlight, abrasion, chemicals, easy peel system, strong adhesive.

**SIMPLE AND
EFFICIENT
ORGANIZATION**





Design labels on your PC or Mac, and include images or company logos, barcodes, frames and special symbols. Or connect to your Apple or Android device using Bluetooth, then use the proper apps to create and print labels from your smart device. AlterEGO is ready to print a label wherever and whenever you want. Comes with flexible tape 24 mm wide and USB.



Windows & OS

- Print durable, colorful labels up to 24 mm in width;
- Built-in rechargeable lithium-ion battery;
- Recharges from any available USB port ;
- It allows to link to text contained in an Excel or .csv file to easily print multiple labels with variable information;



Android e iOS

- It allows to edit your labels and then preview before printing directly from smartphone or tablet;
- Free download from app store;
- Bluetooth connection makes its use very simple;
- It allows to insert logos, images, frames, barcodes and QRCodes;



WIDE RANGE OF TAPES

To choose the proper label according to the application needed is fundamental, that's why Grafoplast offers a variety of tapes to cover all kind of applications.



STANDARD LAMINATE


SIZE	PACKAGE	BLACK/WHITE	BLACK/YELLOW	BLACK/TRANSPARENT
6 mm x 8 mt.	1 pc	EGO2SB06W	EGO2SB06Y	EGO2SB06C
9 mm x 8 mt.	1 pc	EGO2SB09W	EGO2SB09Y	EGO2SB09C
12 mm x 8 mt.	1 pc	EGO2SB12W	EGO2SB12Y	EGO2SB12C
18 mm x 8 mt.	1 pc	EGO2SB18W	EGO2SB18Y	EGO2SB18C
24 mm x 8 mt.	1 pc	EGO2SB24W	EGO2SB24Y	EGO2SB24C
36 mm x 8 mt.	1 pc	EGO2SB36W	EGO2SB36Y	-

METAL LAMINATE

SIZE	PACKAGE	BLACK/SILVER
9 mm x 8 mt.	1 pc	EGO2MB09M
12 mm x 8 mt.	1 pc	EGO2MB12M
24 mm x 8 mt.	1 pc	EGO2MB24M

FLUORESCENT LAMINATE

SIZE	PACKAGE	BLACK/ORANGE	BLACK/YELLOW
12 mm x 5 mt.	1 pc	EGO2PH12O	-
24 mm x 5 mt.	1 pc	EGO2PH24O	EGO2PH24Y



Thanks to the laminating process and the strong adhesive especially developed and tested, the EGO labels are durable in extremes temperatures and resistant to water, sunlight, abrasion,oils and chemicals.



FLEXIBLE LAMINATE

SIZE	PACKAGE	BLACK/WHITE	BLACK/YELLOW
◆ 9 mm x 8 mt.	1 pc	EGO2FB09W	EGO2FB09Y
◆ 12 mm x 8 mt.	1 pc	EGO2FB12W	EGO2FB12Y
◆ 18 mm x 8 mt.	1 pc	EGO2FB18W	EGO2FB18Y
◆ 24 mm x 8 mt.	1 pc	EGO2FB24W	EGO2FB24Y

STRONG LAMINATE

SIZE	PACKAGE	BLACK/WHITE	BLACK/YELLOW
◆ 9 mm x 8 mt.	1 pc	EGO2XB09W	EGO2XB09Y
◆ 12 mm x 8 mt.	1 pc	EGO2XB12W	EGO2XB12Y
◆ 18 mm x 8 mt.	1 pc	EGO2XB18W	EGO2XB18Y
◆ 24 mm x 8 mt.	1 pc	EGO2XB24W	EGO2XB24Y
◆ 36 mm x 8 mt.	1 pc	EGO2XB36W	-



HEAT SHRINKABLE SHEATH

SIZE	PACKAGE	BLACK/WHITE
◆ 5.8 mm x 1.5 mt.	1 pc	EGO2HS06W
◆ 8.8 mm x 1.5 mt.	1 pc	EGO2HS09W
◆ 11.7 mm x 1.5 mt.	1 pc	EGO2HS12W
◆ 17.7 mm x 1.5 mt.	1 pc	EGO2HS18W
◆ 23.6 mm x 1.5 mt.	1 pc	EGO2HS24W

GRAFO SIGN

Grafoplast Identification system includes tags, labels, and signs with warning NONices, danger and information details.

Available in vinyl, polycarbonate, PVC foam, aluminium. All the materials are printed with serigraphy procedure that grant reliability both in time and usage. Using these signs promotes safety awareness.





ATTENZIONE



È VIETATO ESEGUIRE LAVORI SU APPARECCHIATURE ELETTRICHE SOTTO TENSIONE

- EVENTUALI DEROGHE DEVONO ESSERE AUTORIZZATE DAL CAPO RESPONSABILE
- IN CONDIZIONI DI PARTICOLARE PERICOLO DEVE ESSERE PRESENTE UN'ALTRA PERSONA OLTRE A CHI ESEGUE IL LAVORO
- INIZIARE I LAVORI SOLO AD AVVENUTA ATTUAZIONE DELLE MISURE DI SICUREZZA

SIZE	PACKAGE	VINYL	POLYCARBONATE
140 x 60 mm	30 pcs (5 sheets)	LA10060F1	LAX10060F1
80 x 48 mm	50 pcs (10 sheets)	LA10070F1	LAX10070F1


DANGER




OPERATION BY ELECTRICAL EQUIPMENT AUTHORIZED PERSONNEL ONLY.

BEFORE PROCEEDING WITH REPAIR WORK ALL SOURCES OF POWER TO THE MACHINE MUST BE TAGGED OUT AND/OR SECURED WITH A LOCKING DEVICE.

SIZE	PACKAGE	VINYL	POLYCARBONATE
140 x 60 mm	30 pcs (5 sheets)	LA10060F1U	LAX10060F1U




220 VOLT




230 VOLT

SIZE	PACKAGE	VINYL	POLYCARBONATE
52 x 22.5 mm	175 pcs (5 sheets)	LA13061F1	LAX13061F1
70 x 30 mm	90 pcs (5 sheets)	LA13060F1	LAX13060F1

SIZE	PACKAGE	VINYL	POLYCARBONATE
70 x 30 mm	90 pcs (5 sheets)	LA13065F1	LAX13065F1
140 x 60 mm	30 pcs (5 sheets)	LA13066F1	LAX13066F1




380 VOLT




400 VOLT

SIZE	PACKAGE	VINYL	POLYCARBONATE
52 x 22.5 mm	175 pcs (5 sheets)	LA13071F1	LAX13071F1
70 x 30 mm	90 pcs (5 sheets)	LA13070F1	LAX13070F1
140 x 60 mm	30 pcs (5 sheets)	LA13140F1	LAX13140F1


SIZE	PACKAGE	VINYL	POLYCARBONATE
70 x 30 mm	90 pcs (5 sheets)	LA13075F1	LAX13075F1
140 x 60 mm	30 pcs (5 sheets)	LA13076F1	LAX13076F1
210 x 90 mm	5 pcs	LA13077F1	LAX13077F1
280 x 150 mm	5 pcs	LA13078F1	LAX13078F1
350 x 150 mm	5 pcs	LA13079F1	LAX13079F1




SIZE	PACKAGE	VINYL	POLYCARBONATE
34 mm (side)	350 pcs (5 sheets)	LA11020F1	LAX11020F1
51 mm (side)	160 pcs (5 sheets)	LA11030F1	LAX11030F1
68 mm (side)	90 pcs (5 sheets)	LA11040F1	LAX11040F1
98 mm (side)	40 pcs (5 sheets)	LA11050F1	LAX11050F1
102 mm (side)	30 pcs (5 sheets)	LA11055F1	LAX11055F1
136 mm (side)	15 pcs (5 sheets)	LA11060F1	LAX11060F1




SIZE	PACKAGE	VINYL	POLYCARBONATE
25 mm (side)	400 pcs (5 sheets)	LA11130F1	LAX11130F1




SIZE	PACKAGE	VINYL	POLYCARBONATE
34 mm (side)	245 pcs (5 sheets)	LA11134F1	LAX11134F1
51 mm (side)	100 pcs (5 sheets)	LA11148F1	LAX11148F1
102 mm (side)	30 pcs (5 sheets)	LA11192F1	LAX11192F1



SIZE	PACKAGE	VINYL	POLYCARBONATE
25 mm (side)	400 pcs (5 sheets)	LA11131F1	LAX11131F1
34 mm (side)	245 pcs (5 sheets)	LA11132F1	LAX11132F1
51 mm (side)	100 pcs (5 sheets)	LA11133F1	LAX11133F1
68 mm (side)	60 pcs (5 sheets)	LA11135F1	LAX11135F1
102 mm (side)	30 pcs (5 sheets)	LA11136F1	LAX11136F1



SIZE	PACKAGE	VINYL	POLYCARBONATE
34 mm (side)	245 pcs (5 sheets)	LA11234F1	LAX11234F1
51 mm (side)	100 pcs (5 sheets)	LA11235F1	LAX11235F1
68 mm (side)	60 pcs (5 sheets)	LA11268F1	LAX11268F1



SIZE	PACKAGE	VINYL	POLYCARBONATE
51 mm (side)	100 pcs (5 sheets)	LA11269F1	LAX11269F1
68 mm (side)	60 pcs (5 sheets)	LA11270F1	LAX11270F1
102 mm (side)	30 pcs (5 sheets)	LA11292F1	LAX11292F1



ALTA TENSIONE

		VINYL	Pc POLYCARBONATE
51 mm (side)	100 pcs (5 sheets)	LA11310F1	LAX11310F1
68 mm (side)	60 pcs (5 sheets)	LA11315F1	LAX11315F1



PERICOLO!

		VINYL	Pc POLYCARBONATE
51 mm (side)	100 pcs (5 sheets)	LA11320F1	LAX11320F1
68 mm (side)	60 pcs (5 sheets)	LA11325F1	LAX11325F1



ATTENZIONE
TOGLIERE TENSIONE
PRIMA DI APRIRE
QUESTO COPERCHIO

		VINYL	Pc POLYCARBONATE
70 x 30 mm	90 pcs (5 sheets)	LA13005F1	LAX13011F1
105 x 45 mm	40 pcs (5 sheets)	LA13012F1	LAX13012F1
140 x 60 mm	30 pcs (5 sheets)	LA13010F1	LAX13010F1




WARNING
SWITCH OFF
BEFORE REMOVING
THIS COVER

		VINYL	Pc POLYCARBONATE
70 x 30 mm	90 pcs (5 sheets)	LA13005F1U	LAX13005F1U
140 x 60 mm	30 pcs (5 sheets)	LA13010F1U	LAX13010F1U



ATTENZIONE
SCARICHE
ELETTRICHE

		VINYL	Pc POLYCARBONATE
70 x 30 mm	90 pcs (5 sheets)	LA13020F1	LAX13020F1
140 x 60 mm	30 pcs (5 sheets)	LA13025F1	LAX13025F1



ATTENZIONE
TOGLIERE TENSIONE
PRIMA DI RIMUOVERE
IL COPERTO

SIZE	PACKAGE	VINYL	Pc POLYCARBONATE
70 x 30 mm	90 pcs (5 sheets)	LA13610F1	LAX13610F1
140 x 60 mm	30 pcs (5 sheets)	LA13620F1	LAX13620F1



ATTENZIONE
ALTA TENSIONE

		VINYL	Pc POLYCARBONATE
70 x 30 mm	90 pcs (5 sheets)	LA13710F1	LAX13710F1
140 x 60 mm	30 pcs (5 sheets)	LA13720F1	LAX13720F1



ATTENZIONE
APPARECCHIATURA
SEMPRE SOTTO
TENSIONE, ANCHE AD
INTERRUTTORE APERTO

		VINYL	Pc POLYCARBONATE
70 x 30 mm	90 pcs (5 sheets)	LA13810F1	LAX13810F1
140 x 60 mm	30 pcs (5 sheets)	LA13820F1	LAX13820F1

	ATTENZIONE TENSIONE SEMPRE PRESENTA	
		VINYL POLYCARBONATE
70 x 30 mm	90 pcs (5 sheets)	LA13910F1 LAX13910F1

		VINYL POLYCARBONATE
140 x 60 mm	30 pcs (5 sheets)	LA13920F1 LAX13920F1

	ATTENZIONE IMPIANTO DI LUCE CON ALIMENTAZIONE AUTONOMA	
		VINYL POLYCARBONATE
70 x 30 mm	90 pcs (5 sheets)	LA14010F1 LAX14010F1

		VINYL POLYCARBONATE
140 x 60 mm	30 pcs (5 sheets)	LA14020F1 LAX14020F1

	ATTENZIONE APPARECCHIATURA SOTTO TENSIONE ANCHE A SPORTELLO APERTO	
		VINYL POLYCARBONATE
70 x 30 mm	90 pcs (5 sheets)	LA13510F1 LAX13510F1

		VINYL POLYCARBONATE
140 x 60 mm	30 pcs (5 sheets)	LA13520F1 LAX13520F1

	ATTENZIONE VEDERE MANUALE	
		VINYL POLYCARBONATE
70 x 30 mm	90 pcs (5 sheets)	LA26140F1 LAX26140F1

		VINYL POLYCARBONATE
140 x 60 mm	30 pcs (5 sheets)	LA26150F1 LAX26150F1

	ATTENZIONE PERICOLO	
		VINYL POLYCARBONATE
70 x 30 mm	90 pcs (5 sheets)	LA26040F1 LAX26040F1


		VINYL POLYCARBONATE
140 x 60 mm	30 pcs (5 sheets)	LA26050F1 LAX26050F1

	WARNING	
		VINYL POLYCARBONATE
70 x 30 mm	90 pcs (5 sheets)	LA26040F1U LAX26040F1U

	ATTENZIONE ALTA TEMPERATURA	
		VINYL POLYCARBONATE
70 x 30 mm	90 pcs (5 sheets)	LA31040F1 LAX31040F1

		VINYL POLYCARBONATE
140 x 60 mm	30 pcs (5 sheets)	LA31050F1 LAX31050F1

	ATTENTION HIGH TEMPERATURE	
		VINYL POLYCARBONATE
70 x 30 mm	90 pcs (5 sheets)	LA31040F1U LAX31040F1U



SIZE	PACKAGE	VINYL	POLYCARBONATE
34 mm (side)	350 pcs (5 sheets)	LA11120F1	LAX11120F1



SIZE	PACKAGE	VINYL	POLYCARBONATE
34 mm (side)	350 pcs (5 sheets)	LA11220P1	LAX11220P1



SIZE	PACKAGE	VINYL	POLYCARBONATE
100 x 60 mm	35 pcs (5 sheets)	LA13090F1	LAX13090F1



SIZE	PACKAGE	VINYL	POLYCARBONATE
100 x 60 mm	35 pcs (5 sheets)	LA13091F1	LAX13091F1



SIZE	PACKAGE	VINYL	POLYCARBONATE
100 x 60 mm	35 pcs (5 sheets)	LA13080F1	LAX13080F1



SIZE	PACKAGE	VINYL	POLYCARBONATE
100 x 60 mm	35 pcs (5 sheets)	LA13095F1	LAX13095F1



SIZE	PACKAGE	VINYL	POLYCARBONATE
26 x 52 mm	150 pcs (5 sheets)	LA30001F1	LAX30001F1
37 x 74 mm	75 pcs (5 sheets)	LA30002F1	LAX30002F1
52 x 105 mm	35 pcs (5 sheets)	LA30003F1	LAX30003F1



SIZE	PACKAGE	VINYL	POLYCARBONATE
26 x 52 mm	150 pcs (5 sheets)	LA30011F1	LAX30011F1
37 x 74 mm	75 pcs (5 sheets)	LA30012F1	LAX30012F1
52 x 105 mm	35 pcs (5 sheets)	LA30013F1	LAX30013F1



SIZE	PACKAGE	VINYL	POLYCARBONATE
26 x 52 mm	150 pcs (5 sheets)	LA30021F1	LAX30021F1
37 x 74 mm	75 pcs (5 sheets)	LA30022F1	LAX30022F1
52 x 105 mm	35 pcs (5 sheets)	LA30023F1	LAX30023F1



SIZE	PACKAGE	VINYL	POLYCARBONATE
Ø 60 mm	60 pcs (5 sheets)	LA50010F1F	LAX50010F1F



SIZE	PACKAGE	VINYL	POLYCARBONATE
Ø 60 mm	60 pcs (5 sheets)	LA50010F1	LAX50010F1



SIZE	PACKAGE	VINYL	POLYCARBONATE
Ø 60 mm	60 pcs (5 sheets)	LA50010F1U	LAX50010F1U

LUCE

SIZE	PACKAGE	VINYL	POLYCARBONATE
60 x 15 mm	80 pcs (5 sheets)	LA18060F1	LAX18060F1
120 x 30 mm	20 pcs (5 sheets)	LA18068F1	LAX18068F1

MONOFASE

SIZE	PACKAGE	VINYL	POLYCARBONATE
120 x 30 mm	20 pcs (5 sheets)	LA18078F1	LAX18078F1

TRIFASE

SIZE	PACKAGE	VINYL	POLYCARBONATE
120 x 30 mm	20 pcs (5 sheets)	LA18088F1	LAX18088F1

12 VOLT

	PACKAGE		POLYCARBONATE
68 x 12 mm	220 pcs (5 sheets)	LA12040F1	LAX12040F1

24 VOLT

	PACKAGE		POLYCARBONATE
51 x 9 mm	375 pcs (6 sheets)	LA12141F1	LAX12141F1
68 x 12 mm	220 pcs (5 sheets)	LA12140F1	LAX12140F1

48 VOLT

	PACKAGE		POLYCARBONATE
68 x 12 mm	220 pcs (5 sheets)	LA12240F1	LAX12240F1

110 VOLT

	PACKAGE		POLYCARBONATE
68 x 12 mm	220 pcs (5 sheets)	LA12340F1	LAX12340F1

220 VOLT

	PACKAGE		POLYCARBONATE
51 x 9 mm	375 pcs (5 sheets)	LA12441F1	LAX12441F1
68 x 12 mm	220 pcs (5 sheets)	LA12440F1	LAX12440F1

230 VOLT

	PACKAGE		POLYCARBONATE
68 x 12 mm	220 pcs (5 sheets)	LA12450F1	LAX12450F1

380 VOLT

	PACKAGE		POLYCARBONATE
51 x 9 mm	375 pcs (5 sheets)	LA12541F1	LAX12541F1
68 x 12 mm	220 pcs (5 sheets)	LA12540F1	LAX12540F1
136 x 24 mm	70 pcs (5 sheets)	LA12544F1	LAX12544F1

400 VOLT

	PACKAGE		POLYCARBONATE
68 x 12 mm	220 pcs (5 sheets)	LA12550F1	LAX12550F1
136 x 24 mm	70 pcs (5 sheets)	LA12551F1	LAX12551F1

500 VOLT

	PACKAGE		POLYCARBONATE
68 x 12 mm	220 pcs (5 sheets)	LA12640F1	LAX12640F1
136 x 24 mm	70 pcs (5 sheets)	LA12650F1	LAX12650F1

600 VOLT

	PACKAGE		POLYCARBONATE
68 x 12 mm	220 pcs (5 sheets)	LA12744F1	LAX12744F1

ATTENZIONE SCARICHE ELETTRICHE

	PACKAGE		POLYCARBONATE
68 x 19 mm	160 pcs (5 sheets)	LA14140F1	LAX14140F1

ATTENZIONE ALTA TENSIONE

	PACKAGE		POLYCARBONATE
68 x 19 mm	160 pcs (5 sheets)	LA14240F1	LAX14240F1

ATTENZIONE TENSIONE SEMPRE PRESENTE

	PACKAGE		POLYCARBONATE
68 x 26 mm	120 pcs (5 sheets)	LA15340F1	LAX15340F1

ATTENZIONE TOGLIERE TENSIONE PRIMA DI APRIRE QUESTO COPERCHIO

	PACKAGE		POLYCARBONATE
68 x 33 mm	100 pcs (5 sheets)	LA16440F1	LAX16440F1

ATTENZIONE IMPIANTO DI LUCE CON ALIMENTAZIONE AUTONOMA

	PACKAGE		POLYCARBONATE
68 x 33 mm	100 pcs (5 sheets)	LA16640F1	LAX16640F1

ATTENZIONE APPARECCHIATURA IN TENSIONE CON INTERRUTTORE GENERALE APERTO

	PACKAGE		POLYCARBONATE
68 x 33 mm	100 pcs (5 sheets)	LA16540F1	LAX16540F1



	PACKAGE		POLYCARBONATE
Ø 13 mm	1040 pcs (5 sheets)	LA20010F1	LAX20010F1



	PACKAGE		POLYCARBONATE
Ø 13 mm	1040 pcs (5 sheets)	LA20012F1	LAX20012F1
Ø 20 mm	490 pcs (5 sheets)	LA20013F1	LAX20013F1

	PACKAGE		POLYCARBONATE
Ø 13 mm	1040 pcs (5 sheets)	LA20011F1	LAX20011F1
Ø 20 mm	490 pcs (5 sheets)	LA20020F1	LAX20020F1

L1

SIZE	PACKAGE	VINYL	POLYCARBONATE
Ø 13 mm	1040 pcs (5 sheets)	LA20014F1	LAX20014F1
Ø 20 mm	490 pcs (5 sheets)	LA20021F1	LAX20021F1

L2

SIZE	PACKAGE	VINYL	POLYCARBONATE
Ø 13 mm	1040 pcs (5 sheets)	LA20015F1	LAX20015F1
Ø 20 mm	490 pcs (5 sheets)	LA20022F1	LAX20022F1

L3

SIZE	PACKAGE	VINYL	POLYCARBONATE
Ø 13 mm	1040 pcs (5 sheets)	LA20016F1	LAX20016F1
Ø 20 mm	490 pcs (5 sheets)	LA20023F1	LAX20023F1

L+


SIZE	PACKAGE	VINYL	POLYCARBONATE
Ø 13 mm	1040 pcs (5 sheets)	LA20017F1	LAX20017F1
Ø 20 mm	490 pcs (5 sheets)	LA20024F1	LAX20024F1

L-

SIZE	PACKAGE	VINYL	POLYCARBONATE
Ø 13 mm	1040 pcs (5 sheets)	LA20018F1	LAX20018F1
Ø 20 mm	490 pcs (5 sheets)	LA20025F1	LAX20025F1

+


SIZE	PACKAGE	VINYL	POLYCARBONATE
Ø 13 mm	1040 pcs (5 sheets)	LA20030F1	LAX20030F1
Ø 20 mm	490 pcs (5 sheets)	LA20031F1	LAX20031F1



SIZE	PACKAGE	VINYL	POLYCARBONATE
Ø 13 mm	1040 pcs (5 sheets)	LA20032F1	LAX20032F1
Ø 20 mm	490 pcs (5 sheets)	LA20033F1	LAX20033F1



SIZE	PACKAGE	VINYL	POLYCARBONATE
Ø 13 mm	1040 pcs (5 sheets)	LA20034F1	LAX20034F1
Ø 20 mm	490 pcs (5 sheets)	LA20035F1	LAX20035F1



SIZE	PACKAGE	VINYL	POLYCARBONATE
Ø 13 mm	1040 pcs (5 sheets)	LA20036F1	LAX20036F1
Ø 20 mm	490 pcs (5 sheets)	LA20037F1	LAX20037F1



SIZE	PACKAGE	VINYL	POLYCARBONATE
Ø 13 mm	1040 pcs (5 sheets)	LA20027F1	LAX20027F1
Ø 20 mm	490 pcs (5 sheets)	LA20028F1	LAX20028F1



SIZE	PACKAGE	VINYL	POLYCARBONATE
Ø 13 mm	1040 pcs (5 sheets)	LA21010F1	LAX21010F1
Ø 20 mm	490 pcs (5 sheets)	LA21011F1	LAX21011F1
Ø 26 mm	330 pcs (5 sheets)	LA21020F1	LAX21020F1
Ø 39 mm	150 pcs (5 sheets)	LA21030F1	LAX21030F1



SIZE	PACKAGE	VINYL	POLYCARBONATE
Ø 13 mm	1040 pcs (5 sheets)	LA22010F1	LAX22010F1
Ø 20 mm	490 pcs (5 sheets)	LA22011F1	LAX22011F1
Ø 26 mm	330 pcs (5 sheets)	LA22020F1	LAX22020F1
Ø 39 mm	150 pcs (5 sheets)	LA22030F1	LAX22030F1



SIZE	PACKAGE	VINYL	POLYCARBONATE
Ø 13 mm	1040 pcs (5 sheets)	LA22031F1	LAX22031F1
Ø 20 mm	490 pcs (5 sheets)	LA22032F1	LAX22032F1



SIZE	PACKAGE	VINYL	POLYCARBONATE
Ø 13 mm	1040 pcs (5 sheets)	LA22033F1	LAX22034F1
Ø 20 mm	490 pcs (5 sheets)	LA22034F1	LAX22034F1




SIZE	PACKAGE	VINYL	POLYCARBONATE
Ø 13 mm	1040 pcs (5 sheets)	LA22028F1	LAX22028F1
Ø 20 mm	490 pcs (5 sheets)	LA20029F1	LAX20029F1




SIZE	PACKAGE	VINYL	POLYCARBONATE
Ø 13 mm	1040 pcs (5 sheets)	LA23010F1	LAX23010F1
Ø 20 mm	490 pcs (5 sheets)	LA23011F1	LAX23011F1




SIZE	PACKAGE	VINYL	POLYCARBONATE
Ø 13 mm	1040 pcs (5 sheets)	LA23020F1	LAX23020F1
Ø 20 mm	490 pcs (5 sheets)	LA23021F1	LAX23021F1




SIZE	PACKAGE	VINYL	POLYCARBONATE
Ø 13 mm	1040 pcs (5 sheets)	LA23030F1	LAX23030F1
Ø 20 mm	490 pcs (5 sheets)	LA23031F1	LAX23031F1




SIZE	PACKAGE	VINYL	POLYCARBONATE
Ø 13 mm	1040 pcs (5 sheets)	LA23040F1	LAX23040F1
Ø 20 mm	490 pcs (5 sheets)	LA23041F1	LAX23041F1



SIZE	PACKAGE	VINYL	POLYCARBONATE
Ø 13 mm	1040 pcs (5 sheets)	LA23050F1	LAX23050F1
Ø 20 mm	490 pcs (5 sheets)	LA23051F1	LAX23051F1



SIZE	PACKAGE	VINYL	POLYCARBONATE
Ø 13 mm	1040 pcs (5 sheets)	LA23060F1	LAX23060F1
Ø 20 mm	490 pcs (5 sheets)	LA23061F1	LAX23061F1



SIZE	PACKAGE	VINYL	POLYCARBONATE
48.1 x 39 mm	125 pcs (5 sheets)	LA20110F1	LAX20110F1



SIZE	PACKAGE	VINYL	POLYCARBONATE
Ø 39 mm	150 pcs (5 sheets)	LA36020F1	LAX36020F1
Ø 104 mm	20 pcs (5 sheets)	LA36010F1	LAX36010F1



SIZE	PACKAGE	VINYL	POLYCARBONATE
Ø 39 mm	150 pcs (5 sheets)	LA36120F1	LAX36120F1



SIZE	PACKAGE	VINYL	POLYCARBONATE
Ø 39 mm	150 pcs (5 sheets)	LA36030F1	LAX36030F1



SIZE	PACKAGE	VINYL	POLYCARBONATE
Ø 39 mm	150 pcs (5 sheets)	LA36050F1	LAX36050F1



	PACKAGE	VINYL	POLYCARBONATE
Ø 39 mm	150 pcs (5 sheets)	LA36060F1	LAX36060F1



	PACKAGE	VINYL	POLYCARBONATE
Ø 39 mm	150 pcs (5 sheets)	LA36070F1	LAX36070F1



	PACKAGE	VINYL	POLYCARBONATE
Ø 39 mm	150 pcs (5 sheets)	LA36080F1	LAX36080F1



NON METTERE
LE MANI

	PACKAGE	VINYL	POLYCARBONATE
70 x 30 mm	90 pcs (5 sheets)	LA36040F1	LAX36040F1



DON'T TOUCH
WITH YOUR HANDS

	PACKAGE	VINYL	POLYCARBONATE
70 x 30 mm	90 pcs (5 sheets)	LA36040F1U	LAX36040F1U



VIETATO
USARE ACQUA
PER SPEGNERE
INCENDI

	PACKAGE	VINYL	POLYCARBONATE
70 x 30 mm	90 pcs (5 sheets)	LA41040F1	LAX41040F1
105 x 45 mm	40 pcs (5 sheets)	LA41050F1	LAX41050F1



DO NOT
EXTINGUISH
WITH WATER

	PACKAGE	VINYL	POLYCARBONATE
105 x 45 mm	40 pcs (5 sheets)	LA41045F1U	LAX41050F1U



**VIETATO
L'ACCESSO**

SIZE	PACKAGE	VINYL	POLYCARBONATE
70 x 30 mm	90 pcs (5 sheets)	LA46030F1	LAX46030F1



**VIETATO
TOCCARE**

SIZE	PACKAGE	VINYL	POLYCARBONATE
70 x 30 mm	90 pcs (5 sheets)	LA46050F1	LAX46050F1



**VIETATO
EFFETTUARE
MANOVRE**

SIZE	PACKAGE	VINYL	POLYCARBONATE
70 x 30 mm	90 pcs (5 sheets)	LA46040F1	LAX46040F1



SIZE	PACKAGE	VINYL	POLYCARBONATE
Ø 39 mm	150 pcs (5 sheets)	LA47001F1	LAX47001F1




SIZE	PACKAGE	VINYL	POLYCARBONATE
Ø 39 mm	150 pcs (5 sheets)	LA47002F1	LAX47002F1



SIZE	PACKAGE	VINYL	POLYCARBONATE
Ø 39 mm	150 pcs (5 sheets)	LA47003F1	LAX47003F1



SIZE	PACKAGE	VINYL	POLYCARBONATE
Ø 39 mm	150 pcs (5 sheets)	LA47004F1	LAX47004F1



SIZE	PACKAGE	VINYL	POLYCARBONATE
Ø 39 mm	150 pcs (5 sheets)	LA47005F1	LAX47005F1

	ATTENZIONE	PERICOLO DI USTIONE SUPERFICI CALDE. NON TOCCARE.	
	PACKAGE	 VINYL	 POLYCARBONATE
140 x 60 mm	30 pcs (5 sheets)	LA47010F1	LAX47010F1

	PERICOLO	TENSIONE ELETTRICA PRICOLOSA. TOGLIERE POTENZA PRIMA DI EFFETTUARE QUALUNQUE OPERAZIONE DI MANUTENZIONE.	
	PACKAGE	 VINYL	 POLYCARBONATE
140 x 60 mm	30 pcs (5 sheets)	LA47011F1	LAX47011F1

	ATTENZIONE	LUCE UV. NON GUARDARE DIRETTAMENTE LA FONTE LUMINOSA.	
	PACKAGE	 VINYL	 POLYCARBONATE
140 x 60 mm	30 pcs (5 sheets)	LA47012F1	LAX47012F1

	VIETATO APRIRE	ai non autorizzati	
140 x 60 mm	30 pcs (5 sheets)	LA47013F1	LAX47013F1

	ATTENZIONE		
	PACKAGE	 VINYL	 POLYCARBONATE
140 x 60 mm	30 pcs (5 sheets)	LA47014F1	LAX47014F1

		PACKAGE	 VINYL	 POLYCARBONATE
131 X 204 mm	1 kit (7 sheets)	LA60010F1	LAX60010F1	

			
ATTENZIONE: Presenza di due fonti di tensione: - Rete di distribuzione - Pannelli fotovoltaici	Isolare le due fonti prima di qualsiasi intervento		
	PACKAGE	 VINYL	 POLYCARBONATE
80 x 50 mm	45 pcs (5 sheets)	LA60011F1	LAX60011F1

		PACKAGE	 VINYL	 POLYCARBONATE
20 x 40 mm	220 pcs (5 sheets)	LA60012F1	LAX60012F1	

**ARRESTO DI EMERGENZA
USCITA INVERTER**

SIZE	PACKAGE	VINYL	POLYCARBONATE
40 x 20 mm	220 pcs (5 sheets)	LA60013F1	LAX60013F1

**ARRESTO DI EMERGENZA
USCITA INVERTER**

SIZE	PACKAGE	VINYL	POLYCARBONATE
40 x 20 mm	220 pcs (5 sheets)	LA60014F1	LAX60014F1



ATTENZIONE:
Cavi a corrente continua
sotto tensione

SIZE	PACKAGE	VINYL	POLYCARBONATE
40 x 50 mm	90 pcs (5 sheets)	LA60015F1	LAX60015F1



Non manovrare
sotto carico

SIZE	PACKAGE	VINYL	POLYCARBONATE
40 x 50 mm	90 pcs (5 sheets)	LA60016F1	LAX60016F1



Arresto
fotovoltaico

SIZE	PACKAGE	VINYL	POLYCARBONATE
40 x 50 mm	90 pcs (5 sheets)	LA60017F1	LAX60017F1



Arresto di rete
di distribuzione
fotovoltaica

SIZE	PACKAGE	VINYL	POLYCARBONATE
40 x 50 mm	90 pcs (5 sheets)	LA60018F1	LAX60018F1



Produzione
fotovoltaica
Arresto di rete
di distribuzione

SIZE	PACKAGE	VINYL	POLYCARBONATE
40 x 50 mm	90 pcs (5 sheets)	LA60019F1	LAX60019F1



Produzione
fotovoltaica
Arresto di rete
di distribuzione

SIZE	PACKAGE	VINYL	POLYCARBONATE
40 x 50 mm	90 pcs (5 sheets)	LA60020F1	LAX60020F1



SIZE	PACKAGE	VINYL	POLYCARBONATE
65 x 32 mm	100 pcs (5 sheets)	LA60020F1	LAX60020F1
200 x 120 mm	10 pcs (5 sheets)	LA60021F1	LAX60021F1



SIZE	PACKAGE	VINYL	POLYCARBONATE
65 x 32 mm	100 pcs (5 sheets)	LA60022F1	LAX60022F1



SIZE	PACKAGE	VINYL	POLYCARBONATE
65 x 32 mm	100 pcs (5 sheets)	LA60023F1	LAX60023F1




SIZE	PACKAGE	VINYL	POLYCARBONATE
65 x 32 mm	100 pcs (5 sheets)	LA60024F1	LAX60024F1




SIZE	PACKAGE	VINYL	POLYCARBONATE
65 x 32 mm	100 pcs (5 sheets)	LA60025F1	LAX60025F1



SIZE	PACKAGE	VINYL	POLYCARBONATE
150 x 100 mm	20 pcs (5 sheets)	LA60026F1	LAX60026F1



SIZE	PACKAGE	VINYL	POLYCARBONATE
51 mm (side)	160 pcs (5 sheets)	LA70010F1	LAX70010F1




SIZE	PACKAGE	VINYL	POLYCARBONATE
51 mm (side)	160 pcs (5 sheets)	LA70011F1	LAX70011F1



SIZE	PACKAGE	VINYL	POLYCARBONATE
51 mm (side)	160 pcs (5 sheets)	LA70012F1	LAX70012F1



SIZE	PACKAGE	VINYL	POLYCARBONATE
51 mm (side)	160 pcs (5 sheets)	LA70013F1	LAX70013F1




SIZE	PACKAGE	VINYL	POLYCARBONATE
51 mm (side)	160 pcs (5 sheets)	LA70014F1	LAX70014F1



SIZE	PACKAGE	VINYL	POLYCARBONATE
51 mm (side)	160 pcs (5 sheets)	LA70015F1	LAX70015F1



SIZE	PACKAGE	VINYL	POLYCARBONATE
51 mm (side)	160 pcs (5 sheets)	LA70016F1	LAX70016F1



SIZE	PACKAGE	VINYL	POLYCARBONATE
51 mm (side)	160 pcs (5 sheets)	LA70017F1	LAX70017F1




SIZE	PACKAGE	VINYL	POLYCARBONATE
51 mm (side)	160 pcs (5 sheets)	LA70018F1	LAX70018F1



SIZE	PACKAGE	VINYL	POLYCARBONATE
Ø 52 mm	90 pcs (5 sheets)	LA70019F1	LAX70019F1



SIZE	PACKAGE	VINYL	POLYCARBONATE
Ø 52 mm	90 pcs (5 sheets)	LA70020F1	LAX70020F1



SIZE	PACKAGE	VINYL	POLYCARBONATE
Ø 52 mm	90 pcs (5 sheets)	LA70021F1	LAX70021F1



SIZE	PACKAGE	PVC	AL
330 x 400 mm	5 pcs	LC10190P1	AL10190P1

SIZE	PACKAGE	PC	Al
350 x 150 mm	5 pcs	LC10195P1	AL10195P1



SIZE	PACKAGE	PVC	AL
350 x 150 mm	5 pcs	LC10310P1	AL10310P1



SIZE	PACKAGE	PC	Al
350 x 150 mm	5 pcs	LC10320P1	AL10320P1



SIZE	PACKAGE	PVC	AL
350 x 150 mm	5 pcs	LC10240P1	AL10240P1







SIZE	PACKAGE	PC	Al
350 x 150 mm	5 pcs	LC10241P1	AL10241P1



SIZE	PACKAGE	PVC	AL
350 x 150 mm	5 pcs	LC10242P1	AL10242P1



SIZE	PACKAGE	PC	Al
350 x 150 mm	5 pcs	LC10243P1	AL10243P1



INTERRUTTORE GENERALE

IN CASO DI NECESSITÀ
ROMPERE IL VETRO

	PACKAGE	PVC	AL
210 x 150 mm	5 pcs	LC13096P1	AL13096P1



AZIONARE
IN CASO DI
PERICOLO

	PACKAGE	PVC	AL
240 x 355 mm	5 pcs	LC12110P1	AL12110P1

ATTENZIONE
L'APERTURA DEL
QUADRO ELETTRICO
È CONSENTITA SOLO
AGLI ELETTRICISTI

	PACKAGE	PVC	AL
297x 210 mm	5 pcs	LC13121P1A	AL13121P1A

**INTERRUTTORE
ELETTRICO GENERALE
CENTRALE TERMICA**
**AZIONARE IN CASO
DI EMERGENZA**

	PACKAGE	PVC	AL
297x 210 mm	5 pcs	LC13160P1	AL13160P1



	PACKAGE	PVC	AL
150 x 210 mm	5 pcs	LC12221P1	AL12221P1
210 x 297 mm	5 pcs	LC12220P1	AL12220P1



	PACKAGE	PVC	AL
210 x 297 mm	5 pcs	LC12220P1U	AL12220P1U



	PACKAGE	PVC	AL
150 x 210 mm	5 pcs	LC12211P1	AL12211P1
210 x 297 mm	5 pcs	LC12210P1	AL12210P1



	PACKAGE	PVC	AL
125 x 175 mm	5 pcs	LC12232P1	AL12232P1
210 x 297 mm	5 pcs	LC12233P1	AL12233P1



TERRA

SIZE	PACKAGE	PVC	AL
210 x 297 mm	5 pcs	LC12234P1	AL12234P1



**QUADRO
ELETTRICO
GENERALE**

SIZE	PACKAGE	PVC	AL
297 x 210 mm	5 pcs	LC13120P1	AL13120P1



**CABINA
ELETTRICA**

SIZE	PACKAGE	PVC	AL
297 x 210 mm	5 pcs	LC13110P1	AL13110P1



**ELECTRIC
CABINET**

SIZE	PACKAGE	PVC	AL
297 x 210 mm	5 pcs	LC13110P1U	AL13110P1U



**INTERRUTTORE
ELETTRICO
GENERALE**

SIZE	PACKAGE	PVC	AL
297 x 210 mm	5 pcs	LC13130P1	AL13130P1



**CENTRALE
TERMICA**

SIZE	PACKAGE	PVC	AL
297 x 210 mm	5 pcs	LC13140P1	AL13140P1



**LOCALE
CALDAIA**

SIZE	PACKAGE	PVC	AL
297 x 210 mm	5 pcs	LC13150P1	AL13150P1



**VIETATO L'ACCESSO
PERICOLO DI MORTE**

SIZE	PACKAGE	PVC	AL
297 x 210 mm	5 pcs	LC16110P1	AL16110P1



SIZE	PACKAGE	PVC	AL
350 x 303 mm	5 pcs	LC15110P1	AL15110P1



SIZE	PACKAGE	PVC	AL
350 x 303 mm	5 pcs	LC15110P1U	AL15110P1U



SIZE	PACKAGE	PVC	AL
297 x 210 mm	5 pcs	LC15120P1	AL15120P1



SIZE	PACKAGE	PVC	AL
297 x 210 mm	5 pcs	LC15120P1U	AL15120P1U



SIZE	PACKAGE	PVC	AL
297 x 210 mm	5 pcs	LC15121P1	AL15121P1








SIZE	PACKAGE	PVC	AL
170 x 280 mm	5 pcs	LC10100P1	AL10100P1



SIZE	PACKAGE	PVC	AL
297 x 210 mm	5 pcs	LC14110P1	AL14110P1



SIZE	PACKAGE	PVC	AL
297 x 210 mm	5 pcs	LC14110P1U	AL14110P1U




**USCITA DI
EMERGENZA
A SINISTRA**

	PACKAGE		AL	
240 x372,50 mm	5 pcs	LC12022P1	AL12022P1	LCPH12022P1


**USCITA DI
EMERGENZA
A DESTRA**

	PACKAGE		AL	
240x372,50 mm	5 pcs	LC12023P1	AL12023P1	LCPH12023P1


ESTINTORE N.

	PACKAGE		AL	
240 x 295 mm	5 pcs	LC12120P1	AL12120P1	LCPH12120P1


**FIRE EXTINGUISHER
N°**

	PACKAGE		AL
240 x 295 mm	5 pcs	LC12120P1U	AL12120P1U



SIZE
FRONTE
RETRO

PACKAGE

PVC SEMI-EXPANDED

79 x 149 mm

30 pcs
(5 sheets)

LC17110P1



SIZE
FRONTE
RETRO

PACKAGE

PVC SEMI-EXPANDED

79 x 149 mm

30 pcs
(5 sheets)

LC17110P1U



SIZE
FRONTE
RETRO

PACKAGE

PVC SEMI-EXPANDED

79 x 149 mm

30 pcs
(5 sheets)

LC17120P1



SIZE
FRONTE
RETRO

PACKAGE

PVC SEMI-EXPANDED

79 x 149 mm

30 pcs
(5 sheets)

LC17160P1



SIZE
FRONTE
RETRO

PACKAGE

PVC SEMI-EXPANDED

79 x 149 mm

30 pcs
(5 sheets)

LC17140P1



SIZE
FRONTE
RETRO

PACKAGE

PVC SEMI-EXPANDED

79 x 149 mm

30 pcs
(5 sheets)

LC17130P1



SIZE
FRONTE
RETRO

PACKAGE

PVC SEMI-EXPANDED

79 x 149 mm

30 pcs
(5 sheets)

LC17170P1



SIZE
FRONTE
RETRO

PACKAGE

PVC SEMI-EXPANDED

79 x 149 mm

30 pcs
(5 sheets)

LC17150P1



	PACKAGE		AL
350 x 150 mm	5 pcs	LC18011P1	AL18011P1



	PACKAGE		AL
240 x 330 mm	5 pcs	LC18012P1	AL18012P1



	PACKAGE		AL
297 x 210 mm	5 pcs	LC18013P1	AL18013P1

VANO TECNICO

VIETATO
L'INGRESSO
AI NON ADDETTI

	PACKAGE		AL
330 x 250 mm	5 pcs	LC18014P1	AL18014P1



	PACKAGE		AL
330 x 250 mm	5 pcs	LC18015P1	AL18015P1

GENERATORE
FOTOVOLTAICO

	PACKAGE		AL
350 x 150 mm	5 pcs	LC18016P1	AL18016P1



	PACKAGE		AL
350 x 150 mm	5 pcs	LC18018P1	AL18018P1

VANO TECNICO

	PACKAGE		AL
350 x 150 mm	5 pcs	LC18017P1	AL18017P1




ATTENZIONE
IMPIANTO FOTOVOLTAICO
IN TENSIONE DURANTE
LE ORE DIURNE
VOLT.....

SIZE	PACKAGE	PVC	AI
350 x 150 mm	5 pcs	LC18010P1	AL18010P1



SIZE	PACKAGE	PVC	AI	PHOS
110 x 110 mm	5 pcs	LC12121P1	AL12121P1	LCPH12121P1

SIZE	PACKAGE	PVC	AI	PHOS
110 x 110 mm	5 pcs	LC12122P1	AL12122P1	LCPH12122P1



SIZE	PACKAGE	PVC	AI	PHOS
110 x 110 mm	5 pcs	LC12123P1	AL12123P1	LCPH12123P1

SIZE	PACKAGE	PVC	AI	PHOS
110 x 110 mm	5 pcs	LC12025P1	AL12025P1	LCPH12025P1



NON USARE
L'ACENSORE
IN CASO DI
INCENDIO

SIZE	PACKAGE	PVC	AI	PHOS
110 x 110 mm	5 pcs	LC12026P1	AL12026P1	LCPH12025P1

SIZE	PACKAGE	PVC	AI
120 x 192.5 mm	5 pcs	LC12024P1	AL12024P1

KIT CABINA LCOKIT01



SIZE	PACKAGE	PVC
240 x 295 mm	5 pcs	LC12120P1



SIZE	PACKAGE	PVC
297x 210 mm	5 pcs	LC13110P1



SIZE	PACKAGE	PVC
210 x 297 mm	5 pcs	LC12220P1



SIZE	PACKAGE	PVC
350 mm (side)	5 pcs	LC15110P1



SIZE	PACKAGE	PVC
297x 210 mm	5 pcs	LC14110P1



SIZE	PACKAGE	PVC
297 x 210 mm	5 pcs	LC15120P1



SIZE	PACKAGE	PVC
79 x 149 mm	30 pcs (5 sheets)	LC17110P1

ELECTRIC CABINET KIT (ITALIAN VERSION)

	ESTINTORE N.
	SIZE
240 x 295 mm	5 pcs
	PACKAGE
	PVC SEMI-EXPANDED
LC12120P1	

	CABINA ELETTRICA
	SIZE
297x 210 mm	5 pcs
	PACKAGE
	PVC SEMI-EXPANDED
LC13110P1	

	DISPERSORE DI TERRA N.
	SIZE
210 x 297 mm	5 pcs
	PACKAGE
	PVC SEMI-EXPANDED
LC12220P1	

	VETATO L'ACCESSO ALLE PERSONE NON AUTORIZZATE
	SIZE
350 mm (side)	5 pcs
	PACKAGE
	PVC SEMI-EXPANDED
LC15110P1	

	SOCORSI D'URGENZA
	SIZE
297x 210 mm	5 pcs
	PACKAGE
	PVC SEMI-EXPANDED
LC14110P1	

	V 20.000
	V 230/400
	MESSA A TERRA

	PERICOLO
	SIZE
79 x 149 mm	79 x 149 mm
	PACKAGE
30 pcs (5 sheets)	30 pcs (5 sheets)
	PVC SEMI-EXPANDED
LC17110P1	

ELECTRIC CABINET KIT



SIZE	PACKAGE	PVC
240 x 295 mm	5 pcs	PVC SEMI-EXPANDED LC12120P1U



SIZE	PACKAGE	PVC
297x 210 mm	5 pcs	PVC SEMI-EXPANDED LC13110P1U



SIZE	PACKAGE	PVC
210 x 297 mm	5 pcs	PVC SEMI-EXPANDED LC12220P1U



SIZE	PACKAGE	PVC
350 mm (side)	5 pcs	PVC SEMI-EXPANDED LC15110P1U



SIZE	PACKAGE	PVC
297x 210 mm	5 pcs	PVC SEMI-EXPANDED LC14110P1U



SIZE	PACKAGE	PVC
297 x 210 mm	5 pcs	PVC SEMI-EXPANDED LC15120P1U



SIZE	PACKAGE	PVC
79 x 149 mm	30 pcs (5 sheets)	PVC SEMI-EXPANDED LC17110P1U

PLOTTER **SYS**
AUTOMATIC

The SI2000 Plotter System was the evolution of the Trasp manual system; it allows to identify all the electrical components.


The marked tags are quickly applicable to all the electrical components and guarantee a high resistance to aging, rubbing and oils.

Some markers created using the plotter are also fully compatible with the range of holders from the TRASP system.

The Simplox software can be easily used also by less experienced operators.






ACCESSORIES

Ø mm	Item	PLOTTER	PACKAGE	#	
0.25	SI2003T2	Graphtec Sekonic	 1		
0.35	SI2003T3	Graphtec Sekonic	 1		
	SI2003T3B	Mutoh Italy/Roland			
	SI2003T3C	Mutoh Germany			
0.50	SI2003T5	Graphtec Sekonic	 1		
	SI2003T5B	Mutoh Italy/Roland			
	SI2003T5C	Mutoh Germany			
0.70	SI2003T7	Graphtec Sekonic	 1		


ITEM CODE	DESCRIPTION	COMPATIBILITY	PLOTTER	PACKAGE	#
SI2014BS	black pen	Tags SIFK	Graphtec	 5	
SI2016GF	adapter tie	Pen (SI2003T)	Graphtec	 1	
SI2016RFA			Sekonic Houston		
SI2016LM		Pen (SI2014BS)	Graphtec		
SI2006	pen reactivator	-	-	 1	
SI2010	black ink	-	-	 1	
SI2011CC	solvent	-	-	 1	
SI2012IC	set of cartridges	Pen	-	 5	
SI2014KIT	Cleaning set	Pen	-	 1	

TAGS FOR CABLES


TYPE	SIZE	PACKAGE	Ø EXT	WHITE	YELLOW	SPECS
TAGS FOR CABLES	10 x 4 mm	960 pcs	-	SIHF2W/10	SIHF2Y/10	     
	12 x 4 mm	3000 pcs	-	SIHF2W/12MC	SIHF2Y/12MC	
	15 x 4 mm	960 pcs	-	SIHF2W/15	SIHF2Y/15	
	18 x 4 mm	3000 pcs	-	SIHF2W/18MC	SIHF2Y/18MC	
	23 x 4 mm	720 pcs	-	SIHF2W/23	SIHF2Y/23	
	30 x 4 mm	480 pcs	-	SIHF2W/30	SIHF2Y/30	
	40 x 4 mm	480 pcs	-	SIHF2W/40	SIHF2Y/40	
TAGS FOR CABLES	10 x 4.5 mm	720 pcs	0.8 ÷ 2.8	SIHFTM01W/10	SIHFTM01Y/10	    
	15 x 4.5 mm			SIHFTM01W/15	SIHFTM01Y/15	
	10 x 4.5 mm		1.5 ÷ 4.2	SIHFTM02W/10	SIHFTM02Y/10	
	15 x 4.5 mm			SIHFTM02W/15	SIHFTM02Y/15	




STRIP-TYPE TAGS FOR TERMINAL BLOCKS



TYPE	SIZE	PACKAGE	PITCH	ITEM	SPECS
	10 x 4 mm	6000 pcs	4.0	SIHF64BWMC	
	12 x 4 mm	1248 pcs		SIHF64NW	
	15 x 4 mm	960 pcs	5.2	SIHF65BW	
	18 x 4 mm	960 pcs	5.5	SIHF65BWT	
	23 x 4 mm	960 pcs		SIHF65BWT8	
	30 x 4 mm	1056 pcs	5.0	SIHF65CW	
	40 x 4 mm	1008 pcs		SIHF65DW	
	4.8 x 5.2 mm	960 pcs	5.2	SIHF65EW	
	10 x 5.2 mm	960 pcs		SIHF65EWT	
	10.0 x 4.5 mm	1408 pcs	5.0	SIHF65LW	
	7.0 x 4.5 mm	1408 pcs		SIHF65LW7	
	7.0 x 5.0 mm	4400 pcs	5.0	SIHF65LY7MC	
	10.0 x 4.5 mm	1408 pcs		SIHF65LWK	
	8.0 x 6.2 mm	816 pcs	6.2	SIHF66BW	
	12.0 x 6.5 mm	816 pcs		SIHF66BWT	
	8.0 x 6.0 mm	816 pcs	6.5	SIHF66BWT8	
	10.0 x 6.0 mm	864 pcs		SIHF66CW	
	11.0 x 6.0 mm	864 pcs	6.0	SIHF66DW	
	5.0 x 6.0 mm	816 pcs		SIHF66EW	
	10.0 x 5.5 mm	816 pcs	6.2	SIHF66EWT	
	10.0 x 5.5 mm	1152 pcs		SIHF66LW	
	12.0 x 7.5 mm	624 pcs	8.0	SIHF68BWT	
	8.0 x 7.5 mm	624 pcs		SIHF68BWT8	
	10.0 x 8.0 mm	624 pcs	8.2	SIHF68CW	
	11.0 x 8.0 mm	624 pcs		SIHF68DW	
	5.0 x 8.0 mm	624 pcs	8.2	SIHF68EW	
	10.0 x 7.5 mm	624 pcs		SIHF68EWT	



FLAG-TYPE TAGS FOR TERMINAL BLOCKS

TYPE	SIZE	PACKAGE	PITCH	ITEM	SPECS
FLAG-TYPE TAGS FOR TERMINAL BLOCKS	7 x 5 mm	816 pcs	6,5	SIHF50GW	 <small>POLYCARBONATE</small>    
	6 x 5 mm	960 pcs	5,5	SIHF50LW	
	5 x 4,5 mm	1408 pcs	5	SIHF50NW	
	10 x 5 mm	960 pcs	5,5	SIHF51CW	
	10 x 5 mm	816 pcs	6,5	SIHF51GW	
	10 x 5 mm	960 pcs	5,5	SIHF51HW	
	10 x 5 mm			SIHF51LW	
	10 x 5 mm			SIHF51LWK	
	15 x 5 mm			SIHF52CW	
	15 x 5 mm			SIHF52HW	
	15 x 5 mm			SIHF52LW	
	15 x 5 mm			SIHF52LWK	



STAGGERED TAGS FOR TERMINAL BLOCKS




TYPE	SIZE	PACKAGE	ITEM	SPECS
STAGGERED TAGS FOR TERMINAL BLOCKS	6 x 5 mm	960 pcs	SIHF20AW	POLYCARBONATE
	7 x 5 mm		SIHF20GW	
	6 x 5 mm		SIHF20LW	
	10 x 5 mm		SIHF21AW	
	12 x 5 mm		SIHF21BW	
	12 x 5 mm	3000 pcs	SIHF21BYMC	94-V0 CEI 16-7 ISO 4892-2:2006
	10 x 5 mm	960 pcs	SIHF21CW	
	10 x 5 mm	960 pcs	SIHF21EW	
			SIHF21MW	
	15 x 5 mm	960 pcs	SIHF22AW	
			SIHF22BW	
			SIHF22CW	
			SIHF22EW	
			SIHF22MW	

TAGS FOR CHANNEL



SIZE	PACKAGE	WHITE	YELLOW
20 X 9 mm	240 pcs	SIHF31W	SIHF31Y








TAGS FOR CONTACTORS

TYPE	SIZE	PACKAGE	WHITE	YELLOW	GREY	SPECS
TAGS FOR CONTACTORS	17 x 8 mm	240 pcs	SIHF32FW	-	-	
	20 x 9 mm	240 pcs	SIHF32GW	-	-	
	17 x 12 mm	288 pcs	SIHF32HW	-	-	
	21 x 8 mm	240 pcs	SIHF32MW	-	-	
	17 x 8 mm	240 pcs	SIHF32MWK	-	-	
	10 x 7 mm	480 pcs	SIHF34GW	-	-	
	20 x 7 mm	240 pcs	SIHF35GW	SIHF35GY	-	
	8.6 x 9.9 mm	360 pcs	SIHF36GW	-	-	
ADHESIVE TAGS	17 x 10 mm	288 pcs	SIHF41017W	SIHF41017Y	SIHF41017E	
	27 x 15 mm	192 pcs	SIHF41527W	SIHF41527Y	SIHF41527E	
	50 x 15 mm	96 pcs	SIHF41550W	SIHF41550Y	SIHF41550E	
	67 x 15 mm	96 pcs	SIHF41567W	SIHF41567Y	SIHF41567E	
	20 x 9 mm	240 pcs	SIHF42W	SIHF42Y	-	
	22 x 22 mm	120 pcs	SIHF42222W	-	-	



TAGS FOR TAG HOLDER & CHANNEL

TYPE	SIZE	PACKAGE	WHITE	YELLOW	GREY	SPECS
TAGS FOR TAG HOLDER AND CHANNEL	17 x 10 mm	288 pcs	SITHF1710W			    
	17 x 15 mm	288 pcs	SITHF1715W			
	27 x 10 mm	192 pcs	SITHF2710W			
	50 x 10 mm	96 pcs	SITHF5010W			
	27 x 15 mm	192 pcs	SITHF01W	SITHF01Y	SITHF01E	
	50 x 15 mm	96 pcs	SITHF02W	SITHF02Y	SITHF02E	
	67 x 15 mm		SITHF03W	SITHF03Y	SITHF03E	
	27 x 27 mm		SITHF04W	-	SITHF04E	
	27 x 8 mm		SITHF05W	-	-	
ADHESIVE TAGS	27 x 8 mm	192 pcs	SITHFD01W	-	-	  
	9 x 12 mm	4600 pcs	SIFX0912W	-	-	
	6 x 15 mm	5700 pcs	SIFX0615W	SIFX0615Y	-	
	9 x 15 mm	3800 pcs	SIFX0915W	SIFX0915Y	-	
FABRIC LABELS	12 x 40 mm	1050 pcs	-	SIFX1240Y	-	  
	6 x 15 mm	4480 pcs	-	SIFK0615Y	-	
	9 x 15 mm	3080 pcs	-	SIFK0915Y	-	
	10 x 20 mm	2000 pcs	-	SIFK1020Y	-	
	15 x 50 mm	560 pcs	-	SIFK1550Y	-	



LABEL AND PROTECTIVE COVER

TYPE	SIZE	PACKAGE	WHITE	YELLOW	GREY	SPECS
TAGS	70 x 30 mm	10 pcs	SITHF301W	SITHF301Y	-	 PC <small>POLYCARBONATE</small>
	90 x 40 mm		SITHF401W	SITHF401Y	SITHF401E	
	100 x 60 mm		SITHF601W	SITHF601Y	SITHF601E	
	150 x 100 mm		SITHF991W	SITHF991Y	SITHF991E	
FIRMA MIX (TAGS + PROTECTIVE COVER)	70 x 30 mm		SITHF301WMX	SITHF301YMX	SITHF301EMX	 UL <small>94-V0</small>
	90 x 40 mm		SITHF401WMX	SITHF401YMX	SITHF401EMX	
	100 x 60 mm		SITHF601WMX	SITHF601YMX	SITHF601EMX	
	150 x 100 mm		SITHF991WMX	SITHF991YMX	SITHF991EMX	




TAGS

TYPE	SIZE	PACKAGE	WHITE	METAL	SPECS
ADHESIVE TAGS	27 x 12.5 mm	260 pcs	SITW604	-	
	27 x 16 mm	180 pcs	SITW610	SITM610	
	27 x 18 mm	180 pcs	SITW612	SITM612	
	27 x 19 mm	180 pcs	SITW616	SITM616	
	27 x 27 mm	120 pcs	SITW627	-	
	35 x 15 mm	176 pcs	SITW636	SITM636	
	50 x 10 mm	160 pcs	SITW654	-	
	50 x 15 mm	110 pcs	SITW656	SITM656	
	60 x 24 mm	56 pcs	SITW668	SITM668	
	100 X 40 mm	16 pcs	SITW674	SITM674	
	100 X 60 mm	12 pcs	SITW678	SITM678	
	27x18 mm	180 pcs	SITW612X	SITM612X	
	30 x 10 mm	224 pcs	SITW630X	-	



+80°C
-40°C



ADHESIVE STRIPS

Type	Size	Package	White	Yellow	Metal	Specs
ADHESIVE STRIPS	215 x 10 mm	120 pcs	SITW804/215	-	-	
	430 x 10 mm	72 pcs	SITW804/430	-	SITM804/430	
	215 x 15 mm	70 pcs	SITW806/215	-	-	
	430 x 15 mm	48 pcs	SITW806/430	SITY806/430	SITM806/430	
	215 x 20 mm	60 pcs	SITW808/215	SITY808/215	-	
	430 x 20 mm	36 pcs	SITW808/430	SITY808/430	-	
STRIPE FOR CHANNEL	215 x 10 mm	120 pcs	-	SITY804X/215	-	
	430 x 10 mm	72 pcs	SITW804X/430	-	-	
	215 x 15 mm	70 pcs	SITW806X/215	-	-	
	430 x 15 mm	48 pcs	SITW806X/430	-	-	
	430 x 20 mm	36 pcs	SITW808X/430	-	SITM808X/430	
	70 x 20 mm	180 pcs	SITW808X3T	-	-	



TERMINAL BLOCK COMPATIBILITY


 For further information:
 ☎ sales@grafoplast.it
 +39 0131 718477

	1	2	3	4	5	6	7	8	9	10	11	12
TAGS	S12KAF5212SW	S12KAF6012SW	S12KAF8012SW	S12KAF5010RW	S12KAF6010RW	S12KAF8010RW	S12KAF6010BW	S12KAF5010LWK	S12KAF5210NW	S12KAF5010CW	S12KTB3509EW	S12KTB3509LW
T-BLOCK												

Cabur

HMM1												
HMM2							(S)					
HMM4							(S)					
HMM6							(S)					
HMD1							(S)					
HMD2N							(S)					
DAS4							(P)					
CBC 2							(P)					
CBC 4							(P)					
CBC 6							(S)					
CBD2												
CBD4							(S)					
CBD6							(S)					
CBD10							(S)					
CBD16							(S)					
CBD35							(S)					
CBD50							(S)					
CBD70							(S)					
EDM2.5							(S)					
EDM4							(S)					
EDM6							(S)					
EDM10							(S)					
EDM16							(S)					
EDM25							(S)					
EDM35							(S)					
EDM70							(S)					
FOP 2-2.5												
VPC 2-2.5							(S)					
RN1							(S)					
RN2							(S)					
RN4							(S)					

Staffel

TAC 10								(S)				
--------	--	--	--	--	--	--	--	-----	--	--	--	--

 Pitch

 Single

 Lateral

TERMINAL BLOCK COMPATIBILITY


 For further information:
 ☎ sales@grafoplast.it
 +39 0131 718477

TAGS	1	2	3	4	5	6	7	8	9	10	11	12
T-BLOCK	S12KAF5212SW	S12KAF6012SW	S12KAF8012SW	S12KAF5010RW	S12KAF6010RW	S12KAF8010RW	S12KAF6010BW	S12KAF5010LWK	S12KAF5210NW	S12KAF5010CW	S12KTB3509EW	S12KTB3509LW

Weidmüller

SAK 2.5						(S)						
SAK 4						(S)						
SAK 6						(S)						
WDU 1.5						(S)						
WDU 2.5						(P)						
WDU 4						(S)						
WDU 6						(S)						
WDU 10						(S)						
WDU 16						(S)						
WDU 35						(S)						
ZDU 2.5						(P)						
ZDU 6						(S)						
WSI 6						(S)						
WTR 2.5						(P)						
WPE 2.5						(P)						
WPE 4						(S)						
ZPE 2.5						(P)						
WNT 2.5						(P)						
WDK 2.5						(P)						
WDK 4						(S)						

Wago

279												
280										(P)		
281												
282												
283												
284												
290												
Top Job'S 2002									(P)			
Top Job'S 2004									(S)			
Top Job'S 2006									(S)			
870												
769												

(P) Pitch

(S) Single

(L) Lateral

13	14	15	16	17	18	19	20	21	22	23	24	25
SI2KTB3510CW	SI2KTB3510LW	SI2KTB3510LWK	SI2KTB5010LWK	SI2KTB5085DW	SI2KTB5209EW	SI2KTB5210CW	SI2KTB6010DW	SI2KTB6010HW	SI2KTB6085DW	SI2KTB6510GW	SI2KTB6512BW	SI2KTB8085DW

P Pitch

S Single

L Lateral

TERMINAL BLOCK COMPATIBILITY


 For further information:
 sales@grafoplast.it
 +39 0131 718477

TAGS	1	2	3	4	5	6	7	8	9	10	11	12
T-BLOCK	S12KAF5212SW	S12KAF6012SW	S12KAF8012SW	S12KAF5010RW	S12KAF6010RW	S12KAF8010RW	S12KAF6010BW	S12KAF5010LWK	S12KAF5210NW	S12KAF5010CW	S12KTB3509EW	S12KTB3509LW

Phoenix contact

ST 2.5								(S)				
ST 4								(S)				
ST 6								(S)				
UT 2.5								(S)				
UT 4								(S)				
UT 6								(S)				
UK 1.5N								(S)				
UK 2.5								(S)				
UK 3								(S)				
UK 5								(S)				
UK 5N								(S)				
UKK 3								(S)				
UKK 5								(S)				
ZFK 2.5												
PIK 4PE/L/N-L								(S)				
PIK4-L/L								(S)				
UDMTK5								(S)				
STTBS2/5								(S)				

Siemens

8WA2												
8WA1									(S)			
8WH2												
8WH3												
8WH4												
8WH5												
32A												

Telemecanique

AB1-RR435U2												
WK 4SL/U												
WK 4E/U												
WK 4/THSI5												
WK 4/U												
WK 6SL/U												
WK 10/SIU												
WKN 16/U												

 Pitch

 Single

 Lateral

13	14	15	16	17	18	19	20	21	22	23	24	25
SI2KTB3510CW	SI2KTB3510LW	SI2KTB3510LWK	SI2KTB5010LWK	SI2KTB5085DW	SI2KTB5209EW	SI2KTB5210CW	SI2KTB6010DW	SI2KTB6010HW	SI2KTB6085DW	SI2KTB6510GW	SI2KTB6512BW	SI2KTB8085DW
					(P) (L)	(P) (C)						
					(S) (L)	(S) (C)						
					(S) (L)	(S) (C)						
						(P)						
						(S)						
						(S)						
							(P)					
						(S)						
						(S)						
						(S)						
						(P)						
						(S)						
						(S)						
						(S)						
						(P)						
						(S)						
						(P)						
						(S)						
						(S)						
						(S)						
						(S)						
						(S)						
							(P)					
							(S)					
							(P)					
							(S)					
							(S)					
							(P)					
							(S)					
							(P)					
							(S)					
							(S)					
							(S)					
								(P)				
								(S)				
								(P)				
								(S)				
								(S)				
								(S)				
									(P)			
									(S)			
									(L)			

P Pitch

Single

L Lateral

TERMINAL BLOCK COMPATIBILITY


 For further information:
 ☎ sales@grafoplast.it
 +39 0131 718477

	1	2	3	4	5	6	7	8	9	10	11	12
TAGS	S12KAF5212SW	S12KAF6012SW	S12KAF8012SW	S12KAF5010RW	S12KAF6010RW	S12KAF8010RW	S12KAF6010BW	S12KAF5010LWK	S12KAF5210NW	S12KAF5010CW	S12KTB3509EW	S12KTB3509LW
T-BLOCK												

Legrand

10A												
20A												
25A												
35A												
50A												
70A												
396 2/7												
390 81												
VIKING 370												
VIKING 3												

Arnocanali

ADL2.5										(S)		
CTS2										(P)		
CTS4										(S)		
CTS6										(S)		
CTS10										(S)		
CTS16										(S)		
CTS25										(S)		
CTS35										(S)		
CTS50								(S)				
CTS95								(S)				
CSFL4...								(S) (C)		(S) (L)		
CSCG2										(P)		
CSCG4										(S)		
CSCG6										(S)		
CSCG10										(S)		
CSCG16										(S)		
CA202			(S)	(S)	(S)					(S)		
CA702			(S)	(S)	(S)					(S)		
CA802			(S)	(S)	(S)					(S)		
CGT4			(S)	(S)	(P)					(S)		
CGT6			(S)	(S)	(P)					(S)		

 Pitch

 Single

 Lateral

13 SI2KTB3510CW	14 SI2KTB3510LW	15 SI2KTB3510LWK	16 SI2KTB5010LWK	17 SI2KTB5085DW	18 SI2KTB5209EW	19 SI2KTB5210CW	20 SI2KTB6010DW	21 SI2KTB6010HW	22 SI2KTB6085DW	23 SI2KTB6510GW	24 SI2KTB6512BW	25 SI2KTB8085DW
--------------------	--------------------	---------------------	---------------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------

P Pitch

S Single

L Lateral

TERMINAL BLOCK COMPATIBILITY


 For further information:
 ☎ sales@grafoplast.it
 +39 0131 718477

TAGS	1	2	3	4	5	6	7	8	9	10	11	12
T-BLOCK	S12KAF5212SW	S12KAF6012SW	S12KAF8012SW	S12KAF5010RW	S12KAF6010RW	S12KAF8010RW	S12KAF6010BW	S12KAF5010LWK	S12KAF5210NW	S12KAF5010CW	S12KTB3509EW	S12KTB3509LW

Rockwell Automation

1496 R3												
1496 R4												
1496 R6												
1492 W3												
1492 W4												
1492 W10												
1492 W16S												
1492 W35												
1492 WD3												
1492 WD4												
1492 RD3												
1492 RTS2												
1492 K3								(S)				
1492 J3								(P)				
1492 J4								(S)				
1492 J6								(S)				
1492 L3								(P)				
1492 L4								(P)				
1492 L6								(S)				
1492 L16								(S)				
1492 JD3C								(P)				

Automation Direct

DN-T12								(P)				
DN-T10								(S)				
DN-T8								(S)				
DN-T6								(S)				
DN-D...								(S)				
DN-DIS...								(S)				
DN-EMX...								(S)				
DN-F...								(S)				
DN-DIS...								(S)				
DN-G...								(S)				
DN-M...								(S)				
DN-MG...								(S)				
DN-THERM...								(S)				

 Pitch

 Single

 Lateral

13	14	15	16	17	18	19	20	21	22	23	24	25
SI2KTB3510CW	SI2KTB3510LW	SI2KTB3510WK	SI2KTB5010LWK	SI2KTB5085DW	SI2KTB5209EW	SI2KTB5210CW	SI2KTB6010DW	SI2KTB6010HW	SI2KTB6085DW	SI2KTB6510GW	SI2KTB6512BW	SI2KTB8085DW
								(S)				
								(P)				
								(S)				
								(P)				
								(S)				
								(S)				
								(S)				
								(S)				
								(P)				
								(S)				
								(S)				
								(P)				
								(S)				
								(S)				
								(S)				
								(P)				
								(S)				
								(S)				
								(P)				
								(S)				
								(S)				
								(P)				
								(S)				
								(S)				
								(P)				
								(S)				
								(S)				
								(P)				
								(S)				
								(S)				
								(P)				
								(S)				
								(S)				
								(P)				
								(S)				
								(S)				
								(P)				
								(S)				
								(S)				
								(P)				
								(S)				
								(S)				
								(P)				
								(S)				
								(S)				
								(P)				
								(S)				
								(S)				
								(P)				
								(S)				
								(S)				
								(P)				
								(S)				
								(S)				
								(P)				
								(S)				
								(S)				
								(P)				
								(S)				
								(S)				
								(P)				
								(S)				
								(S)				
								(P)				
								(S)				
								(S)				
								(P)				
								(S)				
								(S)				
								(P)				
								(S)				
								(S)				
								(P)				
								(S)				
								(S)				
								(P)				
								(S)				
								(S)				
								(P)				
								(S)				
								(S)				
								(P)				
								(S)				
								(S)				
								(P)				
								(S)				
								(S)				
								(P)				
								(S)				
								(S)				
								(P)				
								(S)				
								(S)				
								(P)				
								(S)				
								(S)				
								(P)				
								(S)				
								(S)				
								(P)				
								(S)				
								(S)				
								(P)				
								(S)				
								(S)				
								(P)				
								(S)				
								(S)				
								(P)				
								(S)				
								(S)				
								(P)				
								(S)				
								(S)				
								(P)				
								(S)				
								(S)				
								(P)				
								(S)				
								(S)				
								(P)				
								(S)				
								(S)				
								(P)				
								(S)				
								(S)				
								(P)				
								(S)				
								(S)				
								(P)				
								(S)				
								(S)				
								(P)				
								(S)				
								(S)				
								(P)				
								(S)				
								(S)				
								(P)				
								(S)				
								(S)				
								(P)				
								(S)				
								(S)				
								(P)				
								(S)				
								(S)				
								(P)				
								(S)				
								(S)				
								(P)				
								(S)				
								(S)				
								(P)				
								(S)				
								(S)				
								(P)				
								(S)				
								(S)				
								(P)				
								(S)				
								(S)				
								(P)				
								(S)				
								(S)				
								(P)				
								(S)				
								(S)				
								(P)				
								(S)				
								(S)				
								(P)				
								(S)				
								(S)				
								(P)				
								(S)				
								(S)				
								(P)				
								(S)				
								(S)				
								(P)				
								(S)				

TERMINAL BLOCK COMPATIBILITY


 For further information:
 ☎ sales@grafoplast.it
 +39 0131 718477

	1	2	3	4	5	6	7	8	9	10	11	12
TAGS	S12KAF5212SW	S12KAF6012SW	S12KAF8012SW	S12KAF5010RW	S12KAF6010RW	S12KAF8010RW	S12KAF6010BW	S12KAF5010LWK	S12KAF5210NW	S12KAF5010CW	S12KTB3509EW	S12KTB3509LW
T-BLOCK												

Allen Bradley

1496 R3												
1496 R4												
1496 R6												
1492 W3												
1492 W4												
1492 W10												
1492 W16S												
1492 W35												
1492 WD3												
1492 WD4												
1492 RD3												
1492 RTS2												
1492 K3								(S)				
1492 J3								(P)				
1492 J4								(S)				
1492 J6								(S)				
1492 L3								(P)				
1492 L4								(P)				
1492 L6								(S)				
1492 L16								(S)				
1492 JD3C								(P)				

ABB

D2.5				(P)								
D4				(S)	(P)							
D6				(S)	(S)	(P)						
D2.5 ADO				(P)								
D4 ADO				(S)	(P)							
D6 ADO				(S)	(S)	(P)						
M2.5/5				(P)						(P)		
M4/6				(S)	(P)					(S)		
M6/8				(S)	(S)	(P)				(S)		
ZS4	(P)											
ZS6	(S)	(P)										
ZS10	(S)	(S)	(P)									

 Pitch

 Single

 Lateral

13 SI2KTB3510CW	14 SI2KTB3510LW	15 SI2KTB3510LWK	16 SI2KTB5010LWK	17 SI2KTB5085DW	18 SI2KTB5209EW	19 SI2KTB5210CW	20 SI2KTB6010DW	21 SI2KTB6010HW	22 SI2KTB6085DW	23 SI2KTB6510GW	24 SI2KTB6512BW	25 SI2KTB8085DW
--------------------	--------------------	---------------------	---------------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------

P Pitch

Single

L Lateral

TERMINAL BLOCK COMPATIBILITY


 For further information:
 ☎ sales@grafoplast.it
 +39 0131 718477

	1	2	3	4	5	6	7	8	9	10	11	12
TAGS	S12KAF5212SW	S12KAF6012SW	S12KAF8012SW	S12KAF5010RW	S12KAF6010RW	S12KAF8010RW	S12KAF6010BW	S12KAF5010LWK	S12KAF5210NW	S12KAF5010CW	S12KTB3509EW	S12KTB3509LW
T-BLOCK												

Connectwell

ADL2.5...									(S)			
CTS2,5UN									(P)			
CTS4UN									(S)			
CTS6U									(S)			
CTS10U									(S)			
CTS16U									(S)			
CTS25U									(S)			
CTS35U									(S)			
CTS50U							(S)					
CTS95U							(S)					
CSCG2,5T									(P)			
CSCG4T									(S)			
CSCG6T									(S)			
CSCG10T									(S)			
CSCG16T									(S)			
CSCG35T									(S)			
CSFL4...							(S) (C)		(S) (L)			
CSC2,5T									(P)			
CSC4T									(S)			
CSC6T									(S)			
CSC10T									(S)			
CSC16T									(S)			
CA202									(S)			
CA702									(S)			
CA802									(S)			
CGT4N									(S)			
CGT6N				(S)	(S)	(P)			(S)			
CGT4U				(S)	(P)	(S)			(S)			
CGT10U									(S)			
CGT35U									(S)			

 Pitch

 Single

 Lateral

TERMINAL BLOCK COMPATIBILITY


 For further information:
 ☎ sales@grafoplast.it
 +39 0131 718477

TAGS	1	2	3	4	5	6	7	8	9	10	11	12
T-BLOCK	S12KAF5212SW	S12KAF6012SW	S12KAF8012SW	S12KAF5010RW	S12KAF6010RW	S12KAF8010RW	S12KAF6010BW	S12KAF5010LWK	S12KAF5210NW	S12KAF5010CW	S12KTB3509EW	S12KTB3509LW

Wieland

WK/...												
WK 2.5/U...												
WK 2.5 SL/35												
WK 4...												
WK 4/Si D/U 5X25												
WK 4 THSI 5.../U												
WK 4 THSI 6.3.../U												
WK 6...												
WKC 1 E/F/C/35												
WKC 1 D2F/2C/35												
WKC 1D2F 2C/SL/35												
WKC 2.5...												
WKFN 4...												
WKI...												
WKI 4...												
WKM 2.5...												
WKM 4...												
WKN 4...												
WKN 10...												
WKN 16...												
WKN 35...												
WKN 70...												
WKN 150/U												
9700 A/5 S35												
9700 A/6...												
9701 A/8...												
9702 A/10...												
9703 A/12 S35												
9704 A/16...												
9700 B...												
9785 U/...												
9786 U/12												
9760 U/8 TKE...												

(P) Pitch

(S) Single

(L) Lateral

P Pitch

Single

L Lateral

TERMINAL BLOCK COMPATIBILITY


 For further information:
 ☎ sales@grafoplast.it
 +39 0131 718477

	1	2	3	4	5	6	7	8	9	10	11	12
TAGS	S12KAF5212SW	S12KAF6012SW	S12KAF8012SW	S12KAF5010RW	S12KAF6010RW	S12KAF8010RW	S12KAF6010BW	S12KAF5010LWK	S12KAF5210NW	S12KAF5010CW	S12KTB3509EW	S12KTB3509LW
T-BLOCK												

Morsettitalia

EURO 2,5/35							(P)					
EURO 4/35							(S)					
EURO 5/35							(S)					
EURO 6/35							(S)					
EURO 10/35							(S)					
EURO ...							(S)					
EURO D...							(S)					
EURO D4...							(S)					
EURO E...							(S)					
EURO F...							(S)					
EURO S...							(S)					
EURO STOP...							(S)					
EURO T...							(S)					
EURO X...							(S)					

Klemsan

AVK 2,5												
AVK 4												
AVK 6												
AVK 10												

Woertz

30301												
30145												
30150												
3450												
3430												

P Pitch

S Single

L Lateral

TERMINAL BLOCK COMPATIBILITY


 For further information:
 ☎ sales@grafoplast.it
 +39 0131 718477

TAGS	1	2	3	4	5	6	7	8	9	10	11	12
T-BLOCK	S12KAF5212SW	S12KAF6012SW	S12KAF8012SW	S12KAF5010RW	S12KAF6010RW	S12KAF8010RW	S12KAF6010BW	S12KAF5010LWK	S12KAF5210NW	S12KAF5010CW	S12KTB3509EW	S12KTB3509LW

Onka

MRK 1.5						(S)						
MRK...						(S)						
ORK...						(S)						
52107						(S)						
52115						(S)						
52116						(S)						
52117						(S)						
52119						(S)						
G52111						(S)						
MTK 4						(S)						
MTK 10						(S)						
OTES6K						(S)						
OTES6T						(S)						
OTES6C						(S)						
OTES10K						(S)						
OTES10T						(S)						
OTES10C						(S)						

 Pitch

 Single

 Lateral

13 SI2KTB3510CW	14 SI2KTB3510LW	15 SI2KTB3510LWK	16 SI2KTB5010LWK	17 SI2KTB5085DW	18 SI2KTB5209EW	19 SI2KTB5210CW	20 SI2KTB6010DW	21 SI2KTB6010HW	22 SI2KTB6085DW	23 SI2KTB6510GW	24 SI2KTB6512BW	25 SI2KTB8085DW
--------------------	--------------------	---------------------	---------------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------

P Pitch

Single

L Lateral

Siglatura.it

Your Marking onDemand

“

Siglatura.it offers a quick and easy service for those who need tags already marked to identify cables, wires, t-blocks, equipment, push buttons and panel plates.

The long experience in the identification system in Italy and abroad allows us to make fast deliver for each type of tag and to provide new solutions according to customers needs.


Our expertise includes the marking of internal and external panel but also safety signs and identification in particularly harsh environments as Petrochimic, Marine and Food market.

We can be your identification department!


”



Tags for T-blocks



Metal tags



Siglatura.it

Your
Marking
onDemand


Tags for
cables




Tags for
cable ties



PVC
tags



Trafolite tags or
Bi-laminated
tags



Fast delivery
guaranteed

Product
Quality 100%

Customer Service:
sales@grafoplast.it

Marking Service:
To create customized
marked tags.



Creative & Design

Graphic & Artwork

Contents

Photosetting and Shooting

Photo editing

Printed in Italy by

L'Artistica Savigliano

*Painting made by Mark Kostabi, an American artist.
In his paintings the representation of faceless subjects
recall the mannequins of Giorgio de Chirico*



Grafoplast™
do it better

Grafoplast Srl
Zona Industriale
15077 • Predosa (AL) • Italy

Tel. +39 0131 718477 • Fax +39 0131 718585
info@grafoplast.it • www.grafoplast.it